#### **General Disclaimer**

#### One or more of the Following Statements may affect this Document

- This document has been reproduced from the best copy furnished by the organizational source. It is being released in the interest of making available as much information as possible.
- This document may contain data, which exceeds the sheet parameters. It was furnished in this condition by the organizational source and is the best copy available.
- This document may contain tone-on-tone or color graphs, charts and/or pictures, which have been reproduced in black and white.
- This document is paginated as submitted by the original source.
- Portions of this document are not fully legible due to the historical nature of some
  of the material. However, it is the best reproduction available from the original
  submission.

Produced by the NASA Center for Aerospace Information (CASI)





83-04

(NASA-IM-85418) ASTRONOMICAL DATA CENTER BULLETIN, VOLUME 1, NUMBER 3 (NASA) 109 p HC A06/MF A01 CSCL 03A NE3-35961

Unclas G3/89 42119

# Astronomical Data Center Sulletin

**Yolume 1** 

Number 3



July 1983

#### ASTRONOMICAL DATA CENTER BULLETIN

Volume 1

Number 3

July 1983

J. M. Mead, Laboratory for Astronomy and Solar Physics/GSFC
W. H. Warren Jr., National Space Science Data Center/GSFC
T. A. Nagy, Systems and Applied Sciences Corporation\*

\* Now with TAN Associates, Riverdale, MD

National Space Science Data Center/
World Data Center A for Rockets and Satellites
National Aeronautics and Space Administration
Goddard Space Flight Center
Greenbelt, Maryland 20771

#### ASTRONOMICAL DATA CENTER BULLETIN

VOL. 1, NO. 3 JULY 1983

#### TABLE OF CONTENTS

EDITORIAL - J. M. Mead, W. H. Warren Jr. and T. A. Nagy	171
CATALOG OF GALACTIC O-TYPE STARS - C. D. Garmany	172
THE MACHINE-READABLE VERSION OF THE BRIGHT STAR CATALOGUE, 4th REVISED EDITION - D. Hoffleit and W. H. Warren Jr	174
THE TWO-MICRON SKY SURVEY: NEAREST SAO STAR AND LOCATIONS ON PALOMAR SKY SURVEY PRINTS - T. A. Nagy, R. S. Hill and J. M. Mead	183
SEVENTEEN TWO-MICRON SKY SURVEY SOURCES WITH PROBLEMATICAL DURCHMUSTERUNG IDENTIFICATIONS - R. S. Hill and T. A. Nagy	188
COMPUTERIZED RETRIEVAL OF DATA FOR VISUAL BINARY STARS - W. H. Warren Jr	192
FAINT BLUE OBJECTS AT HIGH GALACTIC LATITUDE: A MACHINE-READABLE VERSION - A. Warnock III and P. D. Usher	195
AVAILABILITY OF THE MACHINE-READABLE VERSION OF THE SIXTH CATALOGUE OF GALACTIC WOLF-RAYET STARS - R. S. Hill and T. A. Nagy	206
DECLINATION VERSUS MAGNITUDE DISTRIBUTION OF TWO ASTRONOMICAL CATALOGUES - T. A. Nagy and R. S. Hill	208
THE NEW MACHINE-READABLE VERSION OF THE SAO-HD-GC-DM CROSS INDEX CATALOG - N. G. Roman and W. H. Warren Jr	212
AVAILABILITY OF VARIABLE STAR CROSS-IDENTIFICATION TABLES - T. A. Nagy and R. S. Hill	215
COMBINED LIST OF ASTRONOMICAL SOURCES (CLAS) - J. M. Mead and R. S. Hill	217
UPDATES TO BIBLIOGRAPHICAL STAR INDEX SEARCH - R. S. Hill, J. M. Mead and T. A. Nagy	220

THE BSI FROM THE USER'S VIEWPOINT - M. F. Dominy	222
THE DO-HD AND HD-DO CROSS INDICES - T. A. Nagy	226
NEW AND REVISED CATALOGUES AVAILABLE FROM THE ASTRONOMICAL DATA CENTER - W. H. Warren Jr., J. M. Mead, T. A. Nagy and R. S. Hill	23/
ASTRONOMICAL DATA CENTER (ADC) ANNUAL REPORT FOR 1982 - J. M. Mead and W. H. Warren Jr	
STATUS REPORT ON MACHINE-READABLE ASTRONOMICAL CATALOGUES - J. M. Mead, W. H. Warren Jr. and T. A. Nagy	243
HOW 10 OPTAIN DATA FROM THE ASTRONOMICAL DATA CENTER	
REQUEST FORM FOR ASTRONOMICAL CATALOGS	

#### EDITORIAL

This is the third issue of a publication designed to provide a vehicle for the dissemination of information about work in progress on astronomical catalogs. In addition to progress reports on specific tasks, we are including in each issue an updated status list for astronomical catalogs available at the Astronomical Data Center (ADC) at NASA Goddard Space Flight Center. Contributed papers from observatories and individuals involved with astronomical data are welcome. We wish to encourage communications describing ongoing projects, new catalogs completed or planned, and lists of errors determined for existing catalogs. In this way, we hope to avoid redundant efforts and to increase the efficiency with which astronomical data are being compiled and distributed.

In order to maintain a reasonably uniform format and decrease editing time, we ask that authors submit camera-ready copy for articles to be published in this bulletin. Papers should be single spaced and typed in an area approximately 6.5 inches (165 mm) horizontally by 8.375 inches (213 mm) vertically. The margins should be 1.375 inches (35 mm) at the top, 1 inch (25 mm) at the left and right sides and 1.25 inches (32 mm) on the bottom of each page. Standard 8.5- x 11-inch (216- x 280-mm) paper and a serif type style (Prestige Elite, Courier, Adjutant, etc.) should be used if possible. Two copies of each manuscript should be submitted to:

Dr. Wayne H. Warren Jr.
Astronomical Data Center
National Space Science Data Center
Code 601
NASA Goddard Space Flight Center
Greenbelt, Maryland 20771

Issues of the Astronomical Data Center Bulletin will be published as sufficient new material becomes available to comprise each issue. Each volume will be continued until enough material has accumulated for library binding. Comments, criticisms and suggestions from the astronomical community will be enthusiastically welcomed.

The Editors

J. M. Mead

W. H. Warren Jr.

T. A. Nagy

#### CATALOG OF GALACTIC O-TYPE STARS

Catharine D. Garmany
Joint Institute for Laboratory Astrophysics
University of Colorado

There are many current research problems which require an accurate knowledge of the initial mass function for massive stars, and in a recent paper ("The Initial Mass Function for Massive Stars," Garmany, Conti, and Chiosi 1982) we have redetermined this function using a volume-limited sample of stars. We have based this determination on a machine-readable catalog of Galactic O-type stars containing 764 objects. Our catalog is probably complete to a distance of about 2.5 kpc.

From the literature we have compiled a catalog of all O-type stars for which we have spectral types, luminosity classes, and UBV photometry. The majority of the stars comes from either Cruz-Gonzalez et al. (1974) or Humphreys (1978). Additional stars have been added from Garrison and Kormendy (1976), Garrison, Hiltner and Schild (1977), Feinstein, Marraco and Forte (1976), and Moffat, FitzGerald and Jackson (1979). Additional sources of cluster membership include Conti and Alschuler (1971) and Moffat and Vogt (1975). Improved spectral types have been taken from Garrison et al. (1977). Sources for improved photometry include Feinstein et al. (1976), Guetter (1974), and Klare and Neckel (1977). This catalog, which is coded in machine-readable form, is available through the Astronomical Data Center at Goddard Space Flight Center.

The observational data for each star in the catalog include: HD, BD or other designation, cluster membership, V, (B-V), spectral type,  $\hat{I}$ , b. For each star we have derived the distance, effective temperature and bolometric magnitude. If the star is a cluster or association member, we have used the distance  $g^i$  wen in the primary reference source. If the primary reference included the absolute magnitude also, we have that value. Stars that are apparently not cluster members are referred to as field stars, and their absolute magnitudes are taken from Conti's (1975) calibration of spectral type and  $M_V$ . The distance is then computed from the star's distance modulus and colors, with the interstellar extinction,  $A_V$ , derived assuming  $A_V = 3 \times E_{B-V}$ . We have used Conti's temperature scale (1975) and Morton's (1969) bolometric corrections as a function of temperature.

There are 781 stars in our catalog; of these 50 do not have *UBV* colors and 140 have only MK spectral types with no luminosity classes. Further spectral classification of these 140 stars is under way, following the system of Garrison et al. (1977). Preliminary classification is complete for 25 of them from spectra taken at KPNO at either 63 Å mm<sup>-1</sup> or 79 Å mm<sup>-1</sup>. These new spectral types are indicated by an asterisk in the catalog.

#### REFERENCES

Conti, P. S. 1975, in HII Regions and Related Topics, ed. T. L. Wilson and D. Downes (Heidelberg: Springer-Verlag), p. 207.

Conti, P. S., and Alschuler, W. A. 1971, Ap. J., 170, 325.

Cruz-Gonzalez, C., Recillas-Cruz, E., Costero, R., Peimbert, M., and Torres-Peimbert, S. 1974, Rev. Mexicana Astr. Ap., 1, 211.

Feinstein, A., Marraco, H. G., and Forte, J. C. 1976, Astr. Ap. Suppl., 24, 389.

Feinstein, A., Marraco, H. G., and Muzzio, J. C. 1973, Astr. Ap. Suppl., 12, 331.

Garmany, C. D., Conti, P. S., and Chiosi, C. 1982, Astrophys. J. 263, 777.

Garrison, R. F., Hiltner, W. A., and Schild R. E. 1977, Ap. J. Suppl., 35, 111.

Garrison, R. F., and Kormendy, J. 1976, Publ. A.S.P., 88, 865.

Garrison, R. F., and Schild, R. E. 1979, Astr. J., 84, 1020.

Guetter, H. H. 1974, Pub. A.S.P., 86, 795.

Humphreys, R. M. 1978, Ap. J. Suppl., 38, 309.

Klare, G., and Neckel, T. 1977, Astr. Ap. Suppl., 27, 215.

Moffat, A. F. J., FitzGerald, M. P., and Jackson, P. D. 1979, Astr. Ap. Suppl., 38, 197.

Moffat, A. F. J., and Vogt, N. 1975, Astr. Ap. Suppl. 20, 85.

Morton, D. 1969, Ap. J., 158, 629.

THE MACHINE-READABLE VERSION OF THE BRIGHT STAR CATALOGUE, 4th REVISED EDITION

Dorrit Hoffleit
Yale University Observatory

and

Wayne H. Warren Jr.
National Space Science Data Center
NASA/Goddard Space Flight Center

The 4th edition of the Yale Bright Star Catalogue, prepared by D. Hoffleit with collaboration by C. Jaschek, was published in June 1982. The tapes originally prepared at Yale were written with the PDP-11 and DEC-20 computers, where the coding used was not always standard. These tapes were turned over to the second author at the Astronomical Data Center (ADC) where he has translated them into a more universally readable form.

The printed catalogue lists the BS = HR number, Bayer and Flamsteed designations, DM and HD numbers, double- and variable-star designations, and a column headed "I" indicating that the star is an infrared source. Positions for 1900 and 2000 are given to 0.1 in RA and 1" in Dec. These coordinates were computed from the SAO positions for 1950 by applying both precession and proper motion. Galactic coordinates are given to 0:01 in both coordinates. The right hand pages give V, B-V, U-B, and R-I data when available. Magnitudes not on the UBV system are identified by the suffix H (Harvard Revised Photometry, Harvard Annals 50, 1908) or R (Harvard magnitudes reduced to the UBV system by Rybka 1977). A few magnitudes given to only one decimal are less precise values for either variable or double stars. The spectral classes are on the MK system for 93% of the stars; for the others only HD types and/or Mount Wilson luminosity classes (g or d) were available. The proper motions, with a few exceptions, are from the SAO catalogue. Trigonometric parallaxes, provided by W. van Altena, are still provisional, awaiting the completion of his revision of the General Catalogue of Trigonometric Stellar Parallaxes. A prefix D in the printed version indicates an available dynamical parallax for stars lacking a trigonometric value. In the tape version the D follows the parallax value. Radial velocities, given to the nearest km s-1, come from many sources. Preference was given to the reduced mean values determined by Evans (1967); other values come from Wilson (1953), Abt and Biggs (1972), Barbier and Petit (values available up to 1975), and more recent values supplied by various observers. The RV column adds V for variable, V? for suspected variable radial velocities, SB for spectroscopic binaries, SB1 and SB2 for single or double lined spectra, and SBO, SB1O or SB2O for the spectroscopic binaries with determined orbits. Rotational velocities, v sin i, to the nearest km s<sup>-1</sup>, come mainly from Uesugi (1976) with numerous values from recent sources. The next four columns, Am, SEP, COMP and N refer to visual binaries or multiple stars; Am and SEP give the magnitude difference and separation of the two brightest components of a system, while COMP

identifies which two components are presented (not necessarily A and B). An O indicates that the secondary was discovered by occultation techniques. Under the heading N is given the number of recognized components of a multiple system. The final column contains an asterisk for each star for which a REMARK is given.

The tape version of the Catalogue basically follows the printed version except for the necessity of special alignment of characters to avoid having numerical, lower case and upper case letters in certain data fields simultaneously. Whereas Yale had provided the catalogue on 18 separate tape files, including files for the left and right pages in blocks of a thousand stars, the ADC version combines these to a single data file while reformatting to remove redundant HR numbers.

The tape version also includes a file for all of the Remarks that follow the catalogue proper. Here the coding used on the DEC-20 for super- or sub-scripts and for Greek letters has been adopted, for example:

 $v_0 = ve-0$ 

 $\sin^3 i = \sin\theta + [3]i$ 

 $\alpha$  = alpha = @Greek (a)

The final page of the printed catalogue, "Supplementary Remarks and Corrections" contains information received too late to have been incorporated into the catalogue proper and errors discovered too late to be rectified. On the tape version all of the additions and corrections have been incorporated in their proper sequence in the Catalogue or Remarks.

The following additional errors have been found in the printed version only:

HR

561 Under D the number 5953 should be under VAK

5527 HD: for 13070 read 130701

7442 Sp: for s read S

7469 Under D, for ADS 2695 read 12695

8463 Under D, for ADS 5708 read 15708

All of these stem from alignment mishaps incurred in the process of conversion from PDP output (where they were correct) to the DEC-20 version required for the final printout. All of these are correct in the ADC tape version.

The printed catalogue has three appendices not reproduced on the tape version. Appendix I identifies Bayer and Flamsteed stars, while Appendix II is an extensive list of star names culled mainly from old literature.

Appendix III is a list of some 200 stars brighter than 6.50V by modern UBV standards, that are not included in the Catalogue as such because they have no HR numbers. With but three exceptions (HD 93738, 6.4V; 96088, 6.2V, and 100826, 6.2V) they were all recorded fainter than 6.50 on the Harvard visual system, as given in the Henry Draper Catalogue (1918-1924). None occurred in the earlier Harvard photometric catalogues. These stars and others brighter than 7.10V by modern determinations are the basis for a Supplement to The Bright Star Catalogue now in preparation.

The following pages contain sample Listings of data records as they are recorded on the magnetic tape version. Groups of records from the beginning and end of each file are shown. The beginning of each record and bytes within the record are indicated by the column heading index across the top of each page (digits read vertically). Since files 1 and 3 contain more than 115 bytes per record, the remaining bytes (116-212 in file 1, 116-132 in file 3) are printed in a second row.

#### REFERENCES

- Abt, H. A. and Biggs, E. S. 1972. Bibliography of Stellar Radial Velocities (Tucson: Kitt Peak National Observatory).
- Barbier, M. and Petit, M. (to 1975). Bibliographique de Vitesses Radiales Stellaires, Microfiche, CDS #3038.
- Evans, D. S. 1967. Catalogue of Stellar Radial Velocities, in IAU Symposium No. 30, Determination of Radial Velocities and Their Applications, ed. A. H. Batten and J. H. Heard (Dordrecht: Reidel), p. 57.
- Rybka, E. 1977. Catalogue of HR Stars in the Uniform  $P_{44}$  and V Systems, Krakow.
- Uesugi, A. 1976. Revised Catalogue of Stellar Rotational Velocities a Preliminary Edition, Kyoto.
- Wilson, R. E. 1953. General Catalogue of Stellar Radial Velocities (Washington: Carnegie Institution of Washington Pub. No. 601).

	2		4.3		-		5		5.30		5.30		5.53				• •		*. 1y		7		3		5.60		. 07		3	
-33	3		•		*		ć. ć														i		5.9						;	
	- 16. 80		-61.14		5.33		7.38		3.32		-66.38		1.75		-32.03		-79.14		-75.90		-63.29		79.07		-78.67		3.44		4.0.7	
1000	-				5 -65		L4- E		-		9- 19		و				21 -7						56 -7		-		34 -63		3 -3	
7999 6789	=		y8.33		93.75	•	106.19		117.03	•	321.6	•	118.0	•	111.26		52.2		14.36	•	98.02	•	35.5	•	355.9		y8.3	•	111.73	•
2345	45.1	٣	2		27	~	17		12.1		31		47		17.1	#	27		Ξ		55		32				25		26.1	
8399		PC.	0 30		42	0	23		1 26		*		=		_	A B	•		23		32		3		15		97		•	
888	8 +#5	21.6	1		- 5	0.0	9 + 13		+58	<u>*</u>	61- 0	5.4	5 +64		+29	158.6	0 -23		-17		7 - 1		-22	1.9			2 - 0	0.0	2 +29	81.5
9888	9.6	~	3.7		20.		÷		15.9	-	6 19.0	_	26.		36.7		50.		18.1				46.7	_	3.4		12.0	_	23.	
5678	0 5	-	0 5		0 5	2.5	0 5		•	0.8	9 0	5.7	9		9	2.6	9 0		0 7		0 7		0	5. 1	8 0		8	2.0	8	8.5
1236	77	195	2		-	17	23 (		9 (		51		22	153	=		*7		39	195	70 (		52 (		0.		15 (		8	99
7890	Ç		~		9	<b>&gt;</b> 01	20		52		37		38		28		39		<b>2</b> 6		•		٣		S		•	•	32	<b>3</b>
9597	=	18	-	<b>:</b>	9	6 SB 10	+12	~	+57	12	-49	35B	+63	٥	+28	20	-23	7	- 17		٠ ع	• 13	-23	137	7	~	•	1580	87.	125 BU
56 66	-	•	56.2	•	13.0	=	33.8	ŧ	1.8	- 1		+ ->	7	•	25.2	- 1	43.0	•	8.1		36.7	•	\$0.3	•	58.6	•	8.	•	13.0	1
5555 5678	•		59		o	•••	0		-	+- 04	-	. 0≥	-		-	+.067	-		7		~		~		~		~		~	+.032
55555 0 1234	0	.013	23	950	•	160	•	900	•	036	3	032	0	900	•	111	٥	939	•	0*0	0	003	•	010	•	.005	•	*00	٥	. 158
769		٩		9		•		÷		•		ó		•	_	•		9		ċ		•	80	9		•		÷	0	?
95 96		.014		+0.042	VAR?	-0.012		+0.045		+0.262		+0.565		+0.00	VAR?	0.380		*0.09		.021		+0.024	102308	0.051		.039		+0.006	OI AND	+0.137
344	9	P		•		٢		•	19	•		٠		٠	69	•		٠		0		٠	68	Ť		0		۲	*6	Ť
1333	•				۵				Ī						Ī								_				۵		•	
3333	~		9		1 1 9		_		_		_				9		_				٠,		•		*		H		7 8	•
2222 6789			•		7	м	8.7	<b>.</b>	123		14.2		=	Ie	16		203		256		315	Bellipsi	319		Ä	<b>H</b>	352	м	35	BEIVPRAMS
8901234567890123456789012	S	A E Va	52	696	23	KIII	63	GSII	9	G S V	37	GIIV	107	B9 II I	*	KO ¥		AZA	28	A6 VR	7	11 84	13	A3 V	11	KHIII	~	KZIII	•	1 9 E
8 90 1	4 4550		1 4525	•	6 6357		2 5063		7 2865		914337		3 21		8 4704		m		8 6428		m		~				_		•	
	•		•		PSC -	0.54	PEG +1		+5		7		CAS •6		+7		~		7		•		7		7		•		? 0	9.
111111111111111111111111111111111111111				70	2	+1.04 +0.89 +0.1+	14			23		95	5	<u>•</u>		33		95		2		47		8				<b>±</b>	15 2101 AED +2	-0.11 -0.46 -0.10
6789				+1.10 +1.02	3 33	ċ	3 B6			+0.67 +0.23		+0.52 +0.05	7 10	-0.03 -0.19		+0.75 +0.33		+0.38 +0.05		+0.14 +0.10		-0.14 -0.47		+0.14 +0.06				+1.38 +1.14	2101	ó
2345	-		7	9:1	~	6-1	*	+0.90	S	0.67	•	0.52	7	0.03	<b>©</b>	0.75	•	9.3	2		Ξ		2	.0.	=	+1.12	=	1.38	2	
	-		7	•	_	•	•	•	S	•	•	•	7	•	•	•	•	•	2	•	=	ľ	2	•	=	•	=	•	5	•
34 544																														
74 <b>0</b> 202	980		040		940		Q T C		920		9		9 8 0		940		8 20		9 40		010		020		910		070		9	
042 024	RECORD		RECORD		KECOED		RECORD		RECORD		RECORD		B ECORD		# ECOMB		RECORD		BECORD		RECORD		N ECOND		RECORD		RECORD		RECORD	

			2 303 FO 9110	
		TAPE PILE	•	
		RECORD LENGTH	H 212 BITES	
		INCOT FOLSER	A DC005	
MPC PPD PGO PGO HEU	() ## ###	1111111111	1111112222222333333 156789012345678911234	
RECORD	36 08	96.06	-2417960 225069	23 58 0.2 -28 62 8 0 3 7.6 -28 8 63 45.57 -72.77
		.1.18	S	
RCORP	9097	7606	+62 2354 225094	TAR 23 58 17.4 +63 5 1 0 3 25.6 +63 38 32 117.63 1.20 m.44
		+0.33 -0.54 +0.23	0.23 BJIAe	•
ECON D	<b>3</b> 0 <b>32</b>	9098 2 CET	CET -18 6417 225132	23 58 37.0 -17 53 33 0 3 44.3 -17 20 10 72.10 -75.26 4.55
		-0.05 -0.12 -0.04	0.04 B9.5Va	
* ECORD	80 88	6606	+65 1993 225136 I	23 58 42.4 +66 9 20 0 3 51.8 +65 42 44 118.25 4.17 4.29
		+1.67	He I I I	; ;
I ECOID	9100	9100 9 CAS	CAS +51 2586 225180 #	23 59 4.5 +61 43 51 0 4 13.5 +62 17 17 117,47 - 0.04 5.bs
		+0.30 +0.29	AIIII	
RECORD	¥101	9101	-17 6868 225197	23 59 12.4 -17 5 3 0 4 19.6 -16 31 45 74.70 -74.79 5.78
		+1.10 +1.05	K2111	
R ECORD	9102	7016	-2916950 225230	23 59 13.2 -29 49 33 0 4 20.2 -29 16 7 18.53 -79.41 6.40
		•0.00 -0.05	404	
RECERD	9103	9103 3 CET	r -11 6194 225212 I	102299 23 59 23.0 -11 3 58 0 4 30.0 -10 30 35 87.07 -70.04 4.54
		+1.63 +1.92	#31bv	
B ECORD	9104	9104	+66 1679 225216	23 59 30.1 +66 36 32 0 + 41.9 +67 10 0 118.41 +.71 5.47
		+1.07 +0.93	KIIII	
K ECOB D	9105	9105	+41 49.3 225218 I	30 23 59 28.2 +41 32 10 0 4 36.6 +42 5 32 113.72 -19.54 6.01.
			11168	
B ECOBB	8	9016	-73 2346 225233	23 59 26.8 -73 27 12 0 4 30.7 -72 53 52 307.68 -43.60 7.31
		+0.44 +0.01	F2.T	+0.018 -0.051
R ECOND	9107	9107	+33 4828 225239	23 59 39.2 +34 6 2 0 4 53.6 +34 39 36 112,17 -27.44 6.1.
		0.62 +0.09	627	
R ECORD	2	9311	-72 2800 225253	23 59 37.0 -71 59 36 0 3 41.4 -71 26 13 308, 18 -45,41 5,53
		-0.12 -0.42	A-ATOC	•
RECORD	9109	9109	.25 5068 225276 I	42 23 59 47.1 +26 5 33 0 4 55.9 +26 38 56 110.22 -35.07 6.23
		+1.40 +1.59	KWIIIP	
ECCORD	9.10	9113	+60 2667 225289	VS67 CAS 23 59 55.9 +60 45 26 0 5 6.1 +61 18 51 117.40 - 1.44 5.0.
		-0.09 -0.32		•

LISTING OF RECORDS PROB TAPE PILE TAPE FILE MARE: DRIGHT STAR CAT. 4TH ED.

9096 TO 9110

TAPE FILE YARE: TRS4 BERARKS CONTENTS 80 BITES RECORDS TAPE FILE RECORD LENGTH

A DC 005

INPUT VOLSER

ソエー

The fields in the BEHARKS and SUPPLEMENTARY REBARKS:

column 1: A blank.

RECORD

columns 2-5: A 1-4 digit HR number of the star (right justified) OR 4 blanks. columns 667: 2 blanks. RECORD

columns 0-11: A i-3 letter category followed by a colon (left justified) OR P ECORD ECO4D

blanks R ECOND

columns 13-132; The remark for this star & category. column 12: A blank. RECORD RCORE

2) Blint Star field and non-blank Category field: The start of a remark for the 1) Non-blank Star field: The start of a renark for a new star. ~ 2 320024 RCORD RECORD E EC UKD

3) Blank Star 6 Category fields: A continuation of the reach for the previous previous star in a mew category. = 2 RECORD N FCOBD

ORIGINAL PAGE OF POOR QUALITY

> star and category. 2 9 LECORD B ECORD

The at-sign (a) is an escape symbol signifying that something that can not Codes for non-ASCII characters. 12 2 2 R ECORD RECORD

å

The general format is: represented as ASCII is following. SCORBARD arquest ) 2 S **AECOBD** DECORD

Beans that stuff is to be superscripted. ie: ad+[1] means a-superscript-1. The following are found in the remarks: 9+[ stuff ] 2 2 Bacons R ECOND RECORD

Beans that the letter is a grets jettur. Heans that stuff is to be subscripted. ie: 43-[1] seass a-subscript-1 dGreek (letter) D-[ staff ] 2 52 252 ECORD RCOBD KECORD

See the following table for ASCII-greek correspondence.

BECORD

ie: eGreek (a) is an alpha.

179

	4455555555666666666667777777777777777688888888																												
HKS COMTENTS 56 ES	2222333333333334444444 5789012345678901234567		ASCII	quivalent		•	Д	5	Ō	ů	N	а	5	· <b>-</b>	<b>*</b>	7	•	ď	j	•	a.	L	ų,	,	13	u	×	•	>
TAPE FILE NAME: TBS4 BEHANKS BECORDS 29 TO TAPE FILE 7 RECORD LEAGTH 80 BYTES INPUT VOLSER ADCOOS	11111112222222 1234567890123456789012345		Greek	letter e		Alpha	Beta	Camba	Delta	Epsilon	Zeta	E ta	Theta	Iota	Kappa	Lampda	n <b>g</b>	3 <b>38</b>	I.i.	Omicron	Pi	8 P	Signa	Tau	Upsilon	Phi	Chi	Psi	2 med a
TAPE F T RECOR	O L U B B C 123456 B C 123456	RECORD 29	RECUBD 30	RECORD 31	RECORD 32	RECORD 33	Bus. 4D 34	REL #5 35	8.2COBD 36	AECORD 37	RECORD 38	RECORD 39	RECORD 40	RECURD 41	a ECORD 42	RECURD 43	RECORD 44	RECORD 45	RECORD 46	RECORD 47	RECORD 48	RECORD 49	RECORD 50	RECORD 51	RECORD 52	RECORD 53	RECORD S4	RECORD 55	и ECOBD 56

LISTING OF RECORDS PROM TAPE PILE

こと 生命をおり

# LISTING OF ENCORDS PROB TAPE PILE

TAPE FILE HARE: TBS4 REHABKS

RECORDS	1 70	15	
TAPE FILE	80 B)		
RECORD LENGTH	H 132 BYTES	<i>,_</i>	
HEAD A LIBERT	R ADCOOS		

123456789012345678901234567890123456789012345678901234567890123456777777777777777777777777777777777777	1 3 VAE: Amp. 0.05V.	2 SB: 72.93d, K 16.4k/s, Va-[0] -6.6k/s, asini 15.8.	3 D: Occultation triple 5.0, 7.5v, 0.00003", third component 7.5v at 0.002".	4 5 D: 6.43 dG4, 7.19 dG8, 106.83y, a = 1.432". Component B has possible invisible companion, periou 6.yj.	5 DYM: ".054.	6 6 D; CPM.	7 G: 61 Crg group.	8 7 S: Also classified B&IV-Ve.	OF P Shell star.	10 11 H: 4 Cet in Psc.	11 12 VAR: ADS 898, 11 - [14v.	ALIT	13 14 N: 5 Cet in Psc.	14 SB: 96.41d. K 23.8k/s, Ve-[0] +1.1k/s, asini 31.3.
(5 22 21 21 21	-	8	m	ar .	ď	٠	7	<b>a</b> 0	•	2	=	12	23	=
149	RECORD	RECORD	R ECORD	RECORD	RECORD	R ECOBD	RECORD	RECORD	RECORD	RECORD	BECORD	RECORD	R ECORD	RECORD
ONM	)3 <b>8</b>	33 8	BEC	REC	)3 R	ដ	BE	ន័	12 8	ă a	BE	ă M	<u>ਬ</u>	ă K

Blue companion? Sep. 0.002",

ä

5

R ECORD

132 BITES	05	
RECORD LENGTH	IMPUT VOLSER ADCOOS	
•		

	(9 25 15 25 15	123456	78901	
RECORD	7945		DYN:	DTW: ".061.
RECORD	7946		;	Sco-Ceb assoc.
RECORD	7947	906	ä	Ultraviolet Pell emission.
RECORD	1948		VAR:	YAR: Lb? 4.35 - 4.417.
RECORD	7949	0606	ü	Colors correspond to about minimum light.
RECORD	7950		VAR:	8 7.1 - 14.8v, 351.33d.
RECORD	1951	1606		dember of high latitude, young metal-deficient cluster, acreek[z] Scl; Sco-Cen assoc.
RECORD	1952	9094 D:	ä	ADS 18, 7.477, +0.08[8-V], +0.05[U-B], A2VD, VSini 275k/S, May be shell star. AB binary. C, 10.dm at 9
A ECORD	7953	9097	VAR:	I? Amp. 0.18.
RECORD	7954			Cas OB5.
380080	7955	9 10 5	š	Primary discordant classifications, B9111 or A3Vs.
RECORD	7956		sa:	ADS 308, 9, 5 PS.
RECORD	1957		ä	Binary.
SECORD	7958	9108	;	Sco-Cen assoc.
AECORD	7959	9110		WAR: Amp. 0.02:W, 6.4322d.

## THE TWO-MICRON SKY SURVEY: NEAREST SAO STAR AND LOCATIONS ON PALOMAR SKY SURVEY PRINTS

T.A. Nagy\*, R.S. Hill\* and J.M. Mead+

In order to plan a program for obtaining more precise positions of objects in the Two-Micron Sky Survey (IRC) of Neugebauer and Leighton (1969), we have prepared a list of potential guide stars by identifying the star in the Smithsonian Astrophysical Observatory Star Catalog (SAO, Haramundanis 1966) which is nearest to each IRC Source. In addition, we have listed each of the plate/print number(s) of the National Geographic Palomar Observatory Sky Survey (POSS) on which the IRC source appears, the great circle arc distance between the SAO star and the IRC source, the position angle of the IRC source relative to the SAO star, and the approximate rectangular coordinates of the IRC source on the POSS print area.

The POSS consists of 935 fields on 937 (blue-0 and red-E) plates; there are two polar and two nearly identical fields, POSS #895 and 1619 where the former area is rarely used (King and Setteducati 1967). Of these 937 plate areas, there are 56 fields (central declination approximately -30 degrees) known as the Palomar southern extension (designated by an Arabic numeral preceded by the letter "S"). In addition, the Whiteoak southern extension consists of 100 plate areas (only red) with identifiers in the range 7000-9999.

Information in this two-micron data set was computed and collected from two data sources: (1) The MATCH (Hill and Nagy 1981) output of the Two-Micron Sky Survey and SAO catalogues and (2) The Palomar plate sorted (Nagy and Schmitz 1978) version of the IRC. These data are prepared in a format useful to an observer interested in the objects contained in the IRC. If an object appears on more than one POSS print area, a multiple listing is given for each print area on which the given object appears. The columnar information for each IRC object is described below.

<u>Column</u>	<u>Description</u>
IRC #	The identification number from the Two-Micron Sky Survey catalogue. The order in this table matches the published catalogue.
SAO #	The identification of the closest (great circle arc distance) SAO star to the IRC source. This datum is from the MATCH output data file.

D	Great circle arc distance between the SAO and IRC positions given in arc seconds. The published positions from the individual source catalogues are the data inputs to the MATCH program. Proper
	motion effects are not incorporated into the MATCH program.

PA Position angle of the IRC source relative to the SAO source in degrees. The angle is measured from north through east according to the standard convention. This quantity was computed from the published (epoch 1950.0) source positions.

POSS The POSS plate identification for the plate area on which the IRC object appears. The plate identifications include the Palomar and Whiteoak southern extensions as described above.

X, Y The approximate rectangular coordinates of the IRC object on the POSS print area. The values are given in millimeters and are measured with respect to the southwest corner of the print area. The center of the print area is X = 172.5 mm and Y = 173.5 mm.

The modified Luyten Palomar number. This number represents a sequential numbering of the POSS plus Whiteoak plate areas (range 1-1037). The overall sequence is from north to south; within each declination band it is by increasing right ascension. Therefore, plate 1 is at the north pole and plate 1037 is at the southern limit of the Whiteoak extension. This numbering scheme also takes into account the nearly duplicate POSS plate areas (895 and 1619) which correspond to MLP numbers 723 and 724 respectively. Since the two plate centers are almost identical, when a source is assigned to one of the plates, typically it is assigned to both.

The POSS designations in this table are for the red plates. There are four different blue and red numbers as given below.

POSS-E	POSS-O	MLP
9	10	465
14	15	469
15	16	472
11	12	473

Two sample pages of the full data set are given here. The full data set will be available both in machine-readable form and as a NASA/GSFC Technical Memorandum (Nagy et al. 1983). If you would like to be placed onto a mailing list to obtain a copy please respond to T.A. Nagy (NASA/GSFC Code 681, Greenbelt, MD 20771).

#### References

Haramundanis, K. L. 1966, <u>Smithsonian Astrophysical Observatory Star Catalog</u>, <u>Smithsonian Institution</u>, <u>Washington</u>, <u>D.C.</u>, <u>Smithsonian Publication</u> 4652.

Hill, R.S. and Nagy, T.A. 1981, "Documentation and User's Guide for the MATCH Program". SASC Document #EAC-T-5294-0031.

King, I.R. and Setteducati, A.F. 1967, "Rectangular Coordinates of Bright Galaxies on the Palomar Sky Survey Charts", Astrophysical Journal Supplement No. 129, 14, 239.

Neugebauer, G. and Leighton, R. B. 1969, <u>Two-Micron Sky Survey</u>, NASA SP-3047.

Nagy, T.A., Hill, R.S. and Mead, J.M. 1983, The Two-Micron Sky Survey: Nearest SAO Star and Locations on Palomar Sky Survey Prints, NASA TM, in press.

Nagy, T.A. and Schmitz, M. 1978, "Palomar Plate Assignment Program", Document # CSC/TM-78/6187.

<sup>\*</sup>Systems and Applied Sciences Corporation 5809 Annapolis Road, Suite 200 Hyattsville, Maryland 20784

<sup>\*</sup>NASA/Goddard Space Flight Center Code 680 Greenbelt, Maryland 20771

# ORIGINAL PARE IS

```
1705642
1705642
17056156
196156
196156
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
171616
1716
171616
171616
171616
171616
171616
171616
171616
171616
171616
                            30053
30053
30055
30056
30057
                                                                      30066
30067
30068
30068
30068
30071
30072
30073
30078
30078
30078
30078
30016
30017
30018
                                                                      30019
                                                                                         30023
30024
30029
30026
```

# ORIGINAL PAGE 19 OF POOR QUALITY

```
17C 198
17C 108
17C 10
                                                                                                                            80021
80021
80023
80023
80028
```

# Seventeen Two-Micron Sky Survey Sources with Problematical Durchmusterung Identifications R.S. Hill\* and T.A. Nagy\*

A correlation by celestial coordinates between the Two-Micron Sky Survey (Neugebauer and Leighton 1969) (TMSS) and the Smithsonian Astrophysical Observatory Star Catalog (Haramundanis et al. 1966) (SAO) was done by computer at NASA/Goddard Space Flight Center using program MATCH (Nagy and Hill 1981). The purpose of this effort was to produce a list giving the nearest SAO star on the celestial sphere on each TMSS source, with no attempt to identify the SAO star positively to be the TMSS source.

The TMSS and SAO catalogues both supply Durchmusterung (DM) numbers for all possible entries. Therefore, it was possible to compare the MATCH list of SAO candidates for TMSS sources with DM identifications given in the TMSS catalogue. A computer program was run to do this, and it found 17 cases where the TMSS identifies the source with some DM/SAO star that is not the closest one in angular distance. This result is not unexpected, since the authors of the TMSS take into account criteria besides angular distance. The TMSS criteria are as follows:

$$\left| {}^{\alpha} \text{ candidate } {}^{-\alpha} \text{source} \right| \leq 12^{S} = 180" \text{ (18}^{S} = 270" \text{ for variable stars)}$$
  $\left| {}^{\delta} \text{ candidate } {}^{-\delta} \text{source} \right| \leq 3' = 180"$ 

Where more than one candidate passes this test, the one with the highest predicted flux at 2.2 microns is adopted. (In the case of TMSS -10442, the given distance criterion appears to have been waived. See Table 1.)

<sup>\*</sup>Systems and Applied Sciences Corporation 6811 Kenilworth Avenue, Suite 210 Riverdale, Maryland 20737

Bidelman (1980) gives identifications of TMSS sources. The 17 sources in this study were compared manually with Bidelman's cata. In general, Bidelman agrees with the identifications in the TMSS. Where Bidelman gives only Henry Draper Catalogue (HD) numbers, DM numbers were obtained from Nagy and Mead (1978). This applies to TMSS 00074, 20525 and 60267.

Table 1 gives the results of this study. It is not suggested that the closest SAO star to each TMSS source is necessarily the correct identification. Nevertheless, such stars may be components of sources described in the TMSS as unresolved. Perhaps in some cases they would be useful as observational guide stars. The following remarks should clarify data in Table 1 whose meaning is not self-evident:

 $\epsilon$ "TMSS - the distance in arc seconds between each source and the SAO coordinates of the DM star identified with it in the TMSS catalogue

 $\epsilon$ "MATCH - the distance in arc seconds between each TMSS source and the SAO star nearest to it in angular distance

Bid. - =T if Bidelman (1980) agrees with the TMSS identification of the source =M if Bidelman identifies the source with the MATCH

candidate

- = none if Bidelman provides no identification for the source

YBS - Information taken directly from the Yale Bright Star
Catalogue (Hoffleit 1964) (YBS) for sources which Bidelman
identifies with YBS stars

unresolved? - = YES if the TMSS gives the following remark on the source:
"2 unresolved stars probably contribute to K and I magnitudes
(SAO search)"

The scope of this study is restricted by the fact that 2209/5612 (39%) of TMSS sources have no DM identification in the TMSS catalogue. 1362/258997 SAO stars (0.5%) have no DM identification in the SAO catalogue.

#### References

- Bidelman, W. P. 1980, Spectral Classifications for Stars of the Caltech Two-Micron Survey, Publications of the Warner and Swasey Observatory, 2, no. 6.
- Haramundanis, K. et al. 1966, Smithsonian Astrophysical Observatory Star Catalog, Smithsonian Publication 4652.
- Hoffleit, D. 1964, Catalogue of Bright Stars, Third Revised Edition, Yale University Observatory, New Haven, Connecticut.
- Nagy, T. A. and Hill, R. S. 1981, Astron. Data Center Bull. 1, 113.
- Nagy, T. A. and Mead, J. M. 1978, HD-SAO-DM Cross Index, NASA TM 79564.
- Neugebauer, G. and Leighton, R. B. 1969, Two-Micron Sky Survey, NASA SP-3047.

Table 1. Results of Comparison Between TMSS, MATCH Candidate List and Bidelman Identifications.

Note							•	•			•				•		•
variable star cat.	ı	1	VAR?	VAR?	ı	1	1	Š Ģ	1	1 1	1	ı	•	ı	VAR?	•	8 Cep
YBS double star cat.	,	1	8572A	9913A	•	1	•	4134A	1	99338	9933A	14909	•	3137	12540A	•	15987A
YBS No.	•	3554	4757	5984		ı	•	1852	4418	- 6008	8009	8173	•	1348	7117	•	8571
Bid.	None	۲	<b>F-</b>	۲	×	None	H	۲	F	None F	Σ	۲	<b>(-</b>	۳	۰	۲	F
r mv <sup>e"</sup> match (sað)	130	8	\$	•	<b>3</b>	264	92	15	\$	41	72	( <b>10</b> )	58	42	17	53	13
E m (SAS)	4.6	7.1	9.3	5.1	9.2	œ.	10.2	6.9	8.0	8.5	6.5	9.1	9.0	9.0	5.4	9.4	7.5
Closest SAO Star O Sp 5. (SAO) (	PS	K2	1	BI	K5	G\$	GD	B0	<b>G</b> 2	F8	G\$	ı	ı	95 80	88	ı	ν
Close SAO No.	186354	154746	157322	159683	161357	142451	132159	132221	118876	143178	101952	107072	107538	76557	87302	18389	34506
N O	CD -26° 12856	2692	3481	4308 8D - 180	4816 RD -60	4817	11 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	982	2505 RD -30	4530 RD +170	2695	4690	4664	712	3411	1726	2547
unresolved?	•	YES	YES	YES	YES	•	•	•	,	•	YES	•	YES	•	•	YES	•
eation E"TMSS	182	67	<b>\$</b>	<b>a</b>	105	27.1	20	55	<del>ي</del> د	155	\$	32	8	S	37	32	88
dentific mv (SAO)	8.	6.9	3.1	5.9	9.6	8.2	7.5	3.5	5.3	8.5	5.3	4.3	8.7	5.1	3.2	7.5	<b>4</b> .0
TMSS identification Sp m <sub>v</sub> E"TMSS (SAO) (SAO)	X S	ΚO	90	<b>B</b> 1	ŧ	K0	M7e	30	ΚO	K2	85	Κ0	Mc	ЖO	<b>‡</b>	Æ	ŧ
SAO No.	186357	154745	157323	159682	161359	142447	132163	132220	118875	143181	101951	107073	107539	76558	87301	18388	34508
N O O	CD -26° 12858	2691	3482	4307	4818	1 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	1 <b>2</b> 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	288	2504	4532	2964	4691	4665	655	3410	1725	2548
TKSS No.	-30353	-20175	-20238	-20305	-20466	-10442	₩	9.000	.0205	00418	20293	20505	20525	3008	30370	60267	60356

00074 - TMSS identifies this star as S Ori 00076 - TMSS gives GC 6848, but the YBS gives GC 6847 for this star 20293 - Bidelman (1980) gives two identifications 30370, 60356 - SAO spectral type +++ means composite spectrum.

Notes:

#### ADC Bull. (July 1983) 1, 192-194

#### COMPUTERIZED RETRIEVAL OF DATA FOR VISUAL BINARY STARS

## Wayne H. Warren Jr. National Space Science Data Center

#### ABSTRACT

Software for the retrieval of all observations of a visual binary system from the Observational Catalogue of Visual Double Stars is described. It is planned to eventually store the data on-line, so that an automated dial-up retrieval system can be developed.

#### I. INTRODUCTION

It is frequently desired to examine all observations of a multiple-star system in order to evaluate the system's motion or the consistency of the observations. The Index Catalogue of Visual Double Stars (IDS) (Jeffers, van den Bos and Greeby 1963) and its updated version on magnetic tape (Worley 1977) give first and last observations of a system only. The Observational Catalogue of Visual Double Stars is maintained at the U.S. Naval Observatory for purposes of archiving all double-star observations (Worley 1980). The current data retrieval program uses the data stored on magnetic tape, but it is planned to transfer them to disk in compressed format and to develop an interactive retrieval program. The development will not occur until an updated version of the catalogue, currently being prepared by C. E. Worley, is available.

#### II. DATA INPUT AND SAMPLE OUTPUT

Data input consists merely of the *IDS* position code (see sample run) for each system. The codes should always be checked by locating the system in the *IDS* first. Sample output is shown on the following page.

#### REFERENCES

Jeffers, H. M., van den Bos, W. H. and Greeby, F. M. 1963, Pub. Lick Obs., 21.

Worley, C. E. 1977, in IAU Colloquium No. 35, Compilation, Critical Evaluation and Distribution of Stellar Data, ed. C. Jaschek and G. A. Wilkins (Dordrecht: D. Reidel Publishing Co.) p. 179.

Worley, C. E. 1980, Inform. Bull. CDS, No. 18, p. 20.

#### ORIGINAL PAGE IS OF POOR QUALITY

A Befractor, micrometer; 3 Beflector, micrometer, C Comparison image micrometer; B beliameter; E Interterometer; G Photographic with astrograph; H Photographic with mediam or long-focus technique; L Electrichographic camera; B meridian circle observation; B Translt interferometer; O Photographic with ocular enlargement; E Rob use of micrometer plus comparison image micrometer on same star. The magnitudes (visual) of the components of the magnitude difference. In the latter case the difference is given following the colon and the field preceding the colon and the field preceding the The date of this measure of PA and/or separation of or this obser-vation of the system. - The reference identifier assigned to the source publication by the l Fublished distance of hour angle Coffection (as in whe of MEMber Sure ist): 2 fossible displant in publication (either Coffected for hot of the Weight in the Opinion of Catalogues: 3 ducertain of the Weight in the Opinion of Catalogues: 5 Published and decreated in a date [Short Period pair of Nei): 6 Uapublished in orbit guotation; 7 B's Omissions of Catalinal and Michael and Catalinal an - The number of nights observed. If > 9 a code "O" will be tound in the third comment column, or "A,B,C" in second comment column. h Buvement difficult; E Elongation; F Too fairt Comparison, I fesiduals; D Difficult; E Elongation; F Too fairt of Lot seem Ginford and the Comparison of Lifficult of Lot - The aperture of the instrument used to make the observation, inches [cm/1.54]. IDS CODE - The BA and DEC code of the system as given in the IDS. identifications and/or names are given when known. as summatized following: oţ -ISS measure added by Lick. -ISS measure a leu by USNO. measure prior to publication Pour columns of note ccdas, DATA EXPLANATIONS AND MCLES. .4 4 0 . S 1

### ORIGINAL PAGE IS OF POOR QUALITY

ATA CENTER PLIGHT CENTER	SEP AAGS WEEF APER CCCT	5.52 8.0: 9.5 3 PONS4 18 A 2 RECORD 96630 5.43 . 2 FAT56 12 A 2 RECORD 96631 05.21 3 BUN56 12 A RECORD 96632 5.407 8.9: 9.8 1 USB01 20 H 1 RECORD 96634		SEP KAGS WREF APER CCCC	05.4 08.0:10.5 518.1 13 G RECORD 142962 04.53 08.9:13.0 1 EST&1 27 A RECORD 142963 04.94 08.9:12.6 1 EST&1 27 A RECORD 142964 4.64 . 3.0 2 HLM60 27 A 1 RECORD 142965		SEP BAGS M REF APER CCCC	98.74 SECORD 195761 1 HJ 03 10 B RECORD 195762 1 HJ 31 40 A S RECORD 195763 2 ZIN56 12 A RECORD 195764 1 DANS5 17 A S RECORD 195764
T A S E OBICAL D BD SPACE	₽₽	2236 22336 22336 22336 2338 2388 2388 23	S	PA	2000 4746 00760 17770	#	PA	356.7
D A ASTBOM NASA GOLLA	1779,STF 1212 Xeab	1911.628 1915.18 1945.60 1931.48	IDS CODE, N =	2592,BAI 872 Year	20000000000000000000000000000000000000	IDS CODE, W =	4606, HJ 4911 YEAB	1874 1886: 54 1909: 50 1920: 50
	ED+31	777777 77777 60 666	OR THIS	ED-00		SIRI EO	ED-20	
	PUT IUS CUDE = 8118M3109	08 08 180 09 08 181 09 09 08 181 09 08 181 09 08 181 09 08 181 09 08 181 09 08 181 09 09 08 181 09 09 08 181 09 09 19 09 09 19 09 09 19 09 09 09 19 09 09 09	ALL OBSERVATIONS FOUND PC	EUT IDS CODE = 12308S 52	30.8500 52 12 35.9501 25 30.8500 52 12 35.9501 25 30.6500 52 12 35.9501 25 30.6500 52 12 35.9501 25	ALL DESERVATIONS POUND PC	PUT IDS CODE = 1655332017 RA[1900] DEC RA[2000] DEC	55. 3520 17 17 01.2520 26 55. 3520 17 17 01.2520 26

UBSERVATIONS EXABINED = 195766 INPUT RECORDS PECCESSED = 3 INPUT RECORDS ABSENT = 0

ZED OF INPUT IDS CODES

END OF OBS SEARCH:

194

ADC Bull. (July 1983) 1, 195-205

Faint Blue Objects at High Galactic Latitude: A Machine-Readable Version

A. Warnock III\* and P. D. Usher\*

#### ABSTRACT

Objects have been selected for relative ultraviolet excess from Palomar Schmidt fields centered on Kapteyn Selected Areas 57, 29 and 28. Object selection to B  $\sim$  20 has been made by a novel semiquantitative technique, permitting a two parameter color classification. The population of objects belonging to color classes 1A, 1 and 1B should be comprised primarily of quasars and white dwarfs and should be virtually complete to B = 18.5 mag.

Positions have been determined by réseau astrometry and should have standard deviations of  $\sim$  3"-5" or better.

Subsequent fields will be added if and when they become available.

<sup>\*</sup> Department of Astronomy Pennsylvania State University 525 Davey Lab. University Park, PA 16802

#### Introduction

This catalog is a machine-readable compilation of all sources selected for relative ultraviolet excess from three color (u,b,v) plates taken with the 48 inch Palomar Schmidt Telescope. Three fields have been surveyed so far, centered on Kapteyn Selected Areas 57(Usher 1981 = Paper I), 29(Usher, Mattson and Warnock 1982 = Paper II) and 28(Usher and Mitchell 1982 = Paper III), yielding color classifications, B magnitudes and positions for 2363 objects.

The methodology employed in selecting these objects is described in detail in Paper I. Briefly, the three color images are scanned three times by eye to select the bluest objects in each of the 7  $\times$  7 = 49 zones which cover the plate. The three images for each object are then measured with a Cuffey variable iris astrophotometer to yield iris "magnitudes"  $\mathbf{u_i}$ ,  $\mathbf{b_i}$ , and  $\mathbf{v_i}$  and iris "colors"  $\mathbf{u_i}$ - $\mathbf{b_i}$  and  $\mathbf{b_i}$ - $\mathbf{v_i}$ . Iris color-color diagrams for discrete bins of  $\mathbf{b_i}$  are constructed (see Fig. 1). Experience shows that oversampling allows for fairly accurate determination of the subdwarf region. With the subdwarfs so defined, the locations of the other populations can be inferred with a reasonable degree of certainty. The color classes depicted in Fig. 1 are then assigned based on the following criteria:

For U-V<0:

- 1A: Above the blackbody line by  $\Delta(U-B) = 0.15$  mag or more. This region is populated primarily by quasars
- 1: Within about  $\Delta(U-B) = \pm 0.15$  mag of the blackbody line
- 1B: Below the blackbody line by about  $\Delta(U-B) = 0.15$  mag, in the general vicinity of the white dwarf cooling curve
- 1BS: Close to the luminosity class III-V line for blue halo stars

#### For U-V>0:

- 1C: Above the blackbody line in the region where N and lineless spectrum galaxies are often located
- 2: Below the blackbody line but not within the color class 3 region
- 3: Within the region of the subdwarfs and halo horizontal-branch stars.

Approximate photographic B magnitudes have been derived by iris photometry from photographic B magnitudes which were generously made available by A. Sandage. Positions have been derived for epoch 1950 using a revival of classical réseau techniques (Warnock and Usher 1981; Warnock, Mattson and Usher 1982). The method gives reliable positions to 3-5 arcseconds for the SA57 field and to about 1 arcsecond for the SA29 and SA28 fields.

#### The Catalog

The selected sources are listed in the catalog in order of increasing right ascension within each field. The fields and associated running numbers and sky coverage are given in Table I. Subsequent fields will be added if and when they become available. Table II gives a description of the columns of the catalog and the FORTRAN format used to write them. Table III shows some sample records from the catalog. The notes in bytes 38 to 52 are abbreviations of the following:

- E: Edge zone; object is within  $^{\circ}l^{\circ}$  of the plate edge
- G: galaxy as determined from morphology plate
- CG: compact galaxy
- C: confused source
- Q: known quasar (from Veron and Veron 1974 and subsequent updates)
- ?: uncertainty
- R: remark (given in bytes 59 to 118)

#### References

Usher, P. D. 1981 Ap. J. Supp. 46, 117 (Paper I).

Usher, P. D., Mattson, D. and Warnock, A. 1982 Ap. J. Supp. 48, 51 (Paper II).

Usher, P. D., and Mitchell, K. J. 1982 Ap. J. Supp. 49, 27 (Paper III).

Veron, M. P., and Veron, F. 1974 Astr. and Ap. Supp. 18, 309.

Warnock, A., and Usher, P. D. 1981 Pub. Astr. Soc. Pac. 92, 799.

Warnock, A., Mattson, D., and Usher, P. D. 1981 Pub. Astr. Soc. Pac. 93, 655.

Table I  $Regions \ of \ right \ ascension \ \alpha(1950) \ and \ declination \ \delta(1950)$  covered by the catalog entries for each field

	α(19	50)	δ(19			
US #	from	to	from	to	Field Center	
1. to 634	12 <sup>h</sup> 52 <sup>m</sup> 15.9	13 <sup>h</sup> 20 <sup>m</sup> 46.7	+26°30'39"	+32 <sup>0</sup> 39'30"	SA57	
635 to 1184	09 <sup>h</sup> 25 <sup>m</sup> 03 <sup>s</sup> 1	10 <sup>h</sup> 00 <sup>m</sup> 15.1	+41 <sup>0</sup> 26 '52"	+47 <sup>0</sup> 39'27"	SA29	
1185 to 2363	08 <sup>h</sup> 28 <sup>m</sup> 10.8	09 <sup>h</sup> 04 <sup>m</sup> 49.6	+41°36'27"	+47 <sup>0</sup> 58'53"	SA28	

Table II

Tape Contents: Catalog of Faint Blue Objects at High Galactic Latitude

BYTES	DESCRIPTION	SUGGESTED FORMAT
1-4	US (running) NUMBER 1-634 are from SA57 635-1184 are from SA29 1185-2363 are from SA28	14
5	blank	1X
6-9	Color Class (see text)	4A1
10	blank	1X
11-14	B magnitude determined by iris photometry	F4.1
15	magnitude uncertainty (:)	Al
16	blank	1X
17-18	Hours of right ascension	12
19	blank	1X
20-21	Minutes of right ascension	12
22	blank	1X
23-26	Seconds of right ascension	F4.1
27	blank	1X
28	Declination sign (+) or (-)	Al
29-30	Degrees of declination	12
31	blank	1X
32-33	Arc-minutes of declination	12
34	blank	1X
35-36	Arc-seconds of declination	12
37	blank	1X
38-52	Notes from original catalog (see text for abbreviations)	15A1

53	blank	1X
54-57	Field Identification (e.g. SA57)	4A1
58	blank	1X
59-118	Additional remarks	60A1


Table III

Sample records irom the Faint Blue Object Catalog

	_	1	7	1	4	1	4	4	4	4	7 CONFUSING GALAXY TO S	1			1	4	4	4	1
A5	1 Y 2	A5	A 5	A5	SAS7	A5	1 A 5	A 5	A 5	A5	1 S	A 5	A 5	A5	1 S V	A5	A 5	A5	A 5
•	m	_				Ü					3 12	U				Q=W23694		υ	2
2	~	•			22		2 74	-	147			7	-			33			
		611		51		36								3 38		2		33	
+29	+ 28	+29	+3	+30	+31	+30	+30	+27	+29	+31	+28	+26	+ 29	+ 28	+30	+30	+31	+26	+5
-	•	8	₹.	.5	.2	:	•	-	0	.2	.2	4	.3	.3	9.	•	0.	9.	
7	25	7	<u>۳</u>	3	32	37	7	⇉	46	ŧ	#	2	2	2	2	7	10	=	21
					2														
13	-	=	=	13	13	-	_	_	_	_	_	_	13	-3	13	=	13	-	13
18.7	19.2	20.1	19.1	18.5	19.0	16.6:	18.8	18.3	19.7	18.3	18.9	0.0	19.1	18.0	17.0	17.4	18.2	16.6	18.5
3	٣	3:	۳	1ES	7		5	٣	۳	e	٣		3:	1	3	18	۳	2:	3

# Figure Caption

Figure 1.--Iris color-color diagram for objects selected in the field centered on SA57, falling in a bin size b<sub>i</sub> corresponding to B = 16.5 - 17.6. Lines show the inferred location of the blackbody curve, the U - V = 0 criterion, main sequence and F and G subdwarf population. Regions occupied by color classes 1A, 1, 1B, 1C, 2 and 3 are shown. Axes are in arbitrary units. Diamonds connote known quasars, filled circles other cataloged objects; dots are uncataloged objects. Estimated probable errors in the photometry are shown in the top right corner of the diagram. (from Usher 1981)



# AVAILABILITY OF THE MACHINE-READABLE VERSION OF THE SIXTH CATALOGUE OF GALACTIC WOLF-RAYET STARS R. S. Hill\* and T. A. Nagy\*

The Sixth Catalogue of Galactic Wolf-Rayet Stars (van der Hucht et al. 1981) is a survey of current knowledge of Wolf-Rayet stars and related objects. From the tabular data and bibliographical information in this publication, two selected tables have been made machine readable at the ADC: Table VIII, Galactic Wolf-Rayet Stars (Population I) and Table IX, Central Stars of Planetary Nebulae of Type [WR], [WR-Of], [OVI], [WC16] and [WC11]. These tables were keypunched at NASA/Goddard Space Flight Center from an early preprint, then were modified in accordance with revised preprints acquired from time to time thereafter. When the catalogue appeared in print, these datasets were modified to agree with the published version.

The machine-readable version handles notes and references somewhat Jifferently from the published version. In the published version, notes and references are pointed to sometimes with letters, sometimes with Arabic numerals, sometimes with Roman numerals. For the machine-readable version, a unified file of notes and references identified by Arabic numerals has been generated. The full bibliographic form of each reference is given. (Only those references pointed to by Tables VIII and IX are included; those used only in the text and other tables of the catalogue have been omitted.)

 Systems and Applied Sciences Corporation 6811 Kenilworth Avenue, Suite 210 Riverdale, Maryland 20737 Some information from the published version of the catalogue is reproduced in the documentation of the machine-readable version (Hill and Nagy 1982) for the convenience of the user. In particular, notes on the individual stars, references, catalogue classification of WR spectra based on the Smith (1968) system and distribution of Wolf-Rayet subclasses are given.

# References

Hill, R. S. and Nagy, T. A. 1982, SASC Document SSD-T-1-5069-0159-82.

Smith, L. F. 1968, Monthly Notices Roy. Astron. Soc., 138, 109.

van der Hucht, K. A., Conti, P. S., Lundstrom, I. and Stenholm, B.: 1981, <u>The Sixth</u>

<u>Catalogue of Galactic Wolf-Rayet Stars, Their Past and Present</u>, Space Science

Reviews, 28, no. 3, p. 227.

# DECLINATION VERSUS MAGNITUDE DISTRIBUTION OF TWO ASTRONOMICAL CATALOGUES

T. A. Nagy\* and R. S. Hill\*

The distribution of catalogue sources as a function of two of the basic astrophysical parameters in the catalogue is of interest to both observers and theoreticians. The Astronomical Data Center, in working with astronomers, prepares requested statistics on certain catalogues. Since these data are of general interest, they are given here in tabular form.

The magnitude distribution (one magnitude bins) of sources from the Two-Micron Sky Survey (Neugebauer and Leighton 1969) as a function of declination (five degree bins) is given for both the I and K magnitudes in Tables 1 and 2 respectively. Only magnitudes that were on scale are included in these distributions. The questionable I magnitudes are also included, since a value is given for this datum.

Table 3 lists a similar distribution of Equatorial Infrared Catalogue (No. 1) (Sweeney et al. 1978) sources. The magnitude bins for this table are given in half magnitudes. In all three tables, the lower limit of the declination range is inclusive.

#### References

Neugebauer, G. and Leighton, R. B. 1969, Two-Micron Sky Survey, NASA SP-3047.

Sweeney, L. H., Heinsheimer, T. F., Yates, F. F., Maran, S. P., Lesh, J. R. and Nagy, T. A. 1978, "Interim Equatorial Infrared Catalogue, Number 1", TR-0078 (3409-20)-1, The Aerospace Corp.

 Systems and Applied Sciences Corporation 6811 Kenilworth Avenue, Suite 210 Riverdale, Maryland 20737

Table 1. Declination Versus I Magnitude Range of Sources in the Two-Micron Sky Survey Catalogue.

Totals	0	166	293	314	313	304	294	270	258	275	251	259	282	245	257	305	228	266	203	227	195	122	75	48	s	0	5458
9≼K12	0	2	1	2	0	1	4	4	7	က	1	0	2	0	7	S	က	1	က	1	0	0	0	0	0	0	37
8 <i<9< td=""><td>•</td><td>6</td><td>2</td><td>14</td><td>S</td><td>11</td><td>20</td><td>11</td><td>16</td><td>-</td><td>2</td><td>က</td><td>9</td><td>9</td><td><b>∞</b></td><td>18</td><td>S</td><td><b>∞</b></td><td>4</td><td>က</td><td>10</td><td>s</td><td>8</td><td>67</td><td>0</td><td>0</td><td>182</td></i<9<>	•	6	2	14	S	11	20	11	16	-	2	က	9	9	<b>∞</b>	18	S	<b>∞</b>	4	က	10	s	8	67	0	0	182
8>1≽1	0	16	37	44	33	27	36	40	16	21	28	13	28	28	22	37	33	28	28	24	27	12	œ	က	0		583
6K1<7	0	45	9	64	71	64	62	44	62	89	29	54	64	49	26	28	39	74	48	29	47	23	10	4	7	0	1190
£≪I<6	0	41	91	88	97	92	29	20	75	81	7.2	7.2	43	83	77	26	73	72	99	64	20	35	17	18	1	0	1589
<b>4</b> ₹I	0	36	29	99	69	43	62	20	54	64	52	29	57	44	61	55	47	52	38	46	40	35	22	14	4	0	1196
3≮1<4	0	15	26	27	26	17	28	25	31	28	25	34	33	29	27	30	22	23	11	22	14	œ	6	2	0	0	517
<b>%</b> I%	0	8	12	<b>∞</b>	12	13	15	9	2	6	2	11	13	9	4	2	2	œ	2	œ	2	4	0	0	-	0	158
δ <sup>o</sup> upper	-35	-30	-25	-20	-15	-10	ዮ	0	+2	10	15	20	25	30	35	40	45	20	22	09	65	20	75	80	82	06	
60 lower	06-	-35	-30	-25	-20	-15	-10	ç	0	+2	10	15	20	25	30	35	40	45	20	55	09	65	20	75	80	82	Totals

Table 2. Declination versus K Magnitude Range of Sources in the Two-Micron Sky Survey Catalogue.

Totals	0	167	302	325	317	307	302	273	260	285	257	267	287	251	268	308	236	278	202	234	199	124	92	49	<b>œ</b>	0	5585
3 <b>≤K</b> <4	0	က	4	2	4	2	9	2	က	9	က	0	9	4	က	6	1	2	က	4	7	-	0	0	0	0	82
2≤K<3	0	117	203	216	226	204	214	177	189	177	164	164	195	167	168	198	158	179	144	147	11.9	81	52	31	9	0	3696
1 <k<2< td=""><td>0</td><td>33</td><td>63</td><td>72</td><td>62</td><td>20</td><td>45</td><td>99</td><td>20</td><td>69</td><td>72</td><td>20</td><td>22</td><td>61</td><td>64</td><td>65</td><td>53</td><td>57</td><td>42</td><td>09</td><td>62</td><td>27</td><td>19</td><td>11</td><td>-</td><td>0</td><td>1249</td></k<2<>	0	33	63	72	62	20	45	99	20	69	72	20	22	61	64	65	53	57	42	09	62	27	19	11	-	0	1249
0 <k<1< td=""><td>0</td><td>13</td><td>23</td><td>23</td><td>17</td><td>24</td><td>28</td><td>22</td><td>12</td><td>24</td><td>14</td><td>19</td><td>20</td><td>15</td><td>56</td><td>30</td><td>17</td><td>28</td><td>12</td><td>19</td><td>12</td><td>12</td><td>4</td><td>9</td><td>0</td><td>0</td><td>420</td></k<1<>	0	13	23	23	17	24	28	22	12	24	14	19	20	15	56	30	17	28	12	19	12	12	4	9	0	0	420
-1≤K<0	0	1	2	œ	9	က	<b>∞</b>	87	S	6	က	10	11	က	9	2	2	ខ	က	4	4	က	0	-	1	0	115
-2 ≤K <-1	0	0	2	-1	2	-	1	1	-	0	-	4	0	-	-	-1	0	4	1	0	0	0		0	0	0	23
8 o upper	-35	30	-25	-30	-15	-10	-2	0	+2	10	15	20	22	30	35	40	45	20	55	09	65	20	75	8	82	06	
δo lower	06-	-35	-30	-25	-20	-15	-10	٠	0	+2	10	15	20	25	30	35	40	45	20	55	9	65	20	75	80	82	TOTALS

Table 3. Declination Versus 2.7  $\,\mu$ m Magnitude Range of the Sources in the Equatorial Infrared Catalogue No. 1.

# Declination Limits (degrees)

Magnitude Range	<sup>δ</sup> lower -10	<sup>δ</sup> upper -5	δlower -5	<sup>δ</sup> upper 0	δ lower C	δupper +5	<sup>δ</sup> lower +5	<sup>δ</sup> upper +10	Totals
ugtuuo 11ungo									
-5.0 ≤ m < -4.5	(	)	(	0	(	)	1	l	1
-4.5 ≤ m <-4.0	(	)	(	0	(	)	(	0	0
-4.0 ≤ m <-3.5	(	)		0	(	)	(	0	0
-3.5 ≤ m <-3.0	(	)	1	1	(	)	(	0	1
-3.0 ≤ m <-2.5	(	)	(	0	(	)	(	0	0
-2.5 ≤ m <-2.0	(	)	(	0		l	(	0	1
-2.0≤m <-1.5	(	)	:	3	1	l	(	0	4
-1.5 ≤ m <-1.0	(	)	(	0	:	l	:	4	
-1.0≤m <-0.5		5	(	0	:	2	;	3	10
-0.5 ≤ m < 0.0	1	3	1	5		4		5	22
0.0 ≤m <+0.5	14	1	1:	2		3	10	0	44
+0.5≤m<+1.0	15	5	2	5	1	l .	10	6	67
+1.0≤m<+1.5	(	3	(	6	2	3	2	3	58
+1.5≤m <+2.0	13	3	20	0	3:	2	4	9	114
+2.0 ≤ m <+2.5	19	9	1	5	34	4	6	5	133
<b>+2.5</b> ≤ m < <b>+3.0</b>	26	3	1	4	4:	2	8	1	163
+3.0 ≤m <+3.5	20	0	!	5	3	5	10	0	160
+3.5 ≤m <+4.0	:	2	(	0	7	7	6	6	75
+4.0 ≤ m <+4.5		0	(	0		1	3	8	39
Totals	128	8	10	6	20	2	46	0	896

# ADC Bull. (July 1983) 1, 212-214

#### THE NEW MACHINE-READABLE VERSION OF THE SAO-HD-GC-DM CROSS INDEX CATALOG

Nancy G. Roman and Wayne H. Warren Jr. National Space Science Data Center NASA/Goddard Space Flight Center

#### I. INTRODUCTION

A useful catalog of cross references among star designations in the SAO, HD, GC and DM catalogs was prepared by Morin (1973, Obs. de Meudon, unpublished) by cross referencing via DM numbers to add HD identifiers and via HD to add GC identifiers. The machine-readable SAO catalog contains cross references to HD; therefore, as a prelude to correcting the SAO, the cross index catalog has been analyzed and corrected. The cross identifiers, which account for most of the errors in the SAO, can now be inserted into the new SAO automatically.

#### II. PRIMARY PROBLEMS

- 1. Several problems resulted from automatic cross referencing from SAO to HD via DM numbers and thence via HD to GC.
  - (a) The SAO does not distinguish DM numbers of components of double and multiple systems.
  - (b) The SAO contains no provision for identifying BD supplemental stars (added as footnotes to the BD and assigned lower case letter designations).
  - (c) The SAO omitted DM numbers for many stars which have them, primarily, but not exclusively, FK3 stars omitted from FK4 (multiple systems which complicate DM identifications anyway).
  - (d) As usual, there is confusion between the Cordoba and Cape Photographic Durchmusterungen for stars in the southern hemisphere.

#### III. PROCEDURE

In order to construct unique DM numbers for each SAO star, the catalog was sorted by DM number and all stars having identical DM numbers were isolated. A special catalogue of BD supplemental stars was prepared (Warren and Kress 1980) and all supplemental stars identified and appended with their letter designations. Using the SAO positions, separations and position angles were computed for the remaining stars and compared against the measures reported in the Index Catalogue of Visual Double Stars (IDS). Component designations were thus identified for nearly a thousand multiple systems; for stars not included in the IDS, designations were assigned according to magnitude.

Correction lists published by Bischoff (1978) and by Hoffleit (1980) and supplied by W. L. Stein (1980, private communication) were added to the correction data set.

In order to complete the HD cross references, we wished to add numbers from the Henry Draper Extension (HDE) to the SAO cross index records. A separate catalogue of SAO stars having no HD designations was therefore prepared. A catalogue of HDE-DM cross references by Bonnet (1978) supplied many HDE numbers, while the HDE catalogue itself was used for regions not included in Bonnet's file. For declination zones +50° to +60°, where the HDE lists only Astronomische Gesellschaft (AG) numbers, BD designations were found by cross referencing through the Yale Zone Catalogue for that band. HD and GC numbers were determined manually for many components of double stars and GC numbers found for SAO stars contained in the GC, but not the HD. (For non HD stars the GC supplies a DM number in the HD field. For GC stars with neither DM nor HD designation, positions were used to determine the GC numbers.)

The HD duplicity codes, presumably from the Strasbourg Catalogue of Stellar Identifications (CSI, see Ochsenbein et al. 1981 and references therein) were not assigned in a consistent manner, so the codes were examined and changed to an internally consistent system based upon visual-magnitude difference. While photographic magnitudes would have been more appropriate, they are often not given in the SAO and appear less consistent when they are given. It must be made clear that the HD codes represent the HD catalogue designations only with respect to the SAO records, i.e., a catalogued SAO star represents one or more HD numbers and the magnitude difference determines whether or not a code is assigned. The codes have the following meanings:

- 0 the SAO number represents a single HD star in that there is no companion with  $\Delta m_r \le 0.3$  mag that does not have a separate HD number;
- 1 the SAO star represents the brighter component of an HD star having a companion of  $\Delta m_V \le 0.3$  mag or, for companions of equal brightness, the A component;
- the SAO star represents the fainter component of an HD star having a companion of  $\Delta m_V \le 0.3$  mag or, for companions of equal brightness, the B and/or C component;
- 9 the SAO star represents two consecutive HD stars and the lower HD number is always given; thus, 1799579 is HD179957/8.

In the southern hemisphere, pairs of SAO entries were listed for which successive entries are within 2 arcmin and are given numbers from different Durchmusterungen. These were treated in the same way as pairs with the same DM number. They are separated by double-star component letters. Many of these pairs are in the IDS.

Since for 10-degree  $\delta$  bands in the SAO, most HD and GC numbers should increase monotonically, the cross index catalogue was sorted by 10-degree zones and stars whose HD or GC numbers emerged out of order were investigated and corrected where necessary. A listing of the entire cross index was then scanned manually for obvious errors.

#### IV. RESULTS

A total of 11,115 cross index records was corrected or appended with component and supplemental designations, but many entries contain multiple changes.

Additional files of the cross index will be created and ordered by HD, GC and DM numbers, with records omitted if the key catalog does not contain a star; the four cross reference files will then be available on magnetic tape and in a microfiche edition.

A corrected version of the SAO catalog is now being prepared by substituting cross-identification data currently on the SAO tape with the corrected and appended data from the cross index. Corrections to other SAO data have been inserted into the new SAO separately, while duplicate SAO entries referring to the same star have been deleted from the catalog. (Records have not actually been removed from the file, but have been flagged as duplicates and their data replaced with blank records except for SAO numbers. This procedure was adopted so that the number of records remains identical to that of the published catalogue, and to assure users that the stars have been deleted and not erroneously lost somewhere.)

Both the new cross index and SAO editions will be entensively documented, after which they will be ready for distribution to the astronomical community.

We wish to express our appreciation to Dr. W. L. Stein, who detected and supplied us with a large list of SAO and cross index discrepancies, and to N. Schofield, who assisted with programming and multiple-star component identifications during the early stages of this work.

#### References

Bischoff, M. 1978, Inform. Bull. CDS, No. 14, p. 2; No. 15, p. 103.

Bonnet, R. 1978, Inform. Bull. CDS, No. 14, p. 114.

Hoffleit, D. 1980, Inform. Bull. CDS, No. 19, p. 41.

Ochsenbein, F., Bischoff, M. and Egret, D. 1981, Astron. Astrophys. Suppl. 43, 259.

Warren, W. H. Jr. and Kress, K. 1980, Astron. Data Center Bull. 1, 19.

# AVAILABILITY OF VARIABLE STAR CROSS-IDENTIFICATION TABLES T. A. Nagy\* and R. S. Hill\*

The Second Edition of the General Catalogue of Variable Stars (GCVS) (Kukarkin et al. 1957) contains 21 cross-identification tables that connect the many types of names historically given to variable stars with the modern standardized designations, especially those used in the GCVS and the Catalogue of Suspected Variables (CSV).

Twenty of these tables are now available on magnetic tape from the Astronomical Data Center. The remaining one, GCVS Table 3, is not a cross-identification table but a list of Latin-letter variable star names that are not part of the Argelander system of nomenclature; this table is reproduced as Table 1 below. The other GCVS Tables are summarized in Table 2 below.

Table 1. Latin-letter Variable Star Names Not in Argelander Nomenclature (GCVS Table 3).

i	Boo	u	Her
1	Car	b	Per
В	Cas	$L_2$	Pup
P	Cyg	đ	Ser
Q	Cyg	N	Vel
g	Her		

<sup>\*</sup>Systems and Applied Sciences Corporation 6811 Kenilworth Avenue, Suite 210 Riverdale, Maryland 20737

Table 2. Summary of GCVS Cross-Identification Tables.

Table Number	Number of Records in File	Description
1	13078	GCVS name to others
1 2 3 4 5	358	Bayer (Greek-letter) name to GCVS or CSV
3	_	See text
4	505	Flamsteed number to GCVS or CSV
5	965	Harvard Revised Photometry (HR) = Yale Bright Star (BS) number to GCSV or CSV
6	5180	Durchmusterung number to GCVS or CSV
6 7	3464	Henry Draper (HD) number to GCVS or CSV
8	9218	Astronomische Nachrichten (AN) number to GCVS or CSV
9	8625	Harvard (HV) number to GCVS or CSV
10	1954	Sonneberg (S) number to GCVS or CSV
11	1226	Soviet (SVS) (Russian CN3 ) number to GCVS or CSV
12	379	Ross number to GCVS or CSV
13	178	Innes number to CGVS or CSV
14	120	Bamberg (BV) number to GCVS or CSV
15 - 18	75	Oklahoma (OV), Bologna (VB), Vatican (VV) and Tokyo (TV) numbers to GCVS or CSV respectively
19	2191	Zinner (Z or Zi) number to GCVS or CSV
20	5829	Prager (P) number to GCVS or CSV
21	809	CSV to GCVS

# Reference

Kukarkin, B. V., Parenago, P. P., Efremov, Yu. N. and Kholopov, P. N. 1957, General Catalogue of Variable Stars (2nd edition; Moscow: Publishing House of Academy of Sciences of the U. S. S. R.).

ADC Bull. (July 1983) 1, 217-219

COMBINED LIST OF ASTRONOMICAL SOURCES (CLAS)

Jaylee M. Mead Laboratory for Astronomy and Solar Physics Goddard Space Flight Center

Robert S. Hill Systems and Applied Sciences Corporation

Often, new astronomical surveys are undertaken in order to describe the sky in some spectral region that hitherto has not been thoroughly explored. The sources discovered in such surveys must be identified, whenever possible, with sources previously catalogued. This paper describes a tool, called the Combined List of Astronomical Sources (CLAS), to aid in such efforts. The CLAS consists of a dataset and an interactive computer program to access the dataset. Essential data from all the entries in twenty-five astronomical catalogues have been incorporated into the CLAS dataset. The CLAS program allows the user to query the dataset according to the values of these data. The creation of this tool was prompted by the prospect of several infrared astronomical surveys from space in the next few years. The CLAS is currently in operation at the Jet Propulsion Laboratory as part of the Infrared Astronomical Satellite (IRAS) project.

In order to prepare the data set, we have assembled current catalogues of variable stars, nebulae, pulsars, globular clusters, supernova remnants, quasars, X-ray sources, HII regions, and various types of galaxies. The twenty-five catalogues included in the current version of CLAS (version 2.1) are listed in Table I, along with the identifying numbers from the ADC Status Report, given at the end of this bulletin.

The original catalogues have been reformatted for computing efficiency. The CLAS format retains the object's position, magnitude or flux, and flags to indicate known variables and extended sources. No attempt has been made to cross-identify entries from different component catalogues; therefore, a given object may be referred to by multiple CLAS records. All records have been retained from each catalogue; the CLAS thus has as many records as all the component catalogues combined (165,433 for version 2.1).

The CLAS retrieval program enables the user to extract from the CLAS a set of records satisfying criteria specified interactively. The program prompts the user to enter the information it needs. The user may specify the set of records to be retrieved according to one or more of the following attributes:

Original catalogue
Variability
Whether source is extended
Ecliptic coordinate limits
Equatorial coordinate limits
Galactic coordinate limits
Magnitude or flux type
Magnitude or flux limits

The retrieval documentation (Hill, 1982) assumes a minimum of programming skill on the part of the user.

It is expected that the CLAS will be used not only in the analysis of IRAS data, but also in identifying discrete sources for the Cosmic Background Explorer (COBE) project, and in planning observing programs for several facilities, including the C-141 Kuiper Airborne Infrared Observatory, the Shuttle Infrared Telescope Facility (SIRTF), and ground-based long-wavelength telescopes.

### REFERENCE:

Hill, Robert S., "User's Guide for CLAS Retrieval," SSD-T-1-5069-0016-83 (November 1982).

TABLE I - CATALOGUES INCLUDED IN THE COMBINED LIST OF ASTRONOMICAL SOURCES (CLAS)

Two-Micron Sky Survey (Neugebauer and Leighton 1969) (5612 records) (#2802)

General Catalogue of Variable Stars, Partial 3rd Ed. (Kukarkin et al.) (prepared by Guilbaut) (updates & revisions made at ADC) (22649 records) (#2811)

Air Force Geophysics Laboratory 4-Color Infrared (Price and Walker 1976, AFGL Report TR-76-0208) (2363 records) (#2054)

100-Micron Survey of the Galactic Plane (Hoffmann et al. 1971, Ap. J. 170, L89) (72 records) (#2056)

Dearborn Observatory Catalogue of Faint Red Stars (Lee et al. 1943, 1944, 1947) (Nagy 1979 SAS-C R-SAW-8/79-01) (44076 records) (#2068)

Interim Equatorial Infrared Catalogue (Sweeney et al. 1978, Aerospace Report TR-0078(3409-20)-1) (896 records) (#2905)

Catalogue of Early-Type Stars Whose Spectra Have Shown Emission Lines (Wackerling 1970, Mem. RAS 73, 153) (10652 records) (#3817)

Dark Nebulae (B.T. Lynds 1962 Ap. J. Suppl. 7, 1) (updated, 1791 records) (#7007)

Pulsars (Seiradakis unpublished) (149 records) (#7008)

Bright Nebulae (B.T. Lynds 1965, Ap. J. Suppl. 12, 163) (1125 records) (#7009)

Globular-Cluster Catalog (Arp 1965, Stars and Stellar Systems, vol. 5) (selected data by G. Share/NRL: ID, RA, DEC, X-ray intensity, comments) (119 records) (#7013)

Galactic Supernava Remnants Catalogue (Clark and Caswell 1976, MNRAS 174, 267) (197 + 23 records) (#7014)

Galactic Supernova Remnants Catalogue (Ilovaisky and Lequeux 1972, A&A 18, 169) (116 records) (#7015)

Fourth UHURU X-Ray Catalogue (Forman et al. 1978, Ap. J. Suppl. 38, 357) (selected data by G. Share/NRL: ID, RA, DEC, X-ray intensity, comments) (339 records) (#7018)

H II Regions (Sharpless 1959, Ap. J. Suppl. 4, 257) (313 records) (#7020)

Strasbourg Catalog of Galactic Planetary Nebulae (Acker et al. 1980, CDS Bull. 18, 84) (1446 objects) (#7724)

Morphological Catalog of Galaxies (Vorontsov-Velyaminov et al. 1962-68, Sternberg Inst. Moscow, Vol. I-IV) (29003 records) (#7825)

Uppsala General Catalogue of Galaxies (Nilson 1973, Uppsala Ann. 6) (12940 records) (#7826)

An Optical Catalogue of Radio Galaxies (G. Burbidge and Crowne, 1978, Ap. J. Suppl. 40, 583) (272 data, 130 + 130 ref. records) (#7033)

A Revise Optical Catalogue of Quasi-Stellar Objects (Hewitt and G. Burbidge 1980, Ap. J.Suppl. 43, 57) (1549 data + 748 ref + 748 sorted ref records) (#7037)

List of Globules Based on 7 Lists by Wesselius (Compiled by Wesselius 1979) (821 records) (#7903)

Seyfert Galaxies (Weedman 1977, Annu. Rev. Astron. Astrophys. 15, 69; 1978, MNRAS 184, 11p) (121 data + 230 reference records) (#7904)

Second Reference Catalogue of Bright Galaxies (de Vaucouleurs, de Vaucouleurs and Corwin 1976, U. Tex. Press, Austin) (4364 records) (#7905)

List of Positions of All X-Ray Sources with Positions Known More Accurately than those Given in the 4U or 2A Catalogues (Dolan 1979, NASA/GSFC) (266 data + 396 notes records) (#7906)

Catalogue of Galaxies and of Clusters of Galaxies, I-VI (Zwicky et al. 1961, 1963, 1965, 1966, 1968, Cal. Inst. Tech., Pasadena, 6 vol.) (Partial data for individual galaxies only) (29363 galaxy + 560 field header records) (#7911)

# UPDATES TO BIBLIOGRAPHICAL STAR INDEX SEARCH R. S. Hill\*, J. M. Mead\*, and T. A. Nagy\*

An on-line interactive program for searching the Bibliographical Star Index (BSI) has been available to outside users on a NASA/GSFC computer since 1980. This article updates the general description of this facility given by Nagy et al. (1981).

The BSI Search now accepts numbers from the Bonner, the Cordoba and the Cape Photographic Durchmusterungen, as well as from the Henry Draper Catalogue and the General Catalogue of Variable Stars. A utility has been added to enable the user to look up the Henry Draper (HD) numbers of bright stars having Flamsteed numbers or Bayer (Greek letter) designations.

Because the IBM S/360-91 computer on which the BSI Search has resided so far was taken out of service on September 13, 1982, the BSI Search has been installed on its replacement, an IBM 3081 computer, under TSO on the OS/MVS operating system.

The current BSI Search version number is 3.1. The user's guide for this version consists of the user's guide for Version 3.0 (Hill et al. 1982) plus a memorandum giving changes for the new computer. Both the user's guide and the memorandum are available from the Astronomical Data Center, as described in the back of this publication.

- Systems and Applied Sciences Corporation 6811 Kenilworth Avenue, Suite 210 Riverdale, Maryland 20737
- \* NASA/Goddard Space Flight Center Code 680 Greenbelt, Maryland 20771

# References

Hill, R. S., Nagy, T. A. and Mead, J. M. 1982 <u>Interactive Computer Reference Serach of</u>
the Astronomical Literature 1950-1976 (Sersion 3.0), SASC Document SSD-T-50690020-82.

Nagy, T. A., Hill, R. S. and Mead, J. M. 1981, Astron. Data Center Bull., 1, 62.

#### THE BSI FROM THE USER'S VIEWPOINT

Margaret F. Dominy
Department of Astronomy and
McDonald Observatory, University of Texas

#### INTRODUCTION

The explosion of astronomical publications has made a bibliographic data base arranged by object essential. The interactive computer reference search of the astronomical literature 1950-1976 (3.0) now available from NASA/GSFC (see Nagy et al. 1981) is a significant advance toward a complete availability of the astronomical literature. The ultimate goal is to have finger-tip access to the locations of the total accumulated knowledge concerning any object. The need for a data base is highlighted by the fact that Astronomy and Astrophysics Abstracts no longer indexes variable star name, as did its predecessor, Astronomisches Jahresbericht. Also, the growth of new observatories (e.g. Chile and Hawaii) has meant that their libraries do not have access to the limited editions of the older, but still valuable, observational literature. In these examples it is difficult for the astronomer to "chain back" through the papers referenced in the most recent paper on the subject. Even at its best, this method often led to incomplete knowledge while consuming the astronomer's time. Until that day arrives when the observer can sit at his terminal and retrieve the results of years of research in minutes, I present here some impressions of the current state of computerized reference searching in astronomy. Two general areas of need are outlined. The first involves improvements that can be made to the computer handling of the data base. Secondly, improvements to the contents of the data base itself are suggested.

#### COMPUTER SEARCHING

The Bibliographic Star Index (BSI, Cayrel et al. 1974) is a data base in which references concerning a particular star can be retrieved by searching on HD number, variable star designations, and <u>Durchmusterung</u> number. The latest version (3.0) covers the literature 1950-1976, with an update to be added soon. The ability to retrieve references from the literature spanning 27 years of research on the order of a few minutes is a tremendous tool for the student or researcher starting a project as well as the expert in the field who is interested in maintaining a handle on the literature.

I have used the BSI program several times on various printing terminals, including the Diablo (TM) and TI Silent 7000 (TM). The documentation provided by NASA/GSFC was easy to use and proved accurate. I found that when using the Diablo (TM) an echoing of input keystrokes occurred, a situation that could not be resolved by reference to the user's manual. A small amount of information on the operating system of the host computer (the methods of character and line deletion to erase typing errors and the system status query when output is delayed are examples) would be helpful in solving such problems. All other terminals accepted input/output without incident.

With the user's manual available, there was no instruction for reattaching should the user become disconnected. It became necessary to re-dial and repeat the entire search prior to being disconnected in order to complete the assignment. When using commercial long-distance telephone lines, disruption frequently occurred. I found that even though the program had the ability to receive multiple entries of star designations, thus searching and listing many stars, that by doing this invariably I was disconnected by line noise. It became more economical to search for one star at a time and then to re-enter program BSI.

Some cross-indexing of star designations is done in the BSI; however, it is usually indexed from <u>Durchmusterung</u> number to the HD number rather than <u>vice versa</u> and is not always consistent. An example is HD 206821 = EK Cep = BD +  $69^{\circ}$  1191. Searching on the HD number retrieved four references with only the BD number listed as the other identification. Searching on the variable star designation recovered 10 references with only one reference in common with the HD-number search and no cross index to HD or BD number. Authors doing research on variable stars tend to report their results using only the variable star name, neglecting other catalog names. As a consequence, the dual designations were not always discovered by the BSI compilers. The BSI user should be aware of all possible designations of his stars of interest. If the star has multiple designations it would be advisable to search on each one if possible.

In this light, an adjunct program (or a re-write of program BSI itself) to recover all catalog names of a star would have an appeal to researchers in disparate fields of astronomy. The spectroscopist knows the object by its HD number; the astrometrist would favor the BD or SAO number; the photometric observer of variable stars, the GCVS entry. For example, the IUE Observatory strongly recommends exclusive use of HD number in target list preparation. Consequently, if computer reference searching is to be a complete service to the entire astronomical community, it needs to cross-correlate catalog designations. With the current interest in making cross indexes of catalog numbers (e.g. the HD-SAO-DM Cross Index of Nagy and Mead 1978, the SAO-IRC cross index of Snowden and Wells at Kitt Peak, etc.) the cross correlations of star designations are available for merging with the BSI references. If, upon entering one designation, all other designations are recovered and printed, it would facilitate basic research. For example, HD 222287 is HR 8966 (m v = 6.74, so it is not obvious that it would be in the Bright Star Catalogue). With the wealth of critically reviewed information about this star from the BSC, it would not always be necessary to consult the original literature.

As the program exists at present, the user can not specify a search strategy whereby a range of publication dates or journal name is examined. The printed listing contains all references available in the 1950-1976 range in all journals scanned. In many cases only a specific span of years (or the last few years) is needed. Also, when the star designation is entered and the user responds that his list is complete, he is committed to receiving all references. For bright stars this can be undesirable. For example, I searched on HD 149757 and the program retrieved 215 references. After the first line of output informing me of the number of references I would have preferred to stop the output. A pause in the program execution and a prompt asking if the reference list is desired would be a helpful revision.

A more readable format for the reference list output is desirable. By indenting the second line of the reference such that the author becomes prominent in the listing will make the output easier to read. The string processing necessary to prevent the breaking up of text words at the end of a print line would improve readability. A line feed between references would ease scanning of a long list of references.

#### IMPROVEMENTS TO THE BSI

Stars observed and identified in different wavelength regions pose a particular problem for the data base. The detection of sources at non-visual wavelengths prior to their optical identification may have been missed by the BSI compilers. As an example, cosmic X-rays were discovered during the early rocket launches in the 1960's but their positions were so poorly determined that optical identifications were impossible. The discovery of Cyg X-I in 1964 and its optical identification in 1971 provides an example. Searching on BD +34° 3815 or HDE 226868 will not recover the X-ray discovery paper or the X-ray papers preceding optical identification (although it was well observed in the optical regions with six papers listed for the years prior to 1971).

In addition to the omissions generated by observations at new wavelengths, a major desideratum is an extension of the BSI into the past. This inclusion of pre-1950 literature may be equivalent to merging the BSI with the Bidelman Bibliography (Parsons et al. 1980). This merger would represent a major undertaking, since the two data bases differ substantially in format and information content. The combination of the two, made accessible through an interactive search code, would however result in a powerful research tool.

#### SUMMARY

The BSI and the current GSFC service for computer reference searching is a valuable tool for the astronomer. With the addition of star-designation cross-indexing, improved output format, and a provision for search strategy specifications, it could become a more useful instrument. In order to gain more completeness, an update and expansion of the data base itself (most notably the retrospective addition of pre-1950 and pre-optical identification papers) is needed.

# REFERENCES

Cayrel, R., Jung, J. and Valbousquet, A. 1974, CDS Information Bulletin No. 6, p. 24.

Nagy, T. A., Hill, R. S., and Mead, J. M. 1981, ADC Bulletin 1, 62.

Nagy, T. A. and Mead, J. M. 1978, NASA TM 79564.

Parsons, S. B., Buta, N. S. and Bidelman, W. P. 1980, CDS Information Bulletin No. 18, 86.

#### The DO-HD and HD-DO Cross Indices

#### Theresa A. Nagy+

The Dearborn Observatory (DO) Catalogue of Faint Red Stars (Lee et al. 1943, 1944 and 1947) is the result of a survey of faint red stars conducted at that observatory from about the mid-1930s to about the mid-1940s. The catalogue was published in three parts:

<u>Part</u>	Declination Range (degrees)	DO Number Range
1A	-4.5 to +13.5	1 - 8151
1B	+13.5 to +40.5	8141 - 22680
1C	+40.5 to +90	22681 - 44076

This catalogue has been made machine-readable (Nagy 1979; Nagy and Hill 1980) with the following data:

- 1. Dearborn number (sequential 1-44076).
- 2. Right ascension (epoch 1900, hours, minutes and tenths of minutes).
- 3. Declination (epoch 1900, degrees and minutes of arc).
- 4. Magnitude obtained through comparison on red-sensitive emulsion with the International Polar sequence: "... should be fairly reliable to 0.2 magnitude". If a star were known to be variable by the compilers of the catalogue, the magnitude is given as "99.9" in the machine-readable version. (The quote is from the preface to the published catalogue.)
- 5. Dearborn spectral type obtained from objective-prism plates with redsensitive emulsion.
- 6. Henry Draper (HD) spectral type, which is given for 5764 (13%) of the stars. The introduction to the published version of the catalogue does not define the criteria for correlation of Dearborn and Henry Draper entries.

The incorporation of the HD spectral type in the DO but not the HD numbers provided a link between the two catalogues. This document describes how the link was established to create the DO-HD and the HD-DO cross indices presented herein.

# Correlation Process

Since both catalogues are in machine-readable form, a program was written to perform two passes of the DO data with respect to the HD. Each pass was based on an acceptable equatorial position range of values. The selection was based solely on the agreement in equatorial coordinates between the DO and the HD source. The HD spectral type as given in the DO and as given in the HD were compared after positional agreement. If all criteria are met then the match is considered final. If the spectral types did not match, the record was flagged and this was investigated manually. If a star failed both passes, it was placed in another file which would be processed again with a larger spatial window. In all, four runs of the program were required to complete the cross index.

# Preparation of the Data Sets

Since we were only interested in the subset of the DO which ontained a HD spectral type, these data were selected (5764 entries) from the full catalogue. Also, the southern declination limit of the DO is nominally -4.5 degrees so that a subset of the HD catalogue north of -5.0 degrees was prepared. No effort to include the HD extension in this process was made.

The DO subset records were then sorted by increasing right ascension. Remember the full DO was prepared in three parts and within each part the right ascension ranges from 0 to 23 hours.

# Selection Criteria

The comparison passes of the two data sets were done with increasingly larger spatial windows with a defined positional tolerance in right ascension and declination. The values of the positional tolerances for each pass are given as follows:

	Win Right Ascension	dow Declination
Pass	(minutes)	(arc minutes)
<b>la</b>	0.15	1.5
<b>I</b> b	0.25	2.5
Па	0.15	3.5
Пр	0.25	3.5
Ша	0.25 sec δ	1.5
ШЬ	0.45 sec δ	2.5
IVa	0.35 secδ	3.5
IVb	0.55 sec δ	5.5

The above selection criteria are in agreement with those used by Grasdalen and Gaustad (1971) in their manual correlation of the Two-Micron Sky Survey (Neugebauer and Leighton 1969) with the DO. Their criteria were that positions in the two catalogues agree within three arc minutes in declination and 0.2  $\sec \delta$  minutes in right ascension.

There were 125 stars which failed to meet any of the above criteria using the program. This was caused by a variety of reasons; e.g., an object too close to the search area of the previous object or an error in the machine-readable version of one or both of the catalogues. These 125 stars and another 106 cases of positional correlation but lack of spectral correlation were all investigated manually. All of the 5764 DO sources have been correlated with an HD star but the above investigations have led to some special notes as given in Table 1. These should be read with care since some of the correlations may be questionable. A sample page of the DO-HD Cross Index is given in Table 2.

#### **HD-DO Cross Index**

This part of the cross index was prepared by simply sorting the DO-HD cross index by the HD number. It should be noted that there were 118 cases of one HD star correlated with two DO sources. In another case, one HD star (HD 205998) was correlated with three DO sources (20695, 20691 and 39864). This cross index has the HD number on the second (and

third) record blanked out so that duplicate records are easily identified in the table. A sample page of the HD-DO Cross Index is given in Table 3.

# Summary

These cross indices were prepared as an aid in the preparation of a supplemental infrared data base. Users should consult the notes in Table 1 for some possible questionable correlations. The correlation of the subset of the DO catalogue with the HD catalogue makes it possible through the use of the HD-DM-SAO Cross Index (Nagy and Mead 1978) to provide more precise coordinates for these sources. The two cross indices described in this document are machine-readable and available from the Astronomical Data Center at GSFC. A hardcopy version of these indices are available from the author.

# Acknowledgements

I would like to thank Dr. Susan Kleinmann (MIT) for her help and support under NASA grant NSG 7186. I would like to thank Dr. Jaylee M. Mead for the use of computer time at NASA/GSFC and Mr. Robert Hill who updated the machine-readable version of the DO with corrections identified as a result of this compilation.

# References

Grasdalen, G. L. and Gaustad, J. E. (1971). Astronomical Journal, 76, 231.

Hoffleit, D. (1976). CDS Information Bulletin, No. 10, 2.

Lee, O. J., Baldwin, R. J. and Hamlin, D. W. (1943). Annals Dearborn Observatory, V. Part 1A.

Lee, O. J. and Bartlett, T. J. (1944). Annals Dearborn Observatory, V, Part 1B.

Lee, O. J., Gore, G. D. and Bartlett, T. J. (1947). Annals Dearborn Observatory, V. Part 1C.

Nagy, T. A. (1979). SASC Report R-SAW-8/79-01.

Nagy, T. A. and Hill, R. S. (1980). ADC Bull. 1, 14.

Nagy, T. A. and Mead, J. M. (1978), HD-DM-SAO Cross Index, NASA TM-79564.

Neugebauer, G. and Leighton, R. B. (1969). Two-Micron Sky Survey, NASA SP-3047.

+ TAN Associates P.O. Box 943 Riverdale, Maryland 20737

Table 1. DO-HD Cross Index Remarks (SP = Spectral Type).

DO Number	Remark
595, 9989	Probably the same DO object, since the two appear in two different analyses of the survey. Both are correlated with the same HD source (HD 22031).
807	The HD SP given in the DO would correspond to identification with HD 29118 but the correspondence to HD 29106 (SP K5) is probably better.
929	The HD SP given in the DO is K5 but the most reasonable match with the HD is with HD 31798 (SP given as Pec).
964	The HD SP given in DO is N but probably should read NB.
1017	The HD SP given in DO is K5 but the best correspondence by position is with HD 33866 (SP G0).
2285	The HD SP given in DO is K0 but the best correspondence by position is with HD 61297 (SP K5).
3201	The HD SP given in DO is K0 but the best correspondence by position is with HD 106878 (SP K5).
3839	The correspondence of this source with the HD in right ascension and spectral type correlates it with HD 141377. However, the HD declination is $-0^{\circ}$ 42' but the published DO lists the DO declination at $+0^{\circ}$ 43'. Either the correlation with the HD is incorrect or the published declination of the DO source is incorrect.
6541	The HD SP given in DO is OA which corresponds to SP given in the HD for HD 191899. However, published errata (Hoffleit 1976) updates this spectral type to K7.
7648	The HD SP given in DO is K0 but the best correspondence by position is with HD 208529 (SP K5).
7885	In order to match by spectral type this DO source would have to be correlated with HD 215429. However, the difference in declination would be 12 arc minutes which is much greater than the typical difference of a few arc minutes. The cross identification table matches the DO source with HD 215386 (SP F5) which is 0.3 minutes from the DO source in right ascension.
20887	The HD SP given in DO is K2 but the best correspondence by position is with HD 207371 (SP K0).
22063	The HD SP given in DO is K5 but the best correspondence by position is with HD 218741 (SP K2).

Table 1. DO-HD Cross Index Remarks (SP = Spectral Type).

DO Number	Remark
22328	The HD SP given in DO is KO but the best correspondence by position is with HD 222031 (SP K2). Note that the spectral type of HD 222030 is K0 which may explain the possible discrepancy.
23051	The HD SP given in DO is N but probably should read NB.
23631	The correspondence by position and spectral type is with HD 3689. However, a better correlation is with HD 3681 (SP K0).
26017	The HD SP given in the DO is K2 but the best correspondence by position is with HD 16256 (SP K0).
29608	The HD SP given in DO is K0 but the best correspondence by position is with HD 37923 (SP K5). Note that the spectral type of HD 37922 is K0 which may explain the possible discrepancy.
32101	The HD SP given in DO is K0 but the best correspondence by position is with HD 66871 (SP G5).
36182	The HD SP given in DO is K2 but the best correspondence by position is with HD 169243 (SP K0).
36923	The HD SP given in DO is G but the best correspondence by position is with HD 179240 (SP G5).
37398	The HD SP given in DO is K0 but the best correspondence by position is with HD 184332 (SP K). The DO probably should read K.
37852	The HD SP given in DO is MA but the best correspondence by position is with HD 188438 (SP MB).
38107	There were no HD stars anywhere in the near vicinity of the published position for this DO entry. If the right ascension, the HD spectral type and the approximate magnitude are all considered then HD 191500 fits. However, the published declination of this DO source is +53° 42' but the declination for HD 191500 is +43° 46'. Obviously, this correspondence is questionable since not all of the published parameters agree with any HD star.
39187	The HD SP given in the DO is K0 but the best correspondence by position is with HD 200830 (SP A0).
39415	The HD SP given in DO is K0 which was probably identified with HD 203136. However, a probable better correspondence is with HD 203137 (SP K5).

Table 1. DO-HD Cross Index Remarks (SP = Spectral Type).

DO Number	Remark
41864	The HD SP given in DO is K2 which was probably identified with HD 215410. However, a probable better correspondence is with HD 215345 (SP K0).
42038	The HD SP given in DO is F8 but the best correspondence by position is with HD 216161 (SP K0).
42916	The HD SP given in DO is K but the best correspondence by position is with HD 220104 (SP K2).
42989	The HD SP given in DO is K but the best correspondence by position is with HD 220474 (SP K2).
43026	The HD SP given in DO is K but the best correspondence by position is with HD 220652 (SP K5).
43273	The HD SP given in DO is K but the best correspondence by position is with HD 221697 (SP K0). The DO probably should read K0.

Table 2. DO-HD Cross Index (Sample Page).

DO #	HD .	DO 0	HD #	DO •	HD .
# 14600-938236790234568780234589**-3560367-235784837846280679165-720 0 1112333445555566667778899999999999999999999999999	# 32355415303268532456355393379095655712120099921291794121639935753 259944085362425899845701955723602642672124625184372977882446772978830 D 22235577800111212111111111222223333444444455555556666666777777788888888999	* 279027357-523579+560256560570+6736898+82370-3580+6900502725679127 333+4455677888899911-123555677788880-1242333334444444444444444 0 222222242222222222222	# 4417303990392386547527:3013957*342222865442664427055319*652003358 B 23334589134666678364272346537576744792504665135520876759846067403 B 23334589131666678364272345577738934231456689*2209579347879012 B 999999910101010101011111111122223058934433444444557777888888899912	# 13672791384045858356780568117012520314784780252046456927678357860 5555555555555566666666666666666666777777	# 1973408646336-1-05444.6840522424.2424.2424.8218530589060307560374694 61948063046463777789364667676966666678777789467458006042476436466667877778946467899999999999999999999

Table 3. HD-DO Cross Index (Sample Page).

BD #	DO €	MD ●	DC 6	HD .	DO #
38	22698 22717 8162 8164 22715	16 13 16 72 16 73 17 10	23 12 9 8 3 2 3	4012 4056 4143	23726 23709
100	8162 8164	16 73 17 10	23207		23718
185 223	22715		23135	4 165 4 174	#473
252	14	1754 1831	8337	4130	23749
414	8195	1843 1845	23208	4479	8482
<b>207</b>	22817	1967	8349	4406	84.94
544 544	22013	2005	5350 57	411069781555157978898 4112243444556004679178 444444455604679178	23765
551	22831	2102	23276	4565	23743
555	8209	2190 2265	8365	4605 4647	23796
640	82 i 4 82 20	2291 2293	23310	4069 4677	E\$13
70 i 711	8228	2342 2359	8375 92	4098 4718	8518 8522
775 784	22896 8236	24 11 24 23	8381 8382	4779 4768	8525
785 794	22899	24 73 24 66	23365 23365		23819
795 809	22909	2602	8392	4817 4821	23820
826 853	22918	26 23 26 37	95 35 35	4828 4832	23518 8534
928	8251	27 78	8403	4895	8539
951	8257	28 4 1 28 4 1	8404	4960	23849
972	22954	2908	23479	4993	23658
1839	22974	641356755555505132913361237884108120723125860 15344465070196994512766023372430124462434603 1788889900111222233444566667788899011122333344 1111111222232222222222222222	23490	5007 5033	2134032148556356308255690364894918673854267810 7177418996611809121222212213334445546455722564 81447144477117575155558813435558555555555 814831888313833833833833833 883
1059	"8270 53	3147 3162	23517 23525	5051 5092	8548 E555
1075	8272 23000	3223 3241	23550 23546	509J	23872
1122	8280	33 32 33 45	23564 23555	5112 5121	126
1146 1166	23040	3368 3408	23501	519 <u>0</u> 5223	659 J
1228	23036	5450	23225	1771829590238731231221121121583869 11223694669003599*1292457814 8484489900000111292457814 44444445555555555555555555555	23894
1283	<b>6</b> 2	34 49	23577	2265	23032
1306	23051	3500	23516	5329	6572
0-53235497945-59830-15454596338813230393592-668053266-447696656 0-82599-900445559-401788999025-24567-335670234624589026691212488 1-122224455555555667777777888999999990000-1-1-11111111111111111111	14605473101893409866339898865777945240320607096023107641824856 142911133340112322934930144555556577570585453666570068811177 1888 88222 288588 828 2822 2828 28 83 8 3 3 3388 33333 8222 228588 828 2822 288828 28 83 8 3 3 3388 33333 8222 228588 828 2822 288828 28 83 8 3 3 3388 33333	344554798891134 345547234448020 335547234448020 33554735448020	9;87507-98;307-66559005214;57245534479807750645152578896;719901128 13 21;33;490145657866-3798895959503007090125465677977779132023457 13 21;33;490 83 33; 3 33 333 4444445555555555555555555	5443	23 89 99 82 99 99 82 85 57 70 35 85 57 70 77 78 13 19 29 83 13 13 19 29 83 13 13 19 29 83 13 13 19 29 83 13 13 19 29 83 13 13 19 29 83 13 13 19 29 83 13 13 19 29 83 13 13 19 29 83 13 13 19 29 83 13 13 19 29 83 13 13 19 29 83 13 13 19 29 83 13 13 19 29 83 13 13 19 29 83 13 13 19 29 83 13 13 19 29 83 13 13 13 19 29 83 13 13 13 13 13 13 13 13 13 13 13 13 13
1394	23081	36 29 36 38	10 i 23 6 2 9	3430232224 54467322224 555555555555555555555555555555555	23906
1426 1519	23088	36 48 36 49	8440	5479 5462	8578 8581
1526 1546	23114	3681 3701	23231	5492 5542	23913
1585 1586	75	39 23 40 04	23682	5576 5581	23929

ADC Bull. (July 1983) 1, 234-239

NEW AND REVISED CATALOGUES AVAILABLE FROM THE ASTRONOMICAL DATA CENTER

Wayne H. Warren Jr.
National Space Science Data Center
NASA/Goddard Space Flight Center

Jaylee M. Mead
Laboratory for Astronomy and Solar Physics
NASA/Goddard Space Flight Center

Theresa A. Nagy and Robert S. Hill Systems and Applied Sciences Corporations

Astronomical catalogues and data sets recently received and/or modified are described briefly. The catalogue numbers are those given in the Status Report in this ADC Bulletin.

1741 Lowell Proper Motion Survey 8991 Stars with m > 8,  $\mu$  > 0.26/year in the Northern Hemisphere (Giclas, Burnham and Thomas 1971, Lowell Obs. Flagstaff, AZ)

The catalogue has been reformatted from multiple records for stars having photoelectric data to single records for all stars. Some corrections indicated in the published catalogue were made, as were several general changes to make the machine version conform more closely to the published catalogue. A descriptive document has been prepared. Work is now proceeding on computerizing all notes in the published catalogue.

1743 First Santiago-Pulkovo Fundamental Stars Catalogue (Anguita et al. 1975, Publ. Dep. Astronomy, Univ. of Chile 2 (No. 6) 181)

The catalogue files have been restructured with unused space removed; some corrections have been made and a document has been prepared.

- 1913 Lick Jupiter-Voyager Reference Star Catalogue (Klemola, Morabito, and Taraji 1978, Lick Obs.)
- 1914 Lick Saturn-Voyager Reference Star Catalogue (Klemola, Taraji, and Ocampo 1979, Lick Obs.)

These catalogues were kindly supplied by Dr. Klemola. Format modifications were made and resorting by right ascension was done. Documents are available for these catalogues.

1915 Yale Zone Catalogue, δ -60° to -70° (Fallon 1981)

This catalogue was supplied in binary form by Dr. Fallon. Work is being undertaken to reformat the data and convert them to character-coded format.

1918 Photographic Catalogue, Sydney Zone -48° to -54°, Right Ascensions and Declinations of 20457 Stars (Eichhorn et al., unpublished)

This catalogue was received on magnetic tape from Dr. Eichhorn. Nothing has been done with the data yet because Dr. Eichhorn is in the process of preparing a description of the catalogue.

1919 Third Santiago-Pulkovo Fundamental Stars Catalogue, a Catalogue in R. A. of 671 Fundamental Bright Stars of the Zone +40 to -90 (Loyola and Shishkina 1972, Publ. Dep. Astronomy, Univ. of Chile, 2, No. 5, 159).

The machine-readable catalogue was prepared at the ADC. A descriptive document and a microfiche version have been prepared.

1920 Yale Catalogue of Trigonometric Stellar Parallaxes (Jenkins 1952, 1963, Yale Univ. Obs) with Supplement Data (USNO 1982)

The magnetic tape version was kindly supplied by Dr. P. K. Seidelmann of the USNO. Corrections found by Dr. W. F. van Altena, Dr. D. Hoffleit and at the ADC have been incorporated and a descriptive document is available.

- 1921 Jet Propulsion Laboratory Planetary and Lunar Ephemerides for the Years 1960 to 2000, Mean Equator and Equinox B1950 (DE118/LE62, E. M. Standish, JPL)
- 1922 Jet Propulsion Laboratory Planetary and Lunar Ephemerides for the Years 1960 to 2000, Mean Equator and Equinox J2000 (DE200/LE200, Standish and Seidelmann 1981, Bull. AAS 4, 874).

These data sets contain Chebyshev polynomial expansion data for the computation of ephemerides by interpolation. They are stored on 6250 bpi, IBM binary VBS formatted tape. Software is available for computing ephemerides in rectangular coordinates for desired input times.

2758 Vilnius Photometric Catalogue, Published Measurements and Weighted Means (North 1980, Astron. Astrophys. Suppl. 41, 395).

Catalogue received from the CDS, Strasbourg, in 1982 January. The tape files are unchanged except for the deletion of a few unnecessary text records from the data files where they would have interfered with processing. A descriptive document is available.

2074 Photometric Data for the Nearby Stars (Hauck, B. and Mermilliod, M. 1981, CDS. Inform. Bull. No. 21, p. 35).

Catalogue received from the CDS, Strasbourg, in 1982 January. A few minor editing corrections were made to the first file; otherwise, the tape is identical to that distributed from the CDS. A decriptive document is available for this tape.

2913 CAO 2 Filter Photometry of 531 Stars of Diverse Types (Code, A. D., Holm, A. V., and Bottemiller, R. L. 1980, Astrophys. J. Suppl. 43, 501).

The tape was kindly supplied by the Space Astronomy Laboratory, University of Wisconsin, in 1981 August. The data were reformatted to single logical records per object and various data fields rewritten to a computer-compatible and homogeneous form. Colons appended to published data were added to the machine version.

2914 Ultraviolet Star Catalogue (prepared at University College London, see Carnochan, D. 1979, CDS Inform. Bull. No. 17, p. 78).

The catalogue was kindly supplied by D. Carnochan in 1982 July. The tape contains a descriptive file with detailed format, but no further examination has been made yet.

2915 Catalogue of uvby Data for a Map of the Local Interstellar Reddening within 300 Parsecs (Perry, C. L. and Johnston, L. 1982, Astrophys. J., in press)

The catalogue was kindly supplied by the authors in 1981 October. Visual double stars in the file containing page and sequential-number designations from the *Index Catalogue of Visual Double Stars (IDS)* were converted to standard coordinate codes used with the IDS. No other changes have been made.

2916 A Catalogue of Homogeneous Photometry of Bright Stars on the DDO System (McClure, R. D. and Forrester, W. 1981, Pub. Dominion Astrophys. Cbs. 15, 439)

The catalogue was kindly supplied by R. D. McClure in 1982 January. The data records were reformatted to eliminate unused space and Durchmusterung numbers were added to the file. HD numbers for multiple stars were encoded in the standard way and flag bytes were created for error information. A descriptive format is available.

2917 Catalogue of Galactic O-Type Stars (Garmany, C. D., Conti, P. S., and Chiosi, C. 1982, Astrophys. J., in press).

The catalogue was supplied by C. D. Garmany in 1982 April. The data were reformatted in order to make the star designations uniform, to record the photometric data in standard form, and to homogenize various other data. Three duplicate entries were removed after careful checking and notification of the first author. A descriptive document is available.

2918 Catalogue of Infrared Observations (Gezari, D. Y., Schmitz, M. and Mead, J. M. 1982, NASA TM 83819)

The catalogue and documentation were supplied by the authors in 1982 July. This catalogue supersedes the Merged Infrared Catalogue (2071).

2919 Catalogue of Intrinsic Colours of Stars in the Ultraviolet (Carnochan, D. J. 1982, CDS Inform Bull. No. 22, p. 75).

The catalogue was supplied by D. Carnochan in 1982 July. The tape contains a descriptive file with a detailed format. Further work has not been done yet.

3715 Luminous Stars in the Northern Milky Way (Hardorp et al. 1959-1965, Hamburg-Bergedorf, Vol. I-VI)

The catalogue was received from the CDS, Strasbourg. The machine-readable version was modified extensively to more closely match the published catalogue, to make the format uniform, and to remove non-numerical characters from certain data fields. The data were converted from BCD coding to EBCDIC (or ASCII), the logical record length was shortened to discard unused bytes. An additional data file, sorted by increasing right ascension and decreasing declination, was added as a second file, while the remarks published in Volumes II, IV and VI were computerized and added as a third file. A descriptive document is available.

3904 The Sixth Catalogue of Galactic Wolf-Rayet Stars: Their Past and Present (van der Hucht, K. A., Conti, P. S., Lundström, I. and Stenholm, B. 1981 Space Science Reviews 28, no. 3)

See announcement of availability elsewhere in this bulletin.

3918 A Deep Objective-Prism Survey for Large Magellanic Cloud Members (Sanduleak, N. 1969, Contr. Cerro Tololo Inter-American Obs., No. 89).

This catalogue was transcribed, punched, verified, and checked at the Astronomical Data Center. A document describing the tape file and containing the notes is available.

3919 Catalogue, Spectrum and Magnitude Data Bank of  $B_e$ ,  $B_p$  and  $B_{pe}$  Stars (Page, A. A. 1982)

The catalogue was kindly supplied on magnetic tape by A. A. Page. It is a catalogue of B peculiar and emission stars containing extensive cross identifications and basic data such as spectral type(s), magnitudes, colors (B-V) and remarks.

4916

to

4930 Tables 2, 4, 5, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, and 21 from General Catalogue of Variable Stars, 2nd Edition (Kukarkin, B. V., Parenago, P. P. Efremov, Yu. N., and Kholopov, P. N. 1957, Publishing House of the Academy of Sciences of the USSR, Moscow)

See announcement of availability elsewhere in this bulletin.

5704 Catalogue of Stars within 25 Parsecs of the Sun (Woolley, R., Epps, E. A., Penston, M. J. and Pocock, S. B. 1970, Roy. Obs. Ann., No. 5).

The machine-readable catalogue was received from the CDS, Strasbourg. The data were reformatted to condense the 160-byte records to the current 135 bytes and to convert the old 026 character code to 029. A descriptive document is available.

5706 Catalogue of Kinematic Data for O-B5 Stars (Rubin, V., Burley, J., Kiasatpoor, A., Klock, B., Pease, G., Rutscheidt, E. and Smith C. 1962 Astron. J. 67, 491).

Initially, this catalogue was received from the CDS. The entries for Tables I and IV of the original published catalogue were combined. The spectral types and source references from the original published catalogue were added. Some data fields were reformatted.

5907 The Bright Star Catalogue, 4th Revised Edition (Hoffleit, D. with the collaboration of Jaschek, C. 1982, Yale University Observatory).

The catalogue was kindly supplied on magnetic tape by D. Hoffleit in 1982 March. An additional tape containing remarks files was supplied in April. The original data tape contained 18 files consisting of left and right pages for groups of 1000 stars. The files were combined into a single data file with one logical record per star. Corrections found after publication of the catalogue were made and the supplementary remarks were merged into the remarks and data file. Documentation has been prepared.

6906 Faint Blue Objects at High Galactic Latitude (Warnock, A. III and Usher, P. D. 1982, Astron. Data Center Bull. 1, No. 3)

The catalogue was supplied on magnetic tape by A. Warnock III in 1982 April. The only changes made were the blanking out of B magnitudes when they were absent (they were 0.0 originally) and shortening of the record length from 132 bytes to 118 bytes, since bytes 119-132 were never used.

7827 Revised Optical Catalogue of Quasi-Stellar Objects (Hewitt, A. and Burbidge, G. 1980, Astrophys. J. Suppl. 43, 57)

The machine-readable version of this catalogue was received from Adelaide Hewitt in August 1980. This version incorporated all of the errata identified by the authors to date. Extensive modifications have been made to the format of the machine-readable version, which as received consisted of five types of card images for each entry, followed by the references in the same file. Each entry now consists of a single 525-byte record with a consistent format, and the references have been put into separate files, one sorted numerically and another sorted alphabetically.

7902 Optical Catalogue of Radio Galaxies (Burbidge, G. and Crowne, A. H. 1979, Astrophys. J. Suppl. 40, 583).

The machine-readable version of this catalogue was received from one of the authors (A. Hewitt, formerly A. H. Crowne) in the summer of 1981. Extensive modifications to the format have been made, similar to those described for 7827 above. Also, the coordinate designation was computed and added to each record, since it was not originally given on the tape for the majority of records. One missing record has been reconstructed from the published catalogue. Counts of spectral lines were added to each record. Some data are present in the machine-readable version but not in the original published version, particularly a few photometric color values and references.

#### ASTRONOMICAL DATA CENTER (ADC) ANNUAL REPORT FOR 1982

J. M. Mead
Laboratory for Astronomy and Solar Physics/GSFC

W. H. Warren Jr.
National Space Science Data Center/GSFC

The present report covers activities of the Astronomical Data Center, NASA Goddard Space Flight Center, for the calendar year 1982.

#### I. PERSONNEL

J. M. Mead (Laboratory for Astronomy and Solar Physics, LASP), W. H. Warren Jr. (National Space Science Data Center/World Data Center A for Rockets and Satellites, NSSDC), T. A. Nagy and R. S. Hill (Systems and Applied Sciences Corporation), and W. T. Sheridan (NSSDC) comprised the ADC staff. T. A. Nagy and W. T. Sheridan left the ADC during the year.

#### II. ACTIVITIES

Two new machine-readable versions of previously published catalogs: A Deep Objective-Prism Survey for Large Magellanic Cloud Members (Sanduleak 1969, Catalog 7038) and Third Santiago-Pulkovo Fundamental Stars, A Catalogue in RA of 671 Fundamental Bright Stars of the Zone +40° to -90° (Loyola and Shishkina 1972, Catalog 1078) were created by direct-to-disk keypunching. Approximately 1700 records of notes to the Lowell Proper Motion Survey 8991 Stars with m > 8, PM > 0.26 per Year in the Northern Hemisphere (Giclas, Burnham and Thomas 1971, Catalog 1079) were committed to machine-readable form. Supplement 2 of the Catalogue of Photometric Sequences (Argue and Miller 1976) was punched and Supplement 3 is in preparation in collaboration with the authors. The original catalog and supplements will be combined to produce a new comprehensive machine-readable catalog. An updated and corrected version of the Yale Catalogue of Trigonometric Parallaxes (Jenkins 1952, 1963), containing the supplement stars, was received from the U.S. Naval Observatory and prepared for distribution. A new Yale Zone Catalogue, -60° to -70° was received from F. W. Fallon and a collaborative effort initiated with him and E. Dorrit Hoffleit to prepare the catalog for publication in the Yale Transactions.

All zones of the machine-readable Cordoba Durchmusterung were distributed both internally and externally for proofreading. About half of the zones have been returned and corrections are being recorded for editing purposes.

A new version of the SAO-HD-DM-GC Cross Index (Catalog 4004), containing approximately 9000 changes, was produced as part of the work on a new version of the SAO Catalog. Work on the SAO Catalog itself has nearly been completed.

A system of automated retrieval of astronomical catalogs from a set of master tapes was developed. The system allows automatic access to specified catalogs and preparation of requesters' tapes to specifications with a minimum of interactive terminal input. The preparation of magnetic-tape file records for requesters' tapes was also automated.

The ADC Status Report on Machine-Readable Catalogues was converted to upper and lower case and revised to include additional information about each catalog listed.

Tests were successfully run on using an optical character recognition machine to computerize printed catalogs to create magnetic tapes directly from printed pages. A project to computerize the Luyten NLTT catalog of 15985 stars in collaboration with the Space Telescope Science Institute was begun.

A Combined List of Astronomical Sources (CLAS) has been prepared (see paper in this Bulletin) by combining selected data from 25 catalogs which may contain candidates for identification in the survey by the Infrared Astronomy Satellite (IRAS), launched in late January 1983. This data set has been installed on-line at the Jet Propulsion Laboratory, where the IRAS survey is underway.

A bibliographical index of astronomical objects observed by the International Ultraviolet Explorer (IUE), based on a search of six journals covering 1978 to 1981, was completed.

#### III. COMPUTING FACILITIES

The IBM 360 Computers (/75 and /91) of the Goddard Space Flight Center Science and Applications Computing Center were replaced with an IBM 3081 Model D system. Conversion of all software to the new virtual machine MVS operating system was successfully effected. The new computer, with its larger foreground capabilities, allows interactive editing of all but the largest astronomical catalogs, and many ADC utilities have been developed to take advantage of these capabilities.

#### IV. CATALOGS

The addition of 93 astronomical catalogs to the ADC collection during 1982 brought the total number of catalogs to 360. Microfiche versions of eight additional catalogs were produced. A total of 34 catalogs is now on microfiche, with an additional 17 catalogs on microfilm only. Descriptive documents were produced for 33 additional catalogs; 125 catalogs now have completed descriptive documents.

#### V. REQUEST ACTIVITY

A total of 403 requests was received by the ADC in 1982. Materials distributed included 257 catalogs on magnetic tape, 17 printed catalogs, 76 microfiche catalogs, 123 copies of documents (not including those distributed with machine-readable catalogs) and 95 Status Reports. Forty-four copies of previously distributed ADC Bulletins were disseminated, while 77 requests for information were processed.

#### VI. DATA EXCHANGE

A new data set was created and software written to prepare reports on data exchange with the other centers of machine-readable astronomical data. The report shows that 27 catalogs were received from the CDS, Strasbourg, while 42 catalogs were sent to the CDS. Six catalogs were received from and ten sent to the Soviet Astronomical Data Center, while one catalog was received from and seven catalogs sent to the U. S. Naval Observatory; one catalog was received from the Japanese Astronomical Data Center at the Kanazawa Institute of Technology.

ADC Bull. (July 1983) 1, 243-275

#### STATUS FEPORT ON MACHINE-BEADABLE ASTRONOMICAL CATALOGUES ASTRONCHICAL DATA CENTER

#### NASA-GODDARD SPACE FLIGHT CENTER

J. M. MEAD, W. H. WARREN JR., T. A. NAGY 28 MAY 1983

Catalogues are grouped and numbered in terms of the Strasbourg Stellar Data Center's numbering system where applicable. Additional bibliographical information can be found in the CDS catalogue list.

Catalogues numbered in 700s have been received from the CDS, but modified, updated with corrections, or supplemented with additional data. If the CDS assigns a number to the GSFC version or decides to distribute it in place of its own, then the CDS number will be reassigned to the GSFC version.

Catalogues rumbered in 800s are distinct from the CDS versions in that they originate from independent sources and/or they have been redone or extensively modified.

Catalogues numbered in 900s have not yet or are not expected to be assigned numbers by the Strasbourg Data Center.

#### Status Codes for Catalogues:

- A Available for distribution
  B Basically checked out on computer, but documentation not yet completed or some questions remain
  C Catalogue on hand, but not yet checked out by computer
  D Catalogue in preparation, revision, cr update (temporarily unavailable)
  E Catalogue has been requested, but not yet received
  F Available in microfiche version
  G Available in both microfiche and microfilm versions
  M Available in microfilm version
  R Catalogue on hand, but we are not authorized to distribute
  T Full documentation available

Status codes for magnetic tape, microform, and documentation are given in first, second and third columns, repectively.

NOTE: The machine-readable catalogues on this list have been obtained from many different sources and, in some cases, have been modified (reformatted, reblocked, corrections added, etc.) at GSFC. In no case, however, has a catalogue been changed internally with regard to data content. Individual sources are identified in the documentation pertaining to each catalogue.

#### Addresses:

- Jaylee M. Mead, Laboratory for Astronomy and Solar Physics, Code 680, NASA Goddard Space Plight Center, Greenbelt, Maryland 2077; Telephone: (301)344-8543.
- Theresa A. Nagy, Systems and Applied Sciences Corporation, Code 681, NASA Goddard Space Flight Center, Greentelt, Maryland 20771 Telephone: [301)344-7615.
- Wayne H. Warren Jr., National Space Science Data Center (MSSDC). / World Data Center A for Bockets and Satellites (WDC-A R6S), Code 601, NASA Goddard Space Flight Center, Greenbelt, Laryland 20771 Telephone: (301)344-8310 or 8105; FTS 344-8310 or 8105; TELEX 89675.

### STATUS REPORT ON MACHINE-FRACABLE ASTRONOMICAL CATALOGUES 28 MAY 1983

#### I. ASTRCHETRIC DATA:

1801 - Smithsonian Astrophysical Observatory Star Catalog (with HD and GC numbers added - character version) (Haramundanis 1966) (258997 records)	DHT
1003 - Yale Zone Catalogues (YZ) (Trans. Yale Astron. Obs. 11-27,30-31) (206760 records)	В
1004 - Care Photographic Catalogue (CPC) (Ann. Cape Obs., Vol. 17-22) (68466 records)	В
1005 - Proper Motions of Stars in the Zone Catalogue of 20843 Stars 1900 (M. Spencer Jones and J. Jackson 1936, HMSO, London) (20847 records)	, B
1006 - Catalogue of 20554 Faint Stars in the Astrographic Zone -40° to -52° for the Equinox of 1900.0 (CF) (H. Spencer Jones and J. Jackson 1939, HMSO, London) (20554 records)	e E
1808 - General Catalogue of 33342 Stars for the Epoch 1950.0 (GC) (Boss 1937, Carnegie Inst. of Washington) [33342 records)	AMT
1009 - Geschichte des Fixsternhimmels (Zones 0° to +50°) (observed positions not included) (169000 records)	E
1810 - Yale Catalogue of Triconometric Parallaxes (TP) (Jenkins 1952, 1963, Yale Univ. Obs.) (6079 records)	A G
1011 - Catalogue of Proper Motions of 8790 Stars with Reference to Galaxies [Klemola et al. 1971, Publ. Lick Obs. XXII, Part II) (12492 records)	В
1012 - Stern-Katalog fur die Zone von -6° bis -10°) Sudlicher Deklination fur das Aequinoktium 1890, Erste und Zweite Abtheilung [Herz 1906, 1907, Math. Abb. nicht zur Akad. gehor. Gelehrter, Berlin. 1906. I.; 1907. I.) [3310 + 6941 records)	B F
1013 - Catalog of 5,268 Standard Stars Based on the Normal System N30 [H. R. Morgan 1952, Astron. Papers Amer. Ephemeris 13, Part III) [N30] [5268 records) (superseded by 1080)	В
1014 - Proper Notions of 1160 Late-Type Stars (Fogh Olson 1976 A&A Suppl. 2, 69) (1176 records)	0, C
1015 - Fourth Fundamental Katalog and Supplement (Fricke and Kopff 1963, Veroff. Astron. Rechen-Inst., Heidelberg, No. 10, 11) (8543 records)	В
1016 - Katalog von 3356 Schwachen Sternen für das Aeguinoktiu 1950 (Zones -5° to +89°) (3356 records) (Larink 1955, Hamburg-Bergedorf Verlag der Sternwarte)	B C

# STATUS REPORT ON MACHINE-FEACABLE ASTBONOMICAL CATALOGUES 28 MAY 1983 I. ASTECHETRIC DATA:

1021 -	- Carte du Ciel Catalogue (Lacroute and Valbousquet 1974, CDS Bull. 6, 38) (AC) (Oxford, Toulouse, Bordeaux, Algiers zones)	С
1022 -	- Carte du Ciel Catalogue (Lacroute and Valbousquet 1974, CDS Bull. 6, 38) (AC) (Paris zone)	С
1023 -	- Catalogue of Proper Mctions for 437 A Stars [Fogh Olson 1970, A&A Suppl. 1, 189) [458 records]	С
1026 -	- Catalogue de 8803 Etoiles entre 31° et 40° Declinaison Nord (Prager 1923, Veroff. Berlin-Batelsberg 4)	E
1028 -	- Eonn 10: Katalog von 10663 Sternen (Kustner 1908, Veroff. der Konigl. Sternwarte zu Bonn, No. 10) (10400 records)	С
1031 -	<ul> <li>Eucharest Catalogue: Catalogue KSZ d'Etoiles Faibles pour 1950.0 (1972) Zones -11° to +11° [3940 records)</li> </ul>	В
1032 -	- Greenwich Catalog of Stars For 1910.0 [London, H. M. Stationery Office 1920] Zones +24° to +32° [12368 records]	E
1033 -	- First Greenwich Catalog of Stars for 1925.0 (London 1924) [2643 records)	С
1034 -	- Second Greenwich Catalog of Stars for 1925.0 [2111 Fundamental Stars) (London 1935) Zones +32° to +64° [10587 Stars, 12698 records)	С
1035 -	- Second Nine-Year Catalog of Stars for 1900: Astrographic Beference Stars (London 1909) [10127 records)	С
1036 -	<ul> <li>Catalogue de 964 Etciles, Zones +5° to +15°</li> <li>[Fayet, Cercle Meridien Ann. Bur. Long. XIII)</li> <li>[800 records)</li> </ul>	С
1037 -	- Paris 50: Catalogue of 3997 Stars (unrublished) Zones +33° to +35° (2002 records)	С
1038 -	<ul> <li>Tokyo Mitaka Catalogue of Equatorial Stars 1950.0 (THE) [Tuzi 1962, Ann. Tokyo Astron. Obs. (2) 8, 1) (4135 records)</li> </ul>	С
1041 -	<ul> <li>Lowell Proper Motion Survey 8991 Stars with m &gt; 8,</li> <li>PM &gt; 0.26 Year in the Northern Hemisphere (Giclas, Burnham and Thomas 1971, Lowell Ots., Flagstaff, A2) (10384 records)</li> </ul>	В
1043 -	<ul> <li>First Santiago-Pulkovo Pundamental Stars Catalogue (SFF 1) (1126 records) (Anguita et al. 1975, Publ. Dep. Astronomy, Univ. of Chile, 2 (No. 6) 181.</li> </ul>	В
1044 -	- Second Catalogue of Pundamental Stars Santiago-Pulkovo (SFF-2) (326 + 280 + 62 records) (unpublished)	B

# STATUS REPORT ON MACHINE-FEADAELE ASTRONOMICAL CATALOGUES 28 MAY 1983 I. ASTECHETRIC DATA:

_	_								
	1049	-	Catalogue Dejaiffe,	Meridien unpublish	de Stra ed) (28	sbourg 19 32 record	72 (Helchior and	С	
	1054	-	A Catalog	ue of 1849 ally (Luyt	Stars en 1955	with Prop , Lund Pi	er Hotions Exceeding cess, Hinneapolis)	В	
	1055	-	3eme Cata [Paloque	loque de T 1937, Toul	culouse ouse An	zones (	30 to +120 10074 records)	С	
	1057	-	Catalogue (Hendaye	de 14263 1915) Zone	Ftoiles s +16°	to +240	que D'Abbadia (14218 records)	С	
	1059	-	Catalogue +25° TO - Astron. O	cf Proper 20° Declin bs. Pulkov	Motion ation Z c, Ser.	s of 1259 lone  Gore	Paint Stars in the 1972, Trudy Glav. (6295 records)	c	
	1860	-	Data on T the Yale (Jenkins	rigonometr Catalogue 1963, Tale	ic Para (Right- Univ.	llaxes when the contract of th	hich have been used in es of Trig. Par. Cat.) 0215 records)	E	
	186 1	-	AGR3 Cata Bergedorf [183145 r	logue (fro ; see also ecords) (s	Heide Warren ee also	1978, Ci 1978, Ci 1069)	975, Hamburg- OS Bull. 15, 116)	APT	
	1862	-	Ferth 70, [Hog and Sternwart	Fositions von der He e IX) (249	of 249 ide 197 78 reco	000 Stars 76, Abh. ( ords) (see	(P70) ler Hamburger e also 1917)	A T	
			Vicinity 18, 81; A	of Alpha P stron. J.	ersei 85, 66)	[Fresneau [2027]	27 Stars in the 1980, CDS Bull. records)	E	
	1069	-	AGK3 Cata see also [183145 r	logue (fro Warren 197 ecords sor	Beide 8, CDS ted by	Bull. 15 right as	975, Hamburg-Bergedorf; , 116) (see also 1861) cension)	A T	
	1870	-	Northern	Peférence Photograph chhorn, 0.	Stars	(see Scot)	alogue of 21499 t and Smith 1967, Technique, p. 181, Tampa)	В	
	1071	-	Catalog of Durchmust (838 reco	f Suppleme erung (Wai erds)	ental Si ren and	tars to t	he Bonner 980, ADC Bull. 1, 19)	A T	
	1872	-	AGK3R Cat for 20194 (see Corb (20194 re	alogue: Me AGR3R Sta in, T. E. cords)	ean Posi Is [pro	itions an epared by AU Collog	d Proper Motions of T.E. Cortin, USNO) . 46, 505)	В	
	1873	-	Catalogue graphy in 1H. Eichh 1983 Ast (20457 re	of 20457 the Declar orn, W.D. cicn. J. 8 ecords)	Star Poination Googe, 5, 546)	ositions Zone -48 C.F. Luk	Obtained from Photo- o to -54° (1950) ac and J.K. Hurphy,	В	
	1074	-	Guatrieme Besancon 50, 147)	Catalogue [Creze et [953 sta	Merid al. 19 s; 670	ies de l' 82, Astro + 283 re	Otservatoire de n. Astrophys. Suppl. cords)	В	

# STATUS REPORT ON MACHINE-READABLE ASTRONOMICAL CATALOGUES 28 MAY 1983 1. ASTRONOMICAL CATALOGUES

1075 - Second Cape Catalogue for 1950.0 [1968, Ann. Cape Ob 23) Declination < -20° [6763 stars + 417 circumpolar stars)	os. B
1076 - Lick Saturn-Voyager Reference Star Catalogue (Klemo) Taraji, Ocampo 1579, Lick Observatory) (4555 records)	la, A T
1077 - Lick Jupiter-Voyager Reference Star Catalogue (Klemo Morabito, Taraji 1978, Lick Observatory) (4986 records)	ola, A T
1078 - Third Santiago-Pulkovo Fundamental Stars Catalogue (SFF 3), A Catalogue in R.A. of 671 Fundamental Brid Stars of the Zone +40° to -90° [Loyola and Shishking 1972, Publ. Dep. Astronomy, Univ. of Chile, 2 (No. 159) [671 records)	Jht A 5)
1079 - Lowell Proper Motion Survey 8991 Stars with m > 8, PM > 0.26"/Year in the Northern Hemisphere (Giclas, Burnham and Thomas 1971, Lowell Obs., Flagstaff, AZ) (8989 records)	<b>).</b>
1080 - Catalog of 5,268 Standard Stars Eased on the Normal System N30 [H. R. Morgan 1952, Astron. Paper. Amer. Ephemeris 13, Part III) [N30] (5268 data → 277 remarks records)	A P T
1081 - Yale Catalogue of Trigonometric Parallaxes (Jenkins 1952, 1963, Yale Univ. Obs.) with corrections and Supplement data added) (USNC 1982) [6675 records) (supersedes 1810)	A T
1082 - First Santiago-Pulkovo Pundamental Stars Catalogue (SFF 1) [1043 + E2 records) (Anguita et al. 1975 Publ. Dep. Astronomy, Univ. of Chile, 2 (No. 6) 181.	<b>д</b> т
1083 - Ecnner Durchmusterung (BD) zones +60° to +89° (punched at CDS, Strasbourg 1983)	В
1084 - Ecnner Durchmusterung [PD] zones +140, +260 to +550, +580, +590 (punched at Observatoire de Nice 1983)	, В
1901 - Cordora Durchmusterung (CD) (Thome 1892-1932, Besultados del Ots. Nac. Argentino 16,17,21) (613951 records)	D G
1902 - Accurate Positions of 502 Stars in Region of Pleiado (Eichhorn et al. 1970, Nem. BAS 73, 125) [502 record	es À T is)
1903 - Catalogue of Stars in Region of Hyades Cluster (Warren and Dunham 1978)	D
1904 - Smithsonian Astrophysical Observatory Star Cutalog (Haramundanis 1966) (with HD and GC numbers added) (binary version) (SMO-Binary,	A T
1906 - Fonner Durchmusterung (BD) Zones - 10 to +190	D G

## STATUS REPORT ON MACHINE-PEACABLE ASTRONOMICAL CATALOGUES 28 MAY 1983 I. ASTROPETRIC DATA:

1907 - Ecnner Durchmusterung (BD) Zones +20° to +40°	G
1908 - Bonner Durchmusterung (ED) Zones +41° to +89°	G
1909 - Cape Photographic Durchmusterung (CPD) [Gill and Kapteyn 1895-1900, Cape Ann. 3-5) [only zones -180 to -320, -350 machine readable)	D G
1910 - Southern Durchmusterung (BD South) 2cnes - 2° to -23° (Schonfeld 1886, Astron. Beot. 8, Part IV)	G
1911 - Jet Propulsion Laboratory Long Ephemeris Tare of Planetary and Lunar Ephemerides for the Years 1410 BC to 3003 AD (DE102, 6 files, VBS Format Linary) [Newhall 1976, Jet Propulsion Lab)	λ
1915 - Yale Zone Catalogue, Zone -60° to -70° (Fallon 1981) (14598 + 14598 records)	В
1916 - Perth 70, Individual Observations of 24900 Stars (Hcg and von der Heide 1976, unpublished) [162117 records)	С
1917 - Perth 70, Fositions of 24978 Stars (P70) [Bog and von der Heide 1976, Abh. der Hamburger Sternwarte IX) (1862 ordered by DH number) [24978 records) (see also 1862)	A T
1921 - Jet Propulsion Laboratory Planetary and Lunar Ephemerides for the Years 1960 to 2000, Mean Equator and Equinox B1950 (DE118/LE62, VES Format Finary) (E. M. Standish, JPI)	A
1922 - Jet Propulsion Laboratory Planetary and Lunar Ephe- merides for the Years 1960 to 2000, Mean Equator and Equinox J2000 (DE200/LE200, VBS Format binary) (Standish and Seidelmann 1981, Bull. AAS 4, 874)	A
1923 - The J Catalog of Reduced Astrographic Catalogue Data for Galactic Clusters and Other Selected Zodiacal Regions (Dunham and Herald 1982, see Dunham, D.W. 1978, Occultation Newsletter 1, 138).  [6420 records]	B
1924 - Santiago 67 Catalogue, Catalogue of 7610 Stars, Declination Zone -250 to -450, Equinca 1950.0 (G. Carrasco and P. Loyola 1981, Fubl. Dep. Astronomy, Univ. of Chile 4)	Р
1925 - New Less than Two Tenths Catalogue (NLTT) (Luyten, W. 1979, 1980, University of Minnesota) [computerized through joint ADC and Space Telescope Science Institute effort with financial support of STSCI) (58340 stars)	J. CF e

### STATUS REFORT ON MACHINE-FEATABLE ASTRONOMICAL CATALOGUES 28 MAY 1983

#### II. PHOTCHFTRIC DATA:

2001 - Catalogue of Stars Measured in the Geneva Observatory Photometric System (Rufener 1976, A&A Suppl. 26, 275) (4795 records) (superseded by 2072)	В		
2802 - Two-Micron Sky Survey (TMSS) (Neugebauer and Leighton 1969) (5612 records)	A E	R 1	C
2703 - A Catalogue of wyby, Beta Measurements: A Collection of Fublished Data: A Catalogue of Weighted Means [Hauck and Mermilliod 1975, A&A Suppl. 22, 239) [superseded by 2057]	2 1	Ħ	
2004 - Photoelectric Catalogue: Magnitudes and Colors of Stars in the UBV and UCBV Systems (Ochsenbein 1974, A&A Suppl. 15, 215) (34807 records) (improved version of 2910 below) (UBVS)	A t	H	
2005 - UEV Photometry of Brigh, Stars (Johnson et al. 1966, Commun. LPL 4, 99, Table 9)	В		
2006 - Celescope Catalogue of Ultraviolet Magnitudes [Davis et al. 1973, SAO Spec. Report 350) (5761 records)	<b>C</b> 1	R	
2707 - UBVRIJKLMNH Photoelectric Photometric Catalogue (Mcrel and Magnerat 1978, A&A Suppl. 34, 477) [5943 data records + 88 ref. records)	A I	R	T .
2008 - Catalogue of UVBGRI Measurements: Catalogue of Pullished Tata: Catalogue of Weighted Means (Nicollier and Hauck 1978, A&A Suppl. 31, 437) (1702 + 1297 records)	В		
2010 - General Catalogue of Variable Stars, 2nd Ed. (3CVS) (Kukarkin et al. 1958, (17945 records) (superseded by 2811 below)	B I	M	
2811 - General Catalogue of Variable Stars, Partial 3rd Ed. (Kukarkin et al.) 'prepared by Guiltaut') (GCVS-3) (22649 records) (updates & revisions made at ADC)	A	J	T
2014 - VBIUW Photoelectric Photometric Catalogue, System of Walraven (published data and homogeneous means) (Python 1979, A&A Suppl. 38, 463) [3132 + 2687 records)	c		*: 35:
2015 - Catalogue of Photometric Measurements in the UBVr 20 System [published data and reighted means] (Magnenat 1973, CDS Internal Report No. 6) [418 + 366 records)	c		
2016 - Catalogue des Mesures Photometriques dans le Système de l'Observatoire de Vilnius: Catalogue of Individual Measures; Catalogue of Averages; Beferences (see 2758) [Magnenat 1974, CDS Internal Report No. 8) (3105 records)	С		

# STATUS REPORT ON MACHINE-FEATABLE ASTRONOMICAL CATALOGUES 28 MAY 1983 II. PHOTOMETRIC DATA:

2	017		Catalogue des Mesures Photometriques dans le Systeme de David Dunlap Chservatory: Catalogue of Individual Measures; Catalogue of Averages (Magnenat 1974, CDS Internal Report No. 9) (1884 records)	С
2	1018	-	Catalogue des Mesures Photometriques dans le Systeme (102, 65, 62) de Eggen: Catalogue of Individual Measures; Catalogue of Averages (Magnenat 1974, CDS Internal Report No. 7) (1585 records)	С
2	2019	-	Theoretical Colours for P and G Dwarfs (Eell 1971, MNRAS 154, 343)	С
2	2020	-	The Spatial Distribution of Young Stars in Vela (positional, photoelectric UBV, reddening, distances data, 101 records, 358 Stars) (Denoyelle 1977, A&A Suppl. 27, 343)	С
2	2021	-	Narrow-Band Photometry of Late-Type Stars (Haggkvist and Oja 1970, A&A Suppl. 1, 199) (629 Stars)	С
2	2022	-	H-Alpha Photometry of Late-Type Stars II. F and G Dwarfs South of the Equator (Peat 1966, MNBAS 131, 467) (172 records)	С
2	2024	-	H-Alpha Photometry of Late-Type Stars I. F-, G- and K- Tyre Stars North of the Equator [Peat 1964, MNRAS 128, 435) [594 records)	С
2	2025	-	Photometry of Orange-Red Ca I Triplet in Late-Type Stars. Table I (Peat 1964, MNRAS 128, 475) (296 records)	С
:	2026	-	Catalogue of Early-Type Stars Measured in a Narrow-Band Photometric System [Morguleff and Gertaldi 1975, A&A Suppl. 19, 389) (1482 records)	c
2	2 <b>027</b>	-	Catalogue of Photoelectric Photometric Measurements in the UCBV System (published data and weighted means) [Nicolet 1975, A&A Suppl. 22, 239) [8080 + 7146 records]	E
	2029	-	Catalogue of UBV Photometry and MK Spectral Types in Open Clusters (Mermillicd 1976, A&A Suppl. 24, 159; CDS Bull. 11, 16) [1335& records)	B
:	2032	-	C Stars Catalogue, 3rd Editicn (GCy 1976, A&A Suppl. 26, 273) (3118 records, 953 entries) (superseded by 2076)	В
:	2033	-	uvly, Beta Photometry for Bright O- to GO-Type Stars South of Declination +10° [2828 records] [Gronbech and Olsen 1976, 1977, A&A Suppl. 25, 213; 27, 443]	В
,	2034	-	Pclarization Catalogue (Mathewson, Ford/Klare, Neckel and Krautter combined, see CDS Bull. 14, 115) (7503 records)	B R
	2035	-	A General Catalogue of UBV Photoelectric Photometry (Mermilliod and Bicolet 1977, A&A Suppl. 29, 259)	A M

## STATUS REPORT ON MACHINE-BEADABLE ASTRONOMICAL CATALOGUES 28 MAY 1983 II. PHOTOMETRIC DATA:

## STATUS REPORT ON MACHINE-BEACAELE ASTBONOMICAL CATALOGUES 28 MAY 1983 II. PHOTOMETRIC DATA:

llea	asurements in (	he UZV Syste	taloque of Homogeneous em (NUBY) , 1) (58845 records)	A
Mi	-Color Photomet tchell 1975, Re 380 records)	ry of 1380 E v. Mex. Asti	Pright Stars (Johnson and con. Astrof. 1, 299)	В
(Ha	Catalogue of 10 all 1974, Aeros 47 records)	-Micron Cele pace Corp. F	estial Objects [10MU] Report SAMSC-TR-74-212)	A T
2054 - Ai	r Porce Geophys rice and Walker 363 records)	ics Laborato 1976, AFGL	ory 4-Color Infrared Report TB-76-0208)	A M T
2055 - P1	are Stars Gers lloq. 15, Kl.	berg (FS) (Seroff. Bambe	Shakhcvskaya 1971, IAU erg 9, 138) (53 records)	A T
(H	O-Micron Survey offmann, Frede 2 records)	of the Gala	actic Plane (100MU) ry 1971, Ap.J. 170, L89)	A T
λ	Catalogue of us Collection of s ans (Hauck and 1161 obs + 198	ublished Dat	asurements: ta: A Catalogue of Weighted 1980, A&A Suppl. 40, 1) pdate of 2703)	P R
2758 - Vi an	lnius Photomet d Weighted Mea & A Suppl. 41,	ic Catalogue s [North 198 395) (2095	e, Published Measurements 80, see CDS Bull. 19, 92; measures, 1879 stars)	A T
th	e SKYSCAN Expe	iment and Ti	clet Fluxes. Results of D-1 (The pson et al. 1978, ) (31215 records)	A T
2061 - Ca IF 16	talogue of Ste racassini and & A Suppl. 45, 313 records, 4	lar Diamete Pasinetti 19 145) 266 Stars)	79, CDS Bull. 16, 49; 1981,	В
(N	talog of Extineckel, Klare and 2547 records)	ticn Data I Sarcander	1980, CDS Bull. 19, 61)	B
Ne	Compilation of rmilliod, H. H. S. files, 16143	ermilliod 19	s Photometric Data (JC. 80, CDS Bull. 19, 65)	B
2064 - UB	V Data 1976-79 ) [1 title, 16	(JC. Mer∎ 20 obs, 125	illiod 1980, CDS Bull. 19, ref, 140 numb sys records)	В
2065 - Pi Ha Su	ve-Color Photo gellanic Cloud ppl. 43, 127)	etry of Blues [Wamsteker]	e Stars in and between the 1981, Astron. Astrophys. ds)	B
2066 - A	Catalogue of 0 & A Suppl. 45, 095 obs + 2299	servations 119) (2299 means)	in H-Alpha (Ducati 1981, Stars)	В

# STATUS REPORT ON MACHINE-BEACAELE ASTRONOMICAL CATALOGUES 28 MAY 1983 II. PHOTOFETRIC DATA:

206	7	-	OAC Spec Head 2132	tre	Uli a and 188		ode ode ode	ioi le d	lei 19	8 8 8	Ph M€ O d	ot ad	e p	19 J.	57 4,	8 5 1	2	An Ap pl	4	t.	la S La	s up 2 rs	of p1 83	;	39 (3	11 'f	ar 19 il	5 ; es	:		A		T
206	8	-	Dear [Lee C. J. Eart and	bo le iC	rn O. nd tt	CI E	Series I	er Bal	va ld et	to to 94 re	ry n f	E O	at nr	1. 1.	1 o a 9 4 D	9	i i	o Ha Le bo	f m l e i	Pa lii	ai n, ob	D J. s.	. R	e d	19 Pa	ta 43	rs G.	Le D.	DO) e, a,	d IB	A		T
206	9	-	Cata  Kuk USSR	lo ar	gue ki (C:	e o	et T	S a. 1)	ta 1.	rs 1 89	95 04	us i	pe e	6	te 5	d	o As	f tr (s	V a	ar.	ia C Es	bi ou ed	li no ed	t i	ı Y	Ta Ca 20	14. 14.	e S	i ci	•	A	G	T
207	0	-	Cata  Kuk USSR	lo ar )	gue kii (C:	e (	of et	5 a 2)	ta 1.	rs 1	9 5 3 7	u 2	i e	6	te 5	d	o As	f tr (s	V (	ar D.	ia C Es	ti ou ed	li no	t i	, ,	Ta Ca 20	1 <u>1</u> 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	e S	2 ci		A		T
207	1	-	Merg  Sch  112	ed ∎i	tz r	ec	CE:	e s ds	d S	Ca €a (s	t a d u p	l d a i	ogi d se	ie N	a q e d	Y	I R	C) 97 6	8	20	M A )	SA	1	H	79	968	33)				A		
207	2	-	Thir Phot Surp [146	d 1. 33	Ca et	ta Fi 45	lo	gu Sy 20	e 5t 7) 19	of en 02	5	RI 40	if if	s en 3	He er St 74	a	su 19 rs	re 81 ) ot	d	i A up s	n st da ce	th te co	e n.	G f	ene Asi 20	eva o	p }	ı <b>y</b> s	i <b>.</b>		E		
207	3	-	Narr Obs. (125	ow 7	-B se re	an e cc	d N I d	Ph RA s)	ot S	c∎ 19	et 4,	r	0	ĮÀ,	1e	9	a n 8 1	de f	r o	ť	J. sy	E.	éı	R	o y a	al sci	GI	ee	on	ich )	E		
207	4	-	Phot Nerm (34	il de	et li sc	ri od r,	c 1	Da 98 76	ta 1, 8	f C da	DS ta	,	t he	1 7	Ne re	a 2 f	cb 1, s,	y 3	S 5	ta ) s	rs ys	te	(Há	au e	ck Lec	aı coı	n d c ds	Ħ. s)			A		T
207	5	-	Homo the G. 1	4 2			St	TΟ	n.		5.1	т	וטנ	n v	S.		3 u	DL		•	4 3		e (	d Kr	Mag	g <b>a</b> :	i tu Jas	ıde su i	ev	in <b>í</b> c <b>z,</b>	В		
207	6	-	O St Astr (466	ar op	s hy re	Ca s. co	ta S rd	lo up s,	9u P1 9	e, 71	42	ŧ	9 ar:	Ed 1) s)	it	t i su	pe CD	rs	G	o y de	Š	G .	32	19	80,	, i	Ast	tro	a.		B		
207	7	-	Non- [Are 130	So ns	ia re	r nd co	X- R rd	Ra ot s)	y hs	ne ch	as	id.	rei 1	9 e	<b>n</b> t	s	n A	SA	7	) GS	PC	: 1	<b>I</b> -(	6 <b>6</b>	1-	75-	-2:	30)			A		Ť
207	8	-	uvty Stel Suff	1a	et F	a Sy 8,	Fh st	ot e e	os s	et (0	1	e :	of n,	st	98 • E	i.	5e 1	98	2	rs ,	λ£	f	V:	is n.	u a.	l st	Hu.	lti phy	ipl ys.	e	В		
207	9	-	Cata 1981	li :	qu	e sc	of CW	) S	us	<b>De</b>	5	8	d T	Va ec	E i	ią	bl s)	e	s	ta	ES	5	(K	uk	a r	ki	n (	et	al	•	B		
208	0	-	A Ca on t Dc mi	· he	ם כ	D C	S	VS	te		- [ ]	1C	CI	uI	.e	а	na		0	LI	e	5 <b>t</b> (	2 E	1	98	١.	P	Sta ub	irs l.		A	P	T

## STATUS REPORT ON MACHINE-BEACABLE ASTRONOMICAL CATALOGUES 28 MAY 1983 II. PHOTOMETRIC DATA:

2081 - Faint Blue Objects at High Ga Objects in SA28, 29, 57 [Warn Bull. 1, No. 3, to be publish	alactic Latitude, Cat. of A nock and Usher 1982, ADC hed) (2363 records)	T
2082 - Catalog of Galactic O-Type St Chiosi 1982, Astrophys. J. 26 (768 records)	tars (Garmany, Conti and A	T
2083 - OAC 2 Ultraviolet Pilter Phot Holm, Bottemiller 1980, Ap. J. (53) records)	tometry for 531 Stars (Code, A F Suppl. 43, 501)	PT
2084 - 13-Color Photometry of 1380 F Mitchell 1975, Rev. Mex. Astr (fcrmat of spectral types mod ADC, 1981) (1380 records)	Bright Stars (Johnson and A F ron. Astrof. 1, 299) dified and updated at	PT
2085 - Absolute Calibration of Stell (H.L. Johnson 1980, Rev. Mex. (16 stars, 182 records)	lar Spectrophotometry A . Astron. Astrof. 5, 25)	T
2086 - Surplement to the Ultraviolet photometric Catalogue (Macau- Henfils, A., Thompson, L., Ho 1978, ESA SR-28) (435 record	t Bright Star Spectro- B -Hercot, D., Jamar, C., ouziaux, L. and Wilson, R. ds)	
2901 - Strongren-Ferry wby Colors (1217 records)	(unpublished 1965) (SP) A (	G T
2905 - Interim Equatorial Infrared ( [Sweeney, Beinsheimer, Yates, Makerospace Report TR-0078 [3409]	Catalogue (EIC 1) A aran, Lesh, Nagy 1978, 9-20(-1) (896 records)	Ī
2907 - Interim Equatorial Infrared ( (Sweeney, Reinsheimer, Yates, Na (1278 records)	Catalogue (BIC 2) D aran, Lesh, Nagy 1979)	
2909 - UBVRIJKL Photometry of Bright (formerly 2007; superseded by	t Stars (Johnson et al.) B y present 2007)	
2910 - Photoelectric Catalogue: Magain the UBV and UcBV Systems	nitudes and Colors of Stars B (Blanco et al. 1968)	
2914 - Ultraviolet Star Catalogue [] College London, see Carnocha [contains TD1-52/68 Ultraviol information added: MK,UEV,uvi [167 description + 31290 data	prepared at University n 1979, CLS Bull. 17, 78) let Pluxes with other tasic by, v sin i, etc.) a records)	P
2915 - Catalogue of uvby-Beta Data : Interstellar Reddening withi Jchnston 1982, Ap.J. Suppl.	for a Mar of the Local B n 300 Parsecs (Perry and 50, 451) (3458 records)	
2919 - Catalogue of Intrinsic Colour viclet (Carnochan 1982, CDS 1 1139) [209 description + 67	rs of Stars in the Ultra- A Bull. 22, 75; MBRAS 201, 1 data records)	
2920 - Catalogue of Galactic O Stars Cruz, Costero, Peinhert and S Hez. Astron. Astrof. 1, 211) (664 stars)	s (Cruz-Gonzalez, Recillas- B Torres-Peimbert 1974, Rev.	

## STATUS REPORT ON MACHINE-FEACAFLE ASTRONOMICAL CATALOGUES 28 MAY 1983 II. PHOTOMETRIC DATA:

- 2921 Revised S201 Catalog of Far-Ultraviolet Objects (T.L. A Fage, G.R. Carruthers and H.M. Heckathorn 1982, NBL Report 8467)
- 2922 Vilnius Photoelectric Catalogue (Z. Zdanavicius, E. C. Jodinskiene, A. Kazlauskas, V. Straizys and A. Eartkevicius 1983, Vilnius Astronomical Observatory)

### STATUS REPORT ON MACHINE-BEADABLE ASTRONOMICAL CATALOGUES 28 MAY 1983

#### III. SPECTFCSCOPIC DATA:

380 1	-	Henry Draper Catalogue and Extension (HD) (Cannon and Pickering 1918-1936, Harv. Ann. 91-100) (225300 + 46872 records, 1 file)	D	Ħ	
3002	-	Preliminary General Catalogue of Early-Type Emission Stars (Bertiau and McCarthy 1969, Ric. Astron. 7, 523) (3216 records)	В		
300 3	-	Bevised Catalogue of Stellar Rotational Velocities (Desugi 1979, U. Tokyc) (6253 records) (see 3063 for update)	В		
3703	-	Catalogue of Rotational Velocities of the Stars (UPRV) (Uesugi and Fukuda 1970, Contrib. Inst. Astrophys. Kwasan Obs. Ryoto 33, 205) (3941 records) (superseded by 3003)	A	Ħ	T
3004	-	Billiography of Stellar Radial Velocities [Alt and Biggs 1972, Kitt Peak National Obs., Tucson) [44133 records) (reformatted at CDS, Strasbourg)	B	R	
3804	-	Filliography of Stellar Badial Velocities [Alt and Biggs 1972, Kitt Peak National Obs., Tucson] [44133 records] [original KFNO format]	D		
3005	-	Catalogue of Paint CB Stars between Carina and Centaurus (Lynga 1968, Medd. Lund, Ser. I, No. 238) (285 records)	c		
3006	-	Studies of the Milky Way from Centaurus to Norma III. OE Stars (Lynga 1964, Medd. Lund, Ser. II, No. 141) [484 records)	С		
3007	-	A Survey of Faint OE Stars in Carina (Graham and Lynga 1965, Mem. Mt. Stromlo Obs. 18) [454 records)	С		
3008	-	Luminous Stars in the Southern Hilky Way (LSS) [Stephenson and Sanduleak 1971, Publ. Warner & Swasey Cbs. 1, No. 1) (5132 records)	В		
3009	-	P8-G2 Stars in a North Galactic Pole Region (Urgren 1963, AJ 68, 194) (1127 records)	С		
3010	-	G5 and Later Stars in a North Galactic Pole Region (Opgren 1962, AJ 67, 37) (4027 records)	E		
3011	-	F2 and Earlier Stars in S.A. 28, 54, 106, 107 (Urgren and Staron 1969, Ap. J. 157, 327) (454 records)	С		
3012	-	F5 and Later Stars in S.A. 28, 54, 106, 107 (Upgren and Staron 1970, Ap.J. Suppl. 19, 367) (2068 records)	С		
3013	-	Vyssotsky's Catalogues 1950.0 (Vyssotsky et al. 1943) 1946,1952,1956,1958, Ap.J. 97, 381; 104, 234; 116, 117; AJ 61, 201; 63, 211) (915 records)	В		

# STATUS REPORT ON MACHINE-READABLE ASTRONOMICAL CATALOGUES 28 MAY 1983 III. SPECTFOSCOPIC DATA:

3714 -	A Finding List of Stars F2 and Earlier in a North Galactic Fcle Region (Sletterak and Stock 1959, Hamburger Sternwarte 5, No. 5) (365 BD + 236 non-BC + 135 notes records)	A	T
3015 -	Luminous Stars in the Northern Milky Way (LSN) (Hardorp et al. 1959-1965, Hamburg-Bergedorf, Vol. I-VI) (7389 records) (improved version under 3076)	B R	
3016 -	Seventh Catalogue of the Orbital Elements of Spectroscopic Binary Systems (BAT7) [Batten, Fletcher and Mann 1978, Fubl. Dom. Astrophys. Obs. 15, 121) [978 Systems, 4884 + 3872 records)	В	
3817 -	Catalogue of Early-Type Stars Whose Spectra Have Shown Emission Lines (Wackerling 1970, Mem. BAS 73, 153) (WEL) [10652 records)	A	T
3818 -	Catalogue of Stellar Spectra Classified in the Morgan-Keenan System (C. Jaschek, Conde, de Sierra 1964, Publ. La Flata Cbs.) (20849 records)	A G	T
3019 -	MK Classification Extension (Kennedy 1978, Mt. Stromlo Obs.) [30551 data + 351 ref. records) (superseded by 3062)	B <b>P</b>	
3021 -	General Catalogue of Stellar Radial Velocities (WRV) (Wilson 1953, Carnegie Inst. Washington Publ. 601) (15106 records)	A G	T
3022 -	Rotation of Evolving A and F Stars (Danziger and Faber 1972, A&A 18, 428) (580 records)	В	
3023 -	MK Classification for OB Stars (Lesh 1968, Ap.J. Suppl. 17, 371) [458 records)	В	
3025 -	Abundances of Sodium, Magnesium and Calcium in K-Type Giant Stars. Table I (Peat and Pemberton 1968, MNRAS 140, 21) (311 records)	E	
3026 -	Abundances of Sodius, Magnesius and Calcius in K-Type Giant Stars. Table II (Peat and Pesberton 1968, MNRAS 140, 21) [85 records)	С	
3027 -	Scanner Abundance Studies II. Late G and K Dwarfs in the Solar Neighborhood, Table 5: Raw Data (Taylor 1970, Ap.J. Suppl. 22, 177) [849 records, 283 Stars)	С	
3028 -	Scanner Abundance Studies II. Late G and K Dwarfs in the Solar Neighborhood, Table 5: Blocking Fractions (Taylor 1970, Ap.J. Suppl. 22, 177) (309 records)	В	
3829 -	A Catalogue of H Gamma Measures of B. H. Petrie (HGAMMA) (Crampton, Leir and Younger 1973, Publ. Dom. Astrophys. Obs. 14, 151) (1171 records)	à G	
3730 -	A Catalogue of Stellar Botational Velocities [Bernacca and Perinctto 1970-1973, Contrib. Oss. Asiago No. 239, 250, 294) [3099 records)	A G	T

### STATUS REPORT ON MACHINE-FRACAPLE ASTRONOMICAL CATALOGUES 28 MAY 1983 III. SPECTFOSCOPIC DATA:

3831 -	Michigan Catalogue of 2-Dimensional Spectral Types for the HD Stars, vol. 1 (Zones -89° to -53°) (MHD1) (Houk and A. Cowley 1975, U. Michigan) (36382 data + 4636 notes records)	<b>A</b>	T
3032 -	Determination of [Fe/H] Values (Morel et al. 1975, IAU Symp. 72) (896 records) (superseded by III/54/)	E	
3033 -	A Spectral Survey of the Southern Milky Way I (Sundman, Loden and Nordstrom 1974, A&A Suppl. 16, 445) [2951 records)	В	
3034 -	A Spectral Survey of the Southern Milky Way II (Nordstrom 1975, A&A Suppl. 21, 193) (562 records)	В	
3035 -	A Spectral Survey of the Southern Milky Way III (Lcden, L. O. et al. 1976, A&A Suppl. 23, 283) (about 10000 records)	В	
3736 -	A General Catalogue of Cool Carbon Stars (Stephenson 1973, Publ. Warner & Swasey Obs. 1, No. 4) (3219 records)	A	T
3037 -	The Merrill-Burwell Catalogues of Stars Exhibiting Bright Hydrogen Lines (Merrill and Burwell 1933, 1948, 1949, 1950, Ap. J. 78, 87; 98, 153; 110, 387; 112, 72) [1607 records]	E	
3038 -	Billiographic Catalog of Radial Velocities (Barbier, Marseilles Obs.) (Supplement to 3004) [7173 records)	B R	
3739 -	Ultraviolet Bright Star Spectrophotosetric Catalogue (Jamar et al. 1976, ESA SR-27) (1356 entries)	A	T
3040 -	A Uniform Edition of the Stockholm Scuthern Milky Way Survey (contains catalogs 3033,3034,3035) (Andersen 1977, A&A Suppl. 29, 257)	С	
3041 -	Identification List of Lines in Stellar Spectra (Finding List from Moore 1959, MBS Tech. Note 36 "A Multiplet Table of Astrophysical Interest") tape version by L. Gratton and F. Querci (19634 records)	В 🐞	
3042 -	Catalogue of Selected Spectral Types in the MK System (M. Jaschek 1978, CDS Bull. 15, 121) (MKS) [30361 data + 1029 ref. records)	A F	
3043 -	Catalogue of Luminous Stars in the Southern Milky Way (Stephenson and Sanduleak 1971, Publ. Warner & Swasey Cbs. 1, No. 1; updated version of 3008 by Bischoff 1978, CDS Eull. 14, 15) (5132 records)	В	
3044 -	An Atlas of Stellar Spectra (Johnson 1977, Rev. Mex. Astron. Astrof. 2, 71)	С	
3045 -	Infrared Spectra for 32 Stars (Johnson and Mendez 1970, AJ 75, 785)	С	

# STATUS REPORT ON MACHINE-REACAFLE ASTRONOMICAL CATALOGUES 28 MAY 1983 III. SPECTFOSCOPIC DATA:

	•	•				00	•		•	-	υ.	••																											
	3046	5	-	Ca A& 68	A	S	u	gu PP	e	•	f	Å,	P 7	a!	ıd	Pi	d	e I	t.	a I	2	aD	B€	H	ta	u C	d on	a!	nd e1	F	10 19	<b>9</b> 3	et ,	AJ	97 7	<b>4</b> ,	В	ı	
;	3747	7	-	Ca (E	t.	al an 23	S	gu Te	e 9	67 01	f	S I S)	te	1	L a	E B	R	a d	i	a ]	5	۷e 7)	10	) (0	i	i	e <b>s</b> 2 0	1	hoi	ır	s	RA	0	nl	y)		В	R	
;	3848	8	-	Sp	E	ct eg	e	op	h	9 t	6	e,	tΙ	i	ĵ.	Se	a	n s P E	1	( I	3	P)		7)	1	(9	37	1 1	rec	0	Eđ	s)					A		T
:	3049	9	-	Wh	i	te ep	a	Du re et	a d e	r f	S	d ta	Lu	Si	te na nt	D C	) i <b>D</b>	97 e d	0 se	1e	O .	ni te 39	d	d	cf at	a	Mi O	ni n.	n e: L y)	<b>50</b>	<b>ta</b> (3	0 3	re 5	ss	) Co	rds			T
	3050	0	-	So	a	t h n	A	<b>F</b> 1	(	M i Ge	11	c y	1	a c	78	S	ē	A (	ţr	a I S y	/ =	Su P•	r	7 e 5 0	y,	£	2 j	: :	5 <b>t</b> :	8 C	s 10	Ea C	rl ec	ie or	r ds	)	C	:	
	385	١	-	Mi th	C. E.	hi E	g i D	19	i i i 7	Ca a I	t	al Ú.	<b>V</b> C		e ch	2	e ga	2- Z( n)	D	iı eş	e 30	D 5	1 2 0	on +	to	19	5 C	0	cti o)	ca	1 rd	Ty s)	pe	s	fo	r	A	1	T
	3052	2	-	M F	ָ ט	Sp sc	e	Ct	e	a ļ	19	C1	<b>a</b> s	S	i f	i	c a	t i	io	e i	s, c <b>n</b>	i	) E	l L v	G • )	e D	€ I	6	33	Ça	ta +	19 17	9 <b>u</b>	e Ee	co	rds	) E		
	305	3	-	Ca Fe	ta	al	o Ir Ja	g es sc	o h	f of el	S	ta th	rs e 79	s	C1 2/	6 C	5.5 8 5	i i	fi Ep	e de l	i ci	fr 17		t <sub>9</sub>		e Cu	cc (1	11 h	tr ia 08	a v	io Ła	le Ja rs	t sc )	Li he	ne k		E	9	
	305	4	-	A et (6	2	at al	a s	1ç	19 12	8 ( <b>s</b>	f ,	[ 1	F 6 7 6 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9		H ]	P	pe pl	r	er 4 i n	1 a	in Ei	a 1 4 (	) 5 1 S	) )	s	l s u	Ca p€	y	re. se	l de	đe d	s b <b>y</b>	tr 3	0 b	el 1)		E	3	
	305	5	-	Ra 19	đ	ia 9,	1	ci	/e )S	10	C u	it 11	ie	es 1	6 <b>,</b>	D	2)	F	e n	(	<b>c1</b>	U£	s t	eI	8	1	Ħe	2 E	Bi.	11	io	d,	J	. с	•		I	3	
	305	6	-	56	C	01 F 7	d d	oda	ca i ta	ta aı	d d 6	0 g 6 7	ai	of ic	k os	1 5	9 7 <b>i</b>	t a	a r de	SAL	s X	6	th Su	PF	n l f	V	3 8 e 6	S S C C	Pe 4 rd	c t 4 9 s)	ra )	1	1 y	pe	s		I	8	
	305	7	-	Ca St E t	i t	al rs 1.	lo	q	(F	fa	P ic	h y he	Si V	i c	al Po	P	Pa ov ec	a	T	e	te t u )	ķ	▼	o f	מו	ŞF	Y	t	ro ge	sc ls	op	iç	98	in O,	ar	) DS	1	3	
	305	8	-	S	c e i 1	11	la	10	og 5 75	u e	+ +	of	a 62	C h	e Le re	V	ca at	i o d	, H s)	le	EB	e i	n t	s e z	I	de 19	7	i,	fi	e d D S	İ	n u1	Pe 1.	1	li 6,	<b>ar</b> 93	)	8	
	305	9	-	19	8	1,	ta,	C	og S	ue	e Bu	a 0 1 1	d	B 2	il O,	1	i (	3	ra )	P	h y [1	2	o £	st	i n	- A	g	5 1	<b>t</b> a 85	rs 1	re	Sc	hņ	e i s)	de	E	1	В	
	306	0	-	G	en St	e e 1	ph	1 e	C as	CI	ta 1	19 19	9	ie 6,	2	f	ьi	•	St	a	rs rn	e	ĮS	S) 8	S	w a	s	e y	0	bs	•	2,	N	lo.	2	)	1	١.	T
	306	1	-	A	2	at da 9	ta ol at	i	la o	ŧ	fa 3	uç 05	Pik 4	ti	ov o	y	D 6	1917	e I 8 1 • 0	5	in A st	a	ti S	or A	S	u F	P.	a y	re 4	1 5,	đę	7)	tr	ob	el	•	1	B	

## STATUS REPORT ON MACHINE-FEACABLE ASTRONOMICAL CATALOGUES 28 MAY 1983 III. SPECTFOSCOPIC DATA:

3062 - MK Classification Extension [Kennedy 1981, Ht. Stromlo Obs.) (supersedes 3019) (32540 data + 350 ref records)	B R
3063 - Bevised Catalogue of Stellar Botational Velocities [Uesugi and Fukuda 1982, Department of Astronomy, Kycto University) (supersedes 3003)	В
3064 - Catalog of Blue Objects at High Galactic Latitudes [Ferger and Fringant 1977, 1980, A & A Suppl. 28, 123; 39, 39)	P
3065 - Catalogue des Binaires Spectroscoriques avec Orbites (Pedoussant, Bourdoncle, Cardeville 1979; CDS Bull. 17, 21) (716 records)	P
3066 - Catalog of Revised MK Types for G-M Stars (Keenan and Fitts 1980, Ap.J. Suppl. 42, 541) (552 records)	E
3067 - Catalog of Be Stars (M. Jaschek and Egret 1981, IAU Symp. 98, in press) (1159 Stars)	В
3068 - A List of Early-Type Chemically Peculiar Stars (Egret and E. Jaschek 1981, Comptes Bendus Symp. Liege) (3710 stars, 4896 records)	Е
3069 - A Catalogue of Stellar Spectrophotometric Data (Ardeberg and Virdefors 1980, A & A Suppl. 49, 307) (format follows Freger Cat. 3048 and extends it) (356 stars, 378 records)	E
3070 - White Dwarfs 1,2 (LWDC) (Luyten 1970, 1977, U. of Minnesota Press, Minneapolis) (prepared at ADC/GSFC 1978, complete combined data) (6546 data + 548 remarks records)	A T
3071 - Catalogue, Spectrum and Magnitude Data Bank of Re, Bp and Bpe Stars (Page, A.A. 1982)	A P
3072 - Catalogue of Spectral and Luminosity Classes of 10396 Stars in Kapteyn Areas NN 2 - 43 [Bartaya, R. A. 1979, Bull, Abastumani Astrophys. Cbs. No. 51] [10396 + 97 records]	В
3073 - Cool Carbon Stars Found with the Faldone Schmidt Telescope (Alksne, Z. and Alksnis, A. 1980, Radioastrophys Cbs., Latvian Acad. Sci, Biga) (31 + 219 + 33 records)	. B
3074 - Faint Blue Stars in the Region near the South Galactic Pole (Haro and Luyten 1962, Bol. Tonantzintla y Tacubaya 22, 37) (£746 stars)	E B
3075 - MK Classification for HD Stars in the 25° < Dec < 30° Zore (Jensen, K.S. 1983, Astron. Astrophys. Suppl., submitted) (1003 records)	В
3076 - Luminous Stars in the Northern Milky Way (LSN) [Hardorp et al. 1959-1965, Hamburg-Bergedorf, Vol. I-V [7389 records)	A R T

# STATUS REPORT ON MACHINE-BEACAELE ASTRONOMICAL CATALOGUES 28 MAY 1983 III. SPECTFOSCOPIC DATA:

3077 -	A Catalog of 0.2-A Resclution Par-Ultraviolet Stellar Spectra Reasured with Copernicus ISnow and Jenkins 1977, Ap.J. Suppl. 33, 269) [60 stars, 9060 records)	A T
3078 -	MK Classification Extension (Morris-Rennedy 1983) Mt. Stromlo Ots. (supersedes 1062) (36000 data + 450 reference records)	E
3901 -	Rotational Velocities [BKRV] [Boyarchuk and Kopylov 1964, Publ. Crimean Astrophys. Obs. 31, 44) (tape prepared by Nagy and Sawyer 1979, ACC/GSFC) [2559 records)	AGT
3904 -	Sixth Catalogue of Gulactic Wolf-Fayet Stars (van der Hucht et al. 1981, Space Science Rev. 28, 227) (159 + 45 data, 143 remarks/reference records)	A T
3908 -	Sixth Catalogue of the Orbital Elements of Spectroscopic Binary Systems (Batten 1967, Fubl. Dom. Astrophys. Obs. 13, 119) (EAT6) (737 records)	A
3909 -	MK Classification Extension (Kennedy 1976, Mt. Stromlo Obs.) (27201 + 301 records) (superseded by 3019)	A M
3910 -	Catalog of Far-Ultraviolet Chjective-Frism Spectro-Photometry: Skylab Experiment S-019, Ultraviolet Stellar Astronomy (Henize, Wray, Parsons and Benedict 1979, NASA Bef. Publ. 1031)	С
3911 -	MK Spectral Classifications, 4th General Catalogue (Etscombe 1980, Northwestern Univ.) (18540 records)	В
3913 -	Discoveries on Southern, Red-Sensitive Objective-Prism Plates III: New Stars Having H-Alpha in Emission (Catalogue of 771 newly discovered emission stars, FacConnell 1980)	С
3917 -	MK Spectral Classifications, 5th General Catalogue (Euscombe 1980, Northwestern Univ.) (20000 records)	В
3922 -	Stellar Spectrophotometric Atlas 3130 - 10800 A (Gunn and Stryker 1983, Astrophys. J. Suppl., submitted)	A T
3923 -	Michigan Catalogue of 2-Dimersional Spectral Types for the HD Stars, Vol. 3 (Zones -40° to -26°) (Houk 1982, U. Michigan) (30314 + 4837 records)	A T

#### STATUS REPORT ON MACHINE-FEATABLE ASTRONOMICAL CATALOGUES 28 MAY 1983

#### IV. CROSS IDENTIFICATIONS:

4001 - A Compilation of Transit Tables for Star Numbers Cpen Clusters (Mermilliod 1979, A&A Suppl. 36, 1 (data for 50 open clusters, 50 files)	ings in B 163)
4002 - Catalogue of HD, HDE and DM Identifications for in Open Clusters (Mermilliod 1976, A&A Suppl. 26 (7196 records)	Stars P 5, 419)
4003 - General Catalogue of Stellar Identifications (CS [Jung and Bischoff 1977, see CDS Bull. 4, 27 and Collog. 35, 31) [binary packed] (430824 records) [see 4009 for updated version)	i iau
4703 - CSI EBCDIC, 143-byte records, completely unpackersome flags missing (430824 records) (character of 4003 prepared at GSPC; see 4009 for updated to (character version of 4003 prepared at GSPC)	ed with AMT version version)
4004 - Table of Correspondences SAC/HD/DM/GC (Morin 197 de Neudon) (258957 records) (superseded by 4931)	73, Obs. A T
4005 - Table of Correspondences ED/CT/CPC (packed tinas [Jung and Bischoff 1971, CDS Bull. 2, 7) (96806	ry) E records)
4705 - Talle of Correspondences BE/CD/CPE (character ve of 4005 unpacked at GSFC (96806 records)	ersion A M
4006 - Catalogue of Correspondences CSI/ADS/IDS [Jung, Bischoff and Ochsenbeim 1973, CDS Bull. 4 [45135 records)	B B
4007 - Table of Correspondences Giclas/BC [Mermilliod of [Northern Hemisphere only] [1727 correspondences 436 records]	unpub) B S,
4008 - Cross-Identifications of HDE Stars (ACEE) (Ecnnet 1978, CDS Bull. 14, 114; 15, 115) [46781 + 4740 records)	E
4009 - Catalogue of Stellar Identifications, Edition 19 (Ochsenbein, Bischoff and Egret 1979, see CDS Bu 88) [binary or character format, 434928 objects) (434928 binary records or 451885 character records)	979 B R ull. 17, cds)
4010 - Table of Correspondences HD-SAC-GC (Ochsenbein, Cross Index prepared from CSI 4009 [33342 record	F.) B
4011 - Correspondences CD / CPD, Zones - 18° tc -39° (Bonnet, B.) (170541 records)	В
4901 - HD-DM (Mead unpublished)	D
4902 - CH-HD (Mead unpublished)	D

# STATUS REPORT ON MACHINE-READAELF ASTRONOMICAL CATALOGUES 28 M/ 1933 IV. CROSS IDENTIFICATIONS:

4903 - HD-YBS (Nagy unpublished) (9091 records)	Ä	T
1904 - YBS-HD (Nagy unpublished) (9110 records)	A	T
4905 - General Catalogue of Variable Stars, 2nd Bd.: Table 1 - Nomenclature (GCVS-T1) (13078 records)	A G	T
4906 - General Catalogue of Variable Stars, 2nd Ed.: Table 6 - Correspondences ED/CC/CPD (GCVS-To) (5:80 records)	A M	T
4907 - Goddard Cross Index (Nagy and Mead unpublished)	D	
4908 - HD-DM-ADS-IDS-RA for HD Stars (Nagy and Mead unpub.)	D	
4909 - HD-SAO-DM-GC Cross Index (Nagy and Mead 1978, NASA TM 79564) (180411 records)	A F	? T
4911 - CSI Sorted by Spectral Type and My Erightest to Faintest (prepared at GSPC, same version as 4703) [430824 records)	A	
4912 - CSI Sorted by Spectral Type and Mt Erightest to Faintest (prepared at GSFC, same version as 4703) (430824 records)	A	
4913 - CSI EBCDIC, 80-Byte records, all flags in 1 32-bit word (character version of 4703 prepared at GSFC) [430824 records)	A	
4914 - AGK3-BD (Warren 1978, CDS Bull. 15, 116) [183145 records)	A	T
4915 - ED-AGK3, Non-BD Stars omitted (Warren 1978, CDS Bull. 15, 116) (179438 records)	X	T
4916 - General Catalogue of Variable Stars, 2nd Ed.: Table 4 - Flansteed Correspondences (GCVS-T4) (505 records)	A	T
4917 - General Catalogue of Variable Stars, 2nd Ed.: Table 2 - Bayer Correspondences (GCVS-T2) (358 records)	A	T
4318 - General Catalogue of Variable Stars, 2nd Ed.: Table 5 - ES-HR Correspondences (GCVS-T5) (965 records)	A	T
4919 - General Catalogue of Variable Stars, 2nd Ed.: Table 12 - Ross Correspondences (GCVS-T12) (379 records)		T
4920 - General Catalogue of Variable Stars, 23d Ed.; Table 13 - Innes Correspondences (GCVS-T13) (178 pecords)	. 1	T
4921 - General Catalogue of Variable Stars, 2nd Ed.: Table 14 - Bamberg Correspondences (GCVS-T14) (120 records)	. ,	T
4922 - General Catalogue of Variable Stars, 2nd Ed.: Tables 15- -18 Oklahoma (CR), Bologna (VE), Vatican (VV), Tokyo (TV) Observatory Correspondences (GCVS-T1518) (75 records)	. 1	Ŧ

## STATUS REPCET ON MACHINE-FEATABLE ASTBONOMICAL CATALOGUES 28 MAY 1983 IV. CROSS IDENTIFICATIONS:

4923 - General Catalogue of Variable Stars, 2nd Ed.: Table 10 - Sonneberg Correspondences (GCVS-T10) (1954 records)	λ	T
4924 - General Catalogue of Variable Stars, 2nd Ed.: Table 7 - Henry Draper Correspondences (GCVS-17) (3464 records)	λ	T
4925 - Gereral Catalogue of Variable Stars, 2nd Ed.: Table 21 - Catalogue of Suspected Variables Correspondences (GCVS-T21) (809 fecords)	A	T
4926 - General Catalogue of Variable Stars, 2nd Ed.: Table 8 - Astronomische Nachrichten (AN) Correspondences (GCVS-T8) (9218 records)	A	T
4927 - General Catalogue of Variable Stars, 2nd Ed.: Table 9 - Barvard Variable (HV) Correspondences (GCVS-T9) (8625 records)	A	T
4928 - General Catalogue of Variable Stars, 2nd Ed.: Table 11 - SVS (Variables Discovered in USSR) Correspondences (GCVS-T11) (1226 records)	λ	T
4929 - General Catalogue of Variable Stars, 2nd Ed.: Table 20 - Frager (P) Correspondences (GCVS - T20) (5829 records)	A	T
4930 - General Catalogue of Variable Stars, 2nd Ed.: Table 19 - Zinner (Z) Correspondences (GCVS - T19) (219) records)	A	Ŧ
4931 - SAC-HD-DM-GC Cross Index (Astronomical Data Center 1983) (258997 records) (supersedes 4004)	A	
4932 - Dearborn Catalogue - HD Cross Index (Nagy, T.A. 1983, ACC Bull. 1, 226) [5764 records)	A	
4933 - HD - Dearborn Catalogue Cross Index (Magy, T.A. 1983, ACC Bull. 1, 226) (5764 records)	A	
4934 - Two-Micron Sky Survey - Deartorn Catalogue Cross Index [Grasdalen, G.L. and Gaustad, J.B. 1971, Astron. J. 76, 231] [2573 records by IRC + 2573 records by DO)	A	
4935 - CSI Sorted by Mb Brightest to Faintest (prepared at GSFC, same version as 4703) (430824 records)	A	
4936 - CSI Sorted by Right Ascension (ascending) and Declination (north to south) (prepared at GSPC, same version as 4703) (430824 records)	A	

### STATUS REPORT ON MACHINE-FEATABLE ASTRONOMICAL CATALOGUES 28 MAY 1983

#### V. COMBINED DATA:

5701 - Catalogue of Nearby Stars (GL) (Gliese 1969, Veroff. Astron. Rechen-Inst. Heidelberg, No. 22) (1889 records)	A	T
5801 - Catalogue of Nearby Stars (GL) (Gliese 1969, Veroff. Astron. Rechen-Inst. Heidelberg, No. 22) (1890 records) (selected data by G. Share/NFL: IC, RA, CEC, X-Ray irtensity, comments)	A	T
5802 - Yale Catalogue of Bright Stars, 3rd Ed. (YBS) (Hcffleit 1964, Yale Univ. Cbs.) [9110 records)	A	T
5003 - Cata for FR4/FK4 Surp. Stars (Morin 1973, CDS Bull. 4, 4) [3522 records)	В	
5004 - Catalogue of Stars Within 25 Parsecs of the Sun (Wcolley et al. 1970, Royal Obs. Ann. 5) (2150 records) (improved version with corrections under 5032)	В	
5005 - Colours, Iuminosities and Motions of the Mearer Giants of Types K and M (Eggen 1966, Boyal Obs. Bull. No. 125) (1008 records)	С	
5006 - Kirematic Studies of Farly-Type Stars (Tables 1 and 2) (Rubin and Burley 1962, AJ 67, 491) (1440 + 898 records) (superseded by 5031 below)	В	
5007 - Space Velocities of G and K Giants (Tables 2 and 5) (Yess and I. E. Lutz 1971, Mem. RAS 75, 21) [161 + 631 records)	С	
5008 - Space Velocity Catalogue (Eggen 1962, Royal Obs. Bull. No. 51) (3483 records)	С	
5009 - New Kinematic Data for Bright Southern OB Stars Table 2: Kinematic Data (Lesh 1972, A&A Suppl. 5, 129) (440 entries)	С	`
5010 - New Kinematic Data for Bright Southern OB Stars Taile 4: Combined Proper Motions (Lesh 1972, A&A Suppl. 5, 129) (456 records)	B	
5011 - Catalogue of High Velocity Stars (Eggen 1964-65, Royal Cbs. Bull. No. 84) (656 records)	В	
5012 - Catalogue of Reduced uvby, Beta Photosetry (Philip, Hiller and Relyea 1976, Dudley Obs. Report No. 12) (5183 records)	В	
5013 - Probable Members of the Small Magellanic Cloud (New Version, updated Oct 1978) (Azzopardi and Vigneau 1975, A&A Suppl. 22, 285) (remarks not available in machine-readable form) [524 members + 124 foreground stars)	С	

# STATUS REPORT ON MACHINE-FEADAELF ASTRONOMICAL CATALOGUES 28 MAY 1983 V. COMBINED DATA:

5014	-	uvly Estimated Astrophysical Parameters (Philip and Egret 1980, A&A Suppl. 40, 199) [9604 records)	B !	3
5015	-	SAC and Supplementary Data (Ochsenbein 1980, CDS Bull. 19, 74) (223564 + 66544 data, 187594 cross index records)	B	
5017	-	Supergiant Stars (Egret 1980, CDS Bull. 18, 22) (5073 stars)	В	
5018	-	Catalog of Late-Type Stars with CH, HHO or SiO Maser Emission (Engles 1979, A&A Suppl. 36, 337) [1372 records)	B	
5019	-	Catalog of Masses and Ages of Stars in 68 Open Clusters (Piskunov 1980, CDS Bull. 19, 67) (10392 records)	В	
5021	-	Stellar Catalog for Attitude Determination in Space, Version II.I (Stein 1980, NSWC, Dahlgren, VA) (43099 Stars)	c	
5822	-	Catalog of IUE Observations (IUE NASA/ESA Observatories) (April 3, 1978 - November 30, 1980) (superseded by 5829)	A I	P
5023	-	A Catalogue of Four-Colour Photometric Boxes (Philip, A. G. D. and Egret, D. 1982, Astron. Astrophys. Suppl., submitted)	E	
5024	-	Catalogue of Geneva Photometric Boxes (Nicolet, B. 1982, Astron. Astrophys. Surrl. 48, 485) (35 description + 79732 data records)	P	
5825	-	The Bright Star Catalogue, 4th Revised Ed. (YBS4) (Hoffleit 1982, Yale University Obs.) [9110 data + 56 contents + 7970 remarks records)	λ	T
5026	-	CSI Catalogue with Selected Data (Ochsenbein, P. 1982) [contains identification [DB], RA [1950] DEC, l, b, H(v), A(v), spectral type, DEV, proper motions, radial vel.) [434023 records]	В	
5027	-	Proper Motions and UBV Photometry of Stars in the Region of the h and x Persei Clusters (Muminov. M. 1980, Astron. Inst. Acad. Sci. UZE.SSR, Tashkent, unpublished) (3086 + 1055 + 1386 records)	E	
5028	-	Proper Motions and UBV Photometry of Stars in the Region of Open Clusters NGC 7788, NGC 7790, Berkeley 58 and Anchymous (Frolov, V. N. 1980, Pulkovo Obs., unpublished) (2169 records)	E	
5829	-	Catalog of IUE Observations (IUE MASA/FSA Observatories) [April 3, 1978 - March 31, 1982) [28881 records) [supersedes 5822)	A I	P
5030	-	Catalog of Space Velocity Vectors of 2595 B and A Stars (Palous, J. 1982, Bull. Inform. CDS 23, 96) (2599 records)	В	

# STATUS REPORT ON MACHINE-BEALAFLE ASTRONOMICAL CATALOGUES 28 MAY 1983 V. COMBINED DATA:

5031	-	Kinematic Studies of Early-Type Stars (Tables 1 and 2) (Rubin et al. 1962, AJ 67, 491) (1440 + 898 records) (supersedes and replaces 5006)	A		T
5032	-	Catalogue of Stars Within 25 Parsecs of the Sun (Woolley et al. 1970, Royal Obs. Ann. 5) (2150 records)	A		T
5033	-	DDC and Mg Photometry obtained at Kitt Peak National, Cerro Tololo Inter-American, and Prairie Observatories: Average values, individual observations, radial velocities of NGE and SGP stars. [881 + 2895 + 303 records]	В		
5902	-	Yale Bright Star Catalogue combined with Boss General Catalogue Data (Nagy 1979) (9110 records)	λ	M	
5903	-	SKYMAP Catalogue of 248727 Stars, Version 3.0 (Gcttlieb and McLaughlin 1980, see Ap.J. Suppl. 38, 287, 1978)	A	P	T
5904	-	Combined Star Catalogue (Ewald 1979)	B	P	
5906	-	SKYMAP Catalogue of 248624 Stars, Version 3.1 (IBM 360 tinary version) [McLaughlin 1981, see Ar.J. Suppl. 38, 287, 1978) (248624 records)	B		
5908	-	Combined List of Astronomical Sources, Version 1.0 (concatenation of 2811, 2068, 2056; Nagy, Hill and Mead 1982, Systems & Appl. Sci. Corp. SSD-T-5069-0123-82) (66787 records) (character coded version)	A		T
5909	-	Combined List of Astronomical Sources, Version 1.0 (concatenation of 2811, 2068, 2056; Nagy, Hill and Mead 1982, Systems & Appl. Sci. Corp. SSD-T-5069-0158-82) (66787 records) (binary version)	A		T
5910	-	Two-micron Sky Survey; Nearest SAO Star and Locations Falomar Sky Survey Frints (Nagy, Hill and Mead 1983, NASA TM, in press) [617 entries, 5612 objects]	A		

### STATUS REFORT ON MACHINE-REAGABLE ASTRONOMICAL CATALOGUES 28 MAY 1983

#### VI. MISCELIANECUS:

6001	-	Catalogue of Photometric Sequences and Suppl. (Arque, Bok and Miller 1973, Univ. Arizona Mimeographs) [643 records, 473 Sequences, 9 globular-cluster comparison stars, 126 references)	В
6002	-	Fibliographical Star Index (1950-75) [BSI] [Stite, Kirchner, Lahmak and Ochsenbein 1980, CDS Bull. 18, 89] [about 80000 stars, about 11000 titles] [tape is packed IBM binary format]	E R
6005	-	Sensitivity Functions of Photometric Systems (Hauck AND Mermillied 1976, CDS Bull. 10, 28) [607 records, 30 tables)	В
6008	I	Eitliographical Catalogue of Field BR Lyrae Stars (Heck and Lakaye 1977, ASA Suppl. 30, 397) (6607 records)	B R
6009	-	Filliographical Index for Planetary Netulae for 1965-1976 (Acker, Marcout and Ochsenbein 1977, A&A Suppl. 30, 217)	E R
6010	-	A Table of Semiempirical of Values (Kurucz and Peytremann 1975, SAO Spec. Report No. 362) [265600 records)	В
6011	-	Finding List for Multiplet Table of NSBDS-NPS 3, Sections 1-7 (Adelman, Adelman and Fischel 1977, NASA/GSFC X-685-77-287) [8916 records)	A
6013	-	A Catalog of Radial Velocities in the Large Magellanic Clcud (Feitzinger and Weiss 1979, A&A Suppl. 37, 575)	E
6014		Eitliographical Index for Planetary Netulae for the Period 1965-1979 (Acker, Marcout and Consenbein 1980, CDS Bull. 18, 84)	E R
6015	· -	Bidelman-Farsons Spectroscopic and Bitliographical Catalog (Parsons, Buta, Bidelman 1980, CDS Bull. 18, 86) [45855 records, 40312 objects)	A T
6016	<b>-</b>	Line Spectra of the Elements (Reader and Corliss 1980-1, CRC Handbook of Chemistry and Physics; NSRDS-NBS 68) (100 files, 51257 records)	В
6017	<b>'</b> –	Billiographic Catalogue of Variable Stars (Wenzel 1981, CDS Bull. 20, 105) [257110 records)	В
6018	-	Index Catalogue of Visual Double Stars 1976.5 (Worley 1976, U. S. Naval Obs., Washington) [70295 records)	B M
6019	-	UBV Photoelectric Sequences in SA 92-115 (Landolt, A.U. 1973, AJ 78, 959) [642 Stars)	B

# STATUS REPORT ON MACHINE-FEADABLE ASTRONOMICAL CATALOGUES 28 MAY 1983 VI. MISCEILANEOUS:

6020 -	Catalog of Infrared Observations [Gezari, Schmitz and Mead 1982, NASA TM £3819) [supersedes 2071] [5 files: 44+55046+20520+1326+1326 records]	A		T
6901 -	Bitliographical Star Index [1950-72] [Cayrel et al.] (BSI) [superseded by 6002)	B	R	
6903 -	A Finding list for Chservers of Interacting Binary Systems, 5th Ed. (Wcod,Oliver,Florkowski,Koch 1980, Pütl. Department of Astron., Univ. of Florida, Vol. I; Fubl. Univ. Pennsylvana, Astron. Ser., Vol. XII)	С		
6904 -	Filliographical Star Index [1973-1977] [BSI] [Spite, Kirchner, Lahmek and Ochsenbein 1980, CDS Bull. 18, 89).		R	
6905 -	Observational Catalogue of Visual Double Stars 1976.5 [Wcrley 1976, U. S. Naval Observatory, Washington] [301995 records]	R		

### STATUS REPORT ON MACHINE-READABLE ASTRONOMICAL CATALOGUES 28 MAY 1983

#### VII. NON-STELLAR OBJECTS

7801 - Revised New General Catalogue of Non-Stellar Astro- nomical Objects (RNGC) (Sulentic and Tifft 1973, Univ. of Arizona Press) (4 files, 8163+176+1037+61 records)	A T
7802 - A Master List of Non-Stellar Objects (MOL) (Dixon 1976, IAU Collog. 35, 167) (182973 records)	R M
7003 - Catalogne of Quasi-Stellar Objects [Barbieri, Capaccioli and Zambon, Nov. 1976, Inst. of Astron., Univ. of Padova) [3354 records)	E
7704 - Catalogue of Abell and Zwicky Clusters of Galaxies [Atell 1958; Corwin 1974; Kalinkov, Stavrev and Kaneva 1975; Zwicky, Herzog, Wild, Karpowicz and Kowal 1961-1968) [prepared by Bulgarian Acad. of Science Astron. Dept.) [21179 records)	A T
7005 - Catalogue of Star Clusters and Associations (Alter et al. 1970) selected data by J. Kluke, A.F.J. Noffat, Th. Schmidt-Kaler and N. Vogt [1975) [1039 records)	B
7006 - Catalogue of Polarization Measurements and Related Data of Extragalactic Radio Sources (Eichendorf and Feinhardt 1979, Astrophys. Sp. Sci. 61, 153)	С
7007 - Dark Nebulae (B.T. Lynds 1962 Ap.J. Suppl. 7, 1) (LDN) (urdated, 1791 records)	A G T
7008 - Fulsars (Seiradakis unrublished) (PUL) (149 records)	A I
7009 - Eright Netulae (IEN) (E.T. Lynds 1965, Ar.J. Suppl. 12, 163) [1125 records)	A M T
7010 - 3rd Cambridge Radio Catalog (Revised) (3CR) (Bennett 1961, Hem. RAS 68, 163) [328 records) (selected data by G. Share/NRL: ID, RA, DEC, X-Ray intensity, comments)	A T
7011 - Ritt Peak Cuasar Catalog (CKP) (Deveny, Caborn and Janes 1971, PASP 83, 611) (261 records) (selected data by G. Share/NRL: ID, RA, DEC, X-Bay intensity, comments)	A T
7012 - 3rd UHURU I-Ray Catalog (3U) (Giaconni et al. 1974, Ap.J. Suppl. 27, 37) (161 records) (selected data by G. Share/NRL: ID, RA, DEC, X-Bay intensity, comments)	A T
7013 - Globular-Cluster Catalog (Arr 1965, Stars and Stellar Systems, Vol. 5) (119 records) [selected data by G. Share/BEL: ID, RA, DEC, X-Ray intensity, comments)	A T

#### STATUS REPORT ON MACHINE-FEADABLE ASTRONOMICAL CATALOGUES 28 MAY 1983 VII. NON-STELLAR CEJECTS

7014 - Galactic Supernova Remnants Catalogue (SNCC) (Clark and Caswell 1976, MNBAS 174, 267) (97 + 23 records)	A	T
7015 - Galactic Supernova Remnants Catalogue (SNIL) (Tiovaisky and Lequeux 1972, A&A 18, 169) (116 records)	A	T
7016 - Reference Catalogue of Bright Galaxies (de Vaucouleurs and de Vaucouleurs 1964, Univ. of Texas Press, Austip) (2597 records) (VGC)	A	т
7017 - Cuasars (CE)  G.R. Burfidge et al. 1977, Ap.J. Surrl. 33, 113)  637 records	A	T
7018 - Fourth UHUEU X-Ray Catalogue (40) (Forman et al. 1978, Ap. J. Suppl. 38, 357) (339 records) [selected data by G. Share/NRL: IC, RA, DEC, X-Ray intensity, comments)	A	T
7019 - Second Ariel X-Ray Catalogue (2A) (Ccoke et al. 1978, MNRAS 182, 489) (107 records) (Selected data by G. Share/NRL: IC, RA, DBC, X-Bay intensity, comments)	A	T
7020 - H II Regions (SHII) (Sharpless 1959, Ap.J. Suppl. 4, 257) (313 records)	A	T
7021 - Catalogue of Reflection Nebulae (VDE) (van den Bergh 1966, AJ 71, 990) (158 records)	À	T
7022 - Catalogue of Open Clusters [Lynga 1980: see Lynga and Lundstrom 1980, LAU Symp. 85, 123)	A 1	P
7023 - A Catalogue of Atsorption Lines in CSO Spectra (Ellis 1978, MNRAS 185, 613) (108 objects)	С	
7724 - Strasbourg Catalog of Galactic Planetary Nebulae (Acker, Marcout and Ochsenbein 1980, CDS Bull. 18, 84) (1446 objects)	A	R T
7025 - Morphological Catalog of Galaxies (Vorcutsov-Velyaminov, et al. 1962-68, Sternberg Inst. Moscow, Vol. I-IV) [28904 objects]	В	
7825 - Morphological Catalog or Galaxies (Vorontsov-Velyaminov, et al. 1962-68, Sternberg Inst. Moscow, Vol. I-IV) [29003 records]	A	T
7026 - Uprsala General Catalogue of Galaxies (Nilson 1973, Uprsala Ann. 6) (12921 objects)	В	
7826 - Uprsala General Catalogue of Galaxies (Nilson 1973, Oprisala Ann. 6) (12940 records)	A	Ŧ

#### STATUS REPORT ON MACHINE-REACAFLE ASTRONOMICAL CATALOGUES 28 MAY 1903 VII. NON-STELLAR CEJECTS

7027 -	•	A Revised Optical Catalogue of Quasi-Stellar Objects (A. Hewict and G. Burkidge 1980, Ap.J. Suppl. 43, 57) [1549 objects) (improved version under 7037)	B		
7028 -	•	Southern Groups and Clusters of Galaxies (DM) (Duus and Newell 1977, Ap. J. Suppl. 35, 209) (960 records)	A		T
7029 -	•	Molonglo Reference Catalog of Radio Scurces (Large, M.I., Hills, B.Y., Little, A.G., Crawford, D.F. and Sutton, J.H. 1981, Mon. Not. Roy. Astron. Soc. 194, 693) [12141 records)	E		
7830 -	•	Catalogue of Open Clusters (Lynga 1981; see Lynga and Lundstrom 1980, IAU Symp. 85, 123)	С		
7031 -		Catalogue of Star Clusters and Associations, Suppl. 1, Vol. I-III (Ruprecht, J., Balazs, B., White, B. B. 1982, Bull. Inform. CDS 22, 132) (supplement to 1970 published edition: see 7005) [3702 entries, 3704 records)	В		
7032 -	•	Catalogue of High Redshifts [Triay, B. 1982, Astron. Astrophys. Suppl., to be published] [7246 + 4618 records)	В		
7033 -	•	An Optical Catalogue of Badio Galaxies (G. Burbidge and Crowne 1978, Ap. J. Surpl. 40, 583) [272 data, 130 + 130 reference records]	A		T
7034 -	-	The BSO/Uppsala Survey of the FSO(B) Atlas (Lauberts, A. 1982, European Southern Observatory) (18438 objects, 2124 + 36876 records)	P		
7035 -	•	Catalogue of Markarian Galaxies (Markarian, B.F. 1967, Astrofis. 3, 55; 1969, Astrofis. 5, 443 and 5, 581; Markarian, B.E., Lipovetskii, V.A. 1971, 1972, 1973, 1974, 1976, 1976, Astrofis. 7, 511; 8, 155; 9, 487; 10, 307; 12, 389; 12, 657; Markarian, B.E., Lipovetskii, V.A., Stepanian, D.A. 1977, Astrofis. 13, 225 and 13, 397) (1117 entries)	E		
7036	-	A Catalog of Galaxy Redshifts (H.J. Rood, unpublished) (3981 records)	A	P	T
7037 -	-	A Fevised Cptical Catalogue of Quasi-Stellar Objects [A. Hevitt and G. Burbidge 1980, Ap. J. Suppl. 43, 57) [1549 data + 748 ref + 748 sorted ref records]	A		T
7038 -	-	A Leep Objective-Prism Survey for Large Magellanic Cloud Members (Sanduleak 1969, Contr. Cerrc Tololo Inter- American Cts., No. 89) (1272 records)	A	P	T
7039 -	-	Detailed Bibliography on the Surface Photometry of Galaxies (E. Davoust and W.D. Pence 1982, Astron. Astrophys. Suppl. 49, 631) (1262 data + 451 reference records)	В		
7903	-	List of Globules Based on 7 lists by Wesselius (compiled by Wesselius 1979) (821 records)	À		T

## STATUS REPORT ON MACHINE-FRACAELE ASTRONOMICAL CATALOGUES 28 MAY 1983 VII. NON-STELLAR CEJECTS

7904	-	Seyfe Astro	rt G phys data	alaxi	es (1 69; 0 rei	ieedn 1978 eren	an 1 , MN ce r	977, BAS'1 ecord	Annu 84, 11 s)	Bev. As P)	stron.	λ	T
7905	-	Secon (de V of Te	d Re auco xas	feren uleur Fress	ce Ca s, de	talc Vau stin)	gue Coul (43	of Er eurs 64 re	ight G and Co cords)	alaxies rwin 19	VGC2) 76, Univ.	R	T
7906	-	List Kncwn 2A Ca (266	of P Mor talo data	ositi e Acc gues + 39	ons durate [Dcla	of Alely to 19	l X- han 79, ecor	Ray S those NASA/ ds)	ources Given GSFC)	with I	Positions 4 U or	A	T
7908	-	Catal Virgo No. 2 (201	ogue Clu S S reco	of to ster ith a rds)	ltra Gala nd Co	ricle ries crnet	t or	rtica nett 81, A	l and and Su p.J.,	H I Dat ith 198 in pres	ta for 201 31, ADC Bull.	λ	
7909	-	Dixo	ter n 19 355 r	List 80, s ecord	of No ee As	n-St stron	ella . As	r Obj troph	ects ( ys. Ab	MOL)	s 28.002.075)	R	
7910	-	The A (Wark 1981, (109	riel rick MNR Low	(3A) et al AS 19 Lat.	Cata 191 7, 81 sotr	logu 1 93 Es;	e of NRAS 142	X-Ra 197, Bigh	y Sour 865; Lat. s	ces EcHardy curces)	et al.	В	
7911	••	Catal  Zwic  Insti  data  2536	ogue ky e tute for 3 ga	of G t al. cf T indiv laxy	alaxi 196 echno idua + 56	es a 19 10gy 1 gal 1 fie	nd o 63 pa axie 1d b	f Clu 1965, saden s onl eader	sters 1966, a, 6 v y recor	cf Gala 1968, clumes)	axies, I-VI California Partial	A	T
7912	-	Catal Regio	og o ns ( phys	f CO Elitz	Radi L. Supp	l. Ye	loci h, M	ties }	tcward ark, A	Galaci .A. 198	ic H II	B	
7913	-	A Pas Astro (8456	ter phys 0 re	List J. ccrds	of Ras	dio L. 20	Sour , No	ces [	Dixon, ) Vers	R.S.	1970,	R	
7914	-	A Fev (Sard Washi	ised lage, ngto	Shar A. a n Pub	ley- nd T	Ases Assan 35)	Cata n G (124	log o .A. 1 6 rec	f Brig 981, C ords)	ht Gala	axies E Inst. of	В	
7915	-	The E 340 Austi A.J. Ph 100 ph 1809	Garke Gard (-20° Talia Shim Shim Eker To -2 Tys.	s Cat ner, to n J. mins 19, D. 06): 21, 3	al og H. B. 60°) Ph ys. 10° S. 10° J. 10° 177° (	e of Hack 18, 18, Eke to 1 Shim	Radey 1 • 329 rs/0 • 966, mins	io So 964, ice a [-60 [.J.] .i. A. .i. A. .i	urces Austra o to . R Cole 1 J. Shi ralian G.A. I	J.G. J. Lian J. (900); (966, A) 1966	Bolton, Phys. 17, 1965, 3. A. Day, 1stralian G. A. Day, 1stralian G. A. Day, 1stralian Australian	P	
7916	-	Five (R. N. (953)	Coll Man (3	ege i chest 22 re	er a	Astr ad J. s)	obca B. T	y Obs aylor	ervato 1981,	ly Pula Astro	sar List n. J. 86,	В	

## STATUS REPORT ON MACHINE-FEATAFILE ASTRONOMICAL CATALOGUES 28 MAY 1983 VII. NON-STELLAR CEJECTS

- 7917 A Catalogue of Extragalactic Radio Sources having Plux
  Lensities Greater than 1 Jy at 5 GRz [H. Kuehr,
  A. Witzel, I.I.K. Pauliny-Toth, U. Nauter 1981, Astron.
  Astrophys. Suppl. 45, 367)
  (600 records)
- 7918 The Fourth Cambridge Survey of Radio Scurces (4C)
  [J.D. H. Pilkington and P.F. Scott 1965, Hem. Roy. Astron.
  Soc. 69, 183; J.F. B. Gower, P.F. Scott and D. Wills 1967,
  Hem. Roy. Astron. Soc. 71, 49)
- 7919 A Catalogue of Extragalactic Radiosource Identifications E (M.P. Veron and P. Veron 1983, see Astron. Astrophys. 18, 309, 1974 for original version)

### STATUS REPORT ON MACHINE-READABLE ASTRONOMICAL CATALOGUES 28 MAY 1983

#### VIII. CATALOGUES SORTED BY PLATE AREAS

8901	-	Plate Centers of Palomar Sky Survey	A	
8902	-	Plate Centers of Whiteoak Extension of POSS	A	
8903	-	Plate Centers of European Southern Ols. Sky Survey	A	
8904	-	Plate Centers of Lick Observatory Sky Survey	A	
	-	Catalogues Sorted by Falomar Plate Areas with X- and Y- Coordinates Given in mm (Nagy) E905 - SAO E906 - Two-Micron Sky Survey E907 - RNGC E908 - Reference Catalogue of Bright Galaxies E909 - CSI (see 4703)	A A A A	T
8910	-	CSI Sorted by Lick Plate Areas (Nagy 1978)	A	
8911	•	Master Specialty Catalogue (Nagy 1977) (concatenation of 8906,8907,8908; 1037 files)	A	T
*	-	An Emission-Line Survey of the Milky Way [Parker, Gull and Kirshner 1979] 8912 - Flate Centers (Nagy 1979) 8913 - SAO Catalog Sorted by Plate Areas with X- and Y-Coordinates given in mm [Nagy 1979]	À	
	-	Catalogues Sorted by European Southern Obs. Blue Plate Areas with X and Y Coordinates Given in mm (606 fields) E914 - SAO (See 4703)	Å	
8912	-	The Two-Micron Sky Survey: Nearest SAO Star and locations on Palchar Sky Survey Prints (Nagy, T.A. 1983, ADC Bull. 1, 183) (6817 records)	A	